

### **Window Sticker**

#### **SUMMARY**

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ

MSRP:\$57,998.00

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

#### **OPTIONS**

CODE	MODEL		MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ		\$57,998.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)		\$0.00
CF5	Sunroof, power	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
D07	Centre Console, floor-mounted	Inc.	
GBA	Black		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1Y	Jet Black, Perforated Leather-appointed front seat trim		\$0.00
HS1	Safety Alert Seat	Inc.	
IOT	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation	Inc.	
K05	Engine block heater		\$195.00
K4C	Wireless Charging	Inc.	
KA6	Seats, heated second row outboard seats	Inc.	
KQV	Seats, ventilated driver and front passenger	Inc.	
KSG	Adaptive Cruise Control - Camera	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



	Engine, 5.3L EcoTec3 V8		\$0.00
Z	USB ports, 2 (first row) located on instrument panel	Inc.	
E	Transmission, 8-speed automatic, electronically controlled		\$0.00
N	LTZ Convenience Package II	Inc.	
<u>7</u>	LTZ Convenience Package	Inc.	
J	Safety Package II	Inc.	
<	LTZ Premium Package		\$7,205.00
3	Safety Package	Inc.	
Q	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
3	Tailgate, gate function power up/down	Inc.	
₹	Wheels, 22" transit steel wheels for LPO 22" wheels and tires		\$0.00
V	LPO, 22" (55.9 cm) 5-spoke Dark Silver aluminum wheels with Chrome inserts		\$4,165.00
<u> </u>	LPO, Wheel locks, set of 4		\$0.00
<u>,</u> -	LPO, Black Bowtie Emblem, front		\$180.00
5	IntelliBeam, automatic high beam on/off	Inc.	
5	Front and Rear Park Assist, Ultrasonic	Inc.	
1	Following Distance Indicator	Inc.	
J	Forward Collision Alert	Inc.	
3	Rear Cross Traffic Alert	Inc.	
1	Universal Home Remote	Inc.	
K	Lane Keep Assist with Lane Departure Warning	Inc.	
Y	Automatic Emergency Braking	Inc.	
	Lane Change Alert with Side Blind Zone Alert	Inc.	
J	Front Pedestrian Braking	Inc.	
4	Bose Sound System, premium 7-speaker system	Inc.	
<	LPO, Moulded splash guards, Black		\$215.00
1	LPO, Assist steps, chromed tubular, 6" rectangular		\$900.00
≣	Tires, 275/50R22SL all-season, blackwall		\$0.00
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$1,000.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



SUBTOTAL	\$70,458.00
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,900.00
TOTAL PRICE	\$72 458 00

#### **FUEL ECONOMY**

Est City:14.7 L/100 km

Est Highway:10.7 L/100 km

Est Highway Cruising Range:850 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.





# Standard Equipment

Standard Equip	ment
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm), featuring all -new Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (NHT) Max Trailering Package, (LM2) Duramax 3.0L Turbo Diesel I6 engine or (VYU) Snow Plow Prep Package.)
	Trailer brake controller, integrated
	Hitch Guidance
	Hitch Guidance with hitch view
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.

23-Jun-2020 Page 4

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors



<b></b>	Complete	,
	O 0p.o.o	1

Machanias	
Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Grille (Chrome bars with high gloss Black mesh and Chrome inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Upgraded to (QT6) Power up and down tailgate when (PCZ) LTZ Convenience Package is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.





Entertainment	
Entertainment	
	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Dealer upgradeable to embedded navigation. Subscription required for enhanced and connected services after trial period. (STD) (As of 2-28-20 Dealer upgrade to navigation is no longer available to order.)
	Radio, HD
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCZ) LTZ Convenience Package, (PDF) LTZ Plus Package or (PDK) LTZ Premium Package.)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



Interior	
	Steering column, manual tilt and telescoping
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Windows, power front, drivers express up/down
	Windows, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	USB Ports (Instrument Panel with bench seat), 2 also includes 1 SD card reader (first row) (With (PCZ) LTZ Convenience Package the USB ports move inside the console and include an auxiliary jack.)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.





#### Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

#### Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

#### **Safety-Interior**

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

#### **HD Rear Vision Camera**

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

#### WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.





# **Technical Specifications**

# **Powertrain**

_	
Transm	NICCION
Hansii	11331011

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

#### Mileage

EnerGuide Estimate - City	14.7 L/100 km	EnerGuide Estimate - Hwy	10.7 L/100 km
Cruising Range - City	618.71 km	Cruising Range - Hwy	850 km

#### **Engine**

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

#### **Electrical**

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

#### **Cooling System**

**Total Cooling System Capacity** N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.





Vehicle					
Emissions					
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	303		
Chassis					
Weight Information					
Standard Weight - Front	15.88 kg	Standard Weight - Rear	30.84 kg		
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg		
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg		
Option Weight - Front	52.62 kg	Option Weight - Rear	72.58 kg		
Reserve Axle Capacity - Front	367.42 kg	Reserve Axle Capacity - Rear	723.95 kg		
As Spec'd Curb Weight	2,356 kg	As Spec'd Payload	864.56 kg		
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg		
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg		
Reserve Axle Capacity	1,091.36 kg	Total Option Weight	125.19 kg		
Payload Weight Front	0 kg	Payload Weight Rear	0 kg		
Gross Vehicle Weight Rating	3,220.56 kg				
Trailering					
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg		
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg		
Maximum Trailering Capacity	5,443.2 kg				
Frame					
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A		
Frame RBM	N/A	Frame Strength	N/A		
Frame Thickness	N/A				
Suspension					
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle		
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A		
Axle Type - Front	N/A	Axle Type - Rear	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



	4	
1	<b>V</b>	Complete
١	~	Complete

Chassis				
Suspension				
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A	
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23	
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm	
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A	
Tires				
Front Tire Order Code	XCE	Rear Tire Order Code	XCE	
Spare Tire Order Code	QAQ	Front Tire Size	275/50R22SL	
Rear Tire Size	275/50R22SL	Spare Tire Size	255/80R17SL	
Front Tire Capacity	N/A	Rear Tire Capacity	N/A	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A	
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A	
Wheels				
Front Wheel Size	22" x -TBD- mm	Rear Wheel Size	22" x -TBD- mm	
			22 X 100 111111	
Spare Wheel Size	N/A	Front Wheel Material	Aluminum	
Spare Wheel Size Rear Wheel Material	N/A Aluminum			
·		Front Wheel Material	Aluminum	
Rear Wheel Material		Front Wheel Material	Aluminum	
Rear Wheel Material  Steering	Aluminum  Electric Rack &	Front Wheel Material Spare Wheel Material	Aluminum N/A	
Rear Wheel Material  Steering  Steering Type	Aluminum  Electric Rack & Pinion	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre	Aluminum N/A N/A	
Rear Wheel Material  Steering  Steering Type  Steering Ratio (:1), At Lock	Aluminum  Electric Rack & Pinion  N/A	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre	Aluminum N/A N/A	
Rear Wheel Material  Steering  Steering Type  Steering Ratio (:1), At Lock  Turning Diameter - Wall to Wall	Aluminum  Electric Rack & Pinion  N/A	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre	Aluminum N/A N/A	
Rear Wheel Material  Steering  Steering Type  Steering Ratio (:1), At Lock  Turning Diameter - Wall to Wall  Brakes	Aluminum  Electric Rack & Pinion  N/A  N/A	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre  Turning Diameter - Curb to Curb	Aluminum N/A N/A 14.3 m	
Rear Wheel Material  Steering  Steering Type  Steering Ratio (:1), At Lock  Turning Diameter - Wall to Wall  Brakes  Brake Type	Aluminum  Electric Rack & Pinion  N/A  N/A  Pwr	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre  Turning Diameter - Curb to Curb  Brake ABS System	Aluminum N/A N/A 14.3 m	
Rear Wheel Material  Steering  Steering Type  Steering Ratio (:1), At Lock Turning Diameter - Wall to Wall  Brakes  Brake Type  Brake ABS System (Second Line)	Aluminum  Electric Rack & Pinion  N/A  N/A  Pwr  N/A	Front Wheel Material  Spare Wheel Material  Steering Ratio (:1), On Centre  Turning Diameter - Curb to Curb  Brake ABS System  Disc - Front (Yes or )	Aluminum N/A N/A 14.3 m  4-Wheel Yes	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.



<b></b>	Complete	,
	O 0p.o.o	7

Fuel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A Fuel Tank Location N/A  Aux Fuel Tank Location N/A   Dimensions  Interior Dimensions  Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm	Chassis			
Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Location N/A Aux Fuel Tank Location N/A  Dimensions  Interior Dimensions  Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Head Room 1,655.06 mm Second Hip Room 1,530.1 mm  Exterior Dimensions  Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,885.18 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,1917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Cab to Body N/A  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width M N/A Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	J11d5515			
Fuel Tank Location   N/A   Aux Fuel Tank Location   N/A	Fuel Tank			
Interior Dimensions	Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
National Color   Nati	Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Passenger Capacity         5         Front Head Room         1,092,96 mm           Front Leg Room         1,131.06 mm         Front Shoulder Room         1,676.91 mm           Front Hip Room         1,553.97 mm         Second Head Room         1,019.05 mm           Second Leg Room         1,102.36 mm         Second Shoulder Room         1,655.06 mm           Second Hip Room         1,530.1 mm         Second Shoulder Room         1,655.06 mm           Exterior Dimensions           Wheelbase         3,744.72 mm         Length, Overall w/o rear bumper         N/A           Length, Overall         5,885.18 mm         Width, Max w/o mirrors         2,063.5 mm           Height, Overall         1,917.95 mm         Overhang, Front         N/A           Overhang, Rear w/o bumper         N/A         Front Bumper to Back of Cab         N/A           Cab to Axle         N/A         Cab to End of Frame         N/A           Ground to Top of Load Floor         N/A         Ground to Top of Frame         N/A           Frame Width, Rear         N/A         Ground Clearance, Front         205.49 mm           Ground Clearance, Rear         205.49 mm         Body Length         0 m           Cargo Box Length @ Floor         1,775.97 mm         Cargo Box Width @ Top, Rear	Dimensions			
Front Leg Room         1,131.06 mm         Front Shoulder Room         1,676.91 mm           Front Hip Room         1,553.97 mm         Second Head Room         1,019.05 mm           Second Leg Room         1,102.36 mm         Second Shoulder Room         1,655.06 mm           Second Hip Room         1,530.1 mm         Second Shoulder Room         1,655.06 mm           Exterior Dimensions           Wheelbase         3,744.72 mm         Length, Overall w/o rear bumper         N/A           Length, Overall         5,885.18 mm         Width, Max w/o mirrors         2,063.5 mm           Height, Overall         1,917.95 mm         Overhang, Front         N/A           Overhang, Rear w/o bumper         N/A         Front Bumper to Back of Cab         N/A           Cab to Axle         N/A         Cab to End of Frame         N/A           Ground to Top of Load Floor         N/A         Ground to Top of Frame         N/A           Frame Width, Rear         N/A         Ground Clearance, Front         205.49 mm           Ground Clearance, Rear         205.49 mm         Body Length         0 m           Cargo Box Length @ Floor         1,775.97 mm         Cargo Box Width @ Top, Rear         N/A           Cargo Box Width @ Floor         1,813.56 mm         Cargo Box Width	Interior Dimensions			
Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm  Second Hip Room 1,530.1 mm  Exterior Dimensions  Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,885.18 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm Body Length 0 m Cargo Box Length © Floor 1,775.97 mm Cargo Box Width © Top, Rear N/A Cargo Box Width © Floor 1,813.56 mm Cargo Box Width © Wheelhousings 1,286 mm Tailgate Width N/A	Passenger Capacity	5	Front Head Room	1,092.96 mm
Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm  Exterior Dimensions  Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,885.18 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm Body Length 0 m Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length © Floor 1,775.97 mm Cargo Box Width © Top, Rear N/A Cargo Box Width © Floor 1,813.56 mm Cargo Box Width © Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Second Hip Room       1,530.1 mm         Exterior Dimensions         Wheelbase       3,744.72 mm       Length, Overall w/o rear bumper       N/A         Length, Overall       5,885.18 mm       Width, Max w/o mirrors       2,063.5 mm         Height, Overall       1,917.95 mm       Overhang, Front       N/A         Overhang, Rear w/o bumper       N/A       Front Bumper to Back of Cab       N/A         Cab to Axle       N/A       Cab to End of Frame       N/A         Ground to Top of Load Floor       N/A       Ground to Top of Frame       N/A         Frame Width, Rear       N/A       Ground Clearance, Front       205.49 mm         Ground Clearance, Rear       205.49 mm       Body Length       0 m         Cargo Area Dimensions       N/A       Cargo Box Width @ Top, Rear       N/A         Cargo Box Length @ Floor       1,775.97 mm       Cargo Box Width @ Top, Rear       N/A         Cargo Box Width @ Floor       1,813.56 mm       Cargo Box Width @ Wheelhousings       1,286 mm         Cargo Box (Area) Height       568.96 mm       Tailgate Width       N/A	Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,885.18 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm Body Length 0 m Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length © Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A  Length, Overall 5,885.18 mm Width, Max w/o mirrors 2,063.5 mm  Height, Overall 1,917.95 mm Overhang, Front N/A  Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A  Cab to Axle N/A Cab to End of Frame N/A  Ground to Top of Load Floor N/A Ground to Top of Frame N/A  Frame Width, Rear N/A Ground Clearance, Front 205.49 mm  Ground Clearance, Rear 205.49 mm Body Length 0 m  Cab to Body N/A   Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Second Hip Room	1,530.1 mm		
Length, Overall5,885.18 mmWidth, Max w/o mirrors2,063.5 mmHeight, Overall1,917.95 mmOverhang, FrontN/AOverhang, Rear w/o bumperN/AFront Bumper to Back of CabN/ACab to AxleN/ACab to End of FrameN/AGround to Top of Load FloorN/AGround to Top of FrameN/AFrame Width, RearN/AGround Clearance, Front205.49 mmGround Clearance, Rear205.49 mmBody Length0 mCab to BodyN/ACargo Box Width @ Top, RearN/ACargo Box Length @ Floor1,775.97 mmCargo Box Width @ Top, RearN/ACargo Box Width @ Floor1,813.56 mmCargo Box Width @ Wheelhousings1,286 mmCargo Box (Area) Height568.96 mmTailgate WidthN/A	Exterior Dimensions			
Height, Overall 1,917.95 mm Overhang, Front N/A  Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A  Cab to Axle N/A Cab to End of Frame N/A  Ground to Top of Load Floor N/A Ground to Top of Frame N/A  Frame Width, Rear N/A Ground Clearance, Front 205.49 mm  Ground Clearance, Rear 205.49 mm Body Length 0 m  Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length © Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm Body Length 0 m Cab to Body N/A  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Cab to Axle  N/A  Ground to Top of Load Floor  N/A  Frame Width, Rear  N/A  Ground Clearance, Front  Cab to Body  Cargo Area Dimensions  Cargo Box Length @ Floor  Cargo Box Width @ Floor  1,775.97 mm  Cargo Box Width @ Floor  1,813.56 mm  Cargo Box Width @ Wheelhousings  1,286 mm  Cargo Box (Area) Height  Cab to End of Frame  N/A  Ground to Top of Frame  N/A  Ground Clearance, Front  205.49 mm  Body Length  O m  Cargo Box Width @ Top, Rear  N/A  Cargo Box Width @ Wheelhousings  1,286 mm  Tailgate Width  N/A	Height, Overall	1,917.95 mm	Overhang, Front	N/A
Ground to Top of Load Floor N/A Ground to Top of Frame N/A  Frame Width, Rear N/A Ground Clearance, Front 205.49 mm  Ground Clearance, Rear 205.49 mm  Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Frame Width, Rear N/A Ground Clearance, Front 205.49 mm  Ground Clearance, Rear 205.49 mm  Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box (Area) Height 568.96 mm  Ground Clearance, Front 205.49 mm  Cargo Body Length Dor 0 0 m  Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Wheelhousings 1,286 mm  Tailgate Width N/A	Cab to Axle	N/A	Cab to End of Frame	N/A
Ground Clearance, Rear 205.49 mm Body Length 0 m  Cab to Body N/A  Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Cargo Area Dimensions  Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A  Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Cab to Body	N/A		
Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm  Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Cargo Area Dimensions			
Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
	Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume N/A	Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
	Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12704. Data Updated: 22-Jun-2020 11:18:00 PDT PM.