



Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT

MSRP:\$56,998.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Shadow Grey Metallic

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

OPTIONS

CODE	MODEL		MSRP
CK20743	[Retail] 2020 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT		\$56,998.00
	OPTIONS		
1LT	LT Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power	Inc.	
A48	Window, power, rear sliding	Inc.	
AAK	LPO, All-weather floor liners	Inc.	
ATH	Keyless Open and Start	Inc.	
AZ3	Seats, front 40/20/40 split-bench	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner	Inc.	
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
DD8	Mirror, inside rearview auto-dimming	Inc.	
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass		\$610.00
GJI	Shadow Grey Metallic		\$495.00
GT4	Rear axle, 3.73 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOS	Audio system, Chevrolet Infotainment 3 Plus system	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



	0.000		
JGF	GVWR, 10,650 lbs. (4831 kg)	Inc.	
JHD	Hill Descent Control	Inc.	•
K05	Engine block heater		\$195.00
K4B	Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr		\$160.00
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
KW5	Alternator, 220 amps	Inc.	
L8T	Engine, 6.6L V8		\$0.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MYD	Transmission, 6-speed automatic, heavy-duty		\$0.00
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package	Inc.	
PCM	Convenience Package II		\$1,695.00
PDU	True North Edition		\$4,590.00
PDZ	Z71 Off-Road and Protection Package		\$2,105.00
PQB	Safety Package	Inc.	
PYV	Wheels, 18" (45.7 cm) machined aluminum	Inc.	
PZ8	Hitch Guidance with Hitch View	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall	Inc.	
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R7O	Seat, Cloth Rear with Storage Package	Inc.	
RVQ	LPO, Black tubular assist steps, 6" rectangular		\$900.00
T3U	Fog lamps, front, LED	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
U1D	Advanced Trailering System	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UFG	Rear Cross Traffic Alert	Inc.	
UG1	Universal Home Remote	Inc.	
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UVB	HD Rear Vision Camera	Inc.	
UY2	Trailering wiring provisions		\$40.00
VQK	LPO, Moulded splash guards, Black		\$215.00
VYU	Snow Plow Prep/Camper Package		\$445.00
Z71	Z71 Off-Road Package	Inc.	
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$1,000.00
	Suspension, Off-Road	Inc.	
	SiriusXM with 360L	Inc.	
	SUBTOTAL		\$67,533.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$69,533.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,450 lbs. (5012 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 17" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels.)
	Air filter, high-capacity
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



(V	Complete
---	---	----------

Exterior	
	Wheels, 17" (43.2 cm) machined aluminum (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Chrome front grille bar with "CHEVROLET". Includes moulded in colour Black grille inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCL) Convenience Package or (ZL6) Advanced Trailering Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual with EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, body-colour

Entertainment

Audio system, Chevrolet Infotainment 3 system 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, Apple CarPlay and Android Auto capable. (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



Entertainment	
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage (STD) (Not available with (PCL) Convenience Package.)
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Not available with Regular Cab models. Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available on Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



Interior	
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.

29-Jun-2020 Page 7

wheel trailering (Not available with (ZW9) pickup bed delete.)





WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYD Drivetrain Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.03 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.36 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) 3.06 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP1625/6 Transfer Case Gear Ratio (:1), High 1.00 2.72 Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City N/A N/A EnerGuide Estimate - Hwy N/A N/A Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L8T **Engine Type** Gas V8 Displacement 6.6L/400 Fuel System Direct Injection SAE Net Torque @ RPM SAE Net Horsepower @ RPM 401 @ 5200 464 @ 4000 Engine Oil Cooler Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 730 Cold Cranking Amps @ 0° F (2nd) Maximum Alternator Capacity (amps) 220 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.

29-Jun-2020 Page 9

N/A





Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Chassis			
Weight Information			
Standard Weight - Front	9.53 kg	Standard Weight - Rear	8.16 kg
Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	2,993.76 kg
Curb Weight - Front	1,745.91 kg	Curb Weight - Rear	1,262.82 kg
Option Weight - Front	68.49 kg	Option Weight - Rear	79.83 kg
Reserve Axle Capacity - Front	716.23 kg	Reserve Axle Capacity - Rear	1,642.94 kg
As Spec'd Curb Weight	3,174.75 kg	As Spec'd Payload	1,656.09 kg
Maximum Payload Capacity	1,822.11 kg	Gross Combined Wt Rating	10,886.4 kg
Gross Axle Weight Rating	5,533.92 kg	Curb Weight	3,008.73 kg
Reserve Axle Capacity	2,359.17 kg	Total Option Weight	148.33 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,830.84 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg
Maximum Trailering Capacity	8,391.6 kg		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



\checkmark	Complete	
~	Complete	

Chassis Suspension N/A N/A Axle Capacity - Front Axle Capacity - Rear 3.73 Axle Ratio (:1) - Front 3.73 Axle Ratio (:1) - Rear Shock Absorber Diameter - Front 51.0 mm Shock Absorber Diameter - Rear 51.0 mm Stabilizer Bar Diameter - Front 35.05 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QF6 Rear Tire Order Code QF6 Spare Tire Order Code ZYG Front Tire Size LT275/70R18E Rear Tire Size LT275/70R18E Spare Tire Size LT275/70R18 Front Tire Capacity 1,369.87 kg Rear Tire Capacity 1,520.01 kg Spare Tire Capacity 1,650.2 kg Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 457.2 x -TBD-Rear Wheel Size 457.2 x -TBDmm mm Spare Wheel Size Front Wheel Material 457.2 x 203.2 mm Aluminum Rear Wheel Material Aluminum Spare Wheel Material Steel Steering Steering Ratio (:1), On Centre N/A Steering Type Pwr Steering Ratio (:1), At Lock Turning Diameter - Curb to Curb 16.06 m N/A Turning Diameter - Wall to Wall N/A **Brakes** 4-Wheel Brake Type Pwr **Brake ABS System** Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes 355.6 x 40.64 mm Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness Drum - Rear (Yes or) 358.14 x 33.02 N/A mm Rear Drum Diam x Width N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.



	4		
1	V/	Complete	١
(~	Complete	,

haraia			
hassis			
Fuel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
nterior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	257.05 mm
Ground Clearance, Rear	257.05 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A
Cargo Volume	1,968.02 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12744. Data Updated: 28-Jun-2020 9:51:00 PDT PM.