

Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT

MSRP:\$38,898.00

Interior: Jet Black, Leather-appointed seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

U	.0.10			
	CODE	MODEL		MSRP
	12U43	[Retail] 2021 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT		\$38,898.00
		OPTIONS		
	4LT	LT Preferred Equipment Group		\$0.00
	A28	Window, rear-sliding, manual	Inc.	
	AL9	Seat adjuster, power driver lumbar control	Inc.	
	AR7	Seats, front bucket		\$0.00
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
	C68	Air conditioning, single-zone automatic climate control	Inc.	
	CGN	Bedliner, spray-on, Black	Inc.	
	DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
	GAZ	Summit White		\$0.00
	GU6	Rear axle, 3.42 ratio	Inc.	
	H2U	Jet Black, Leather-appointed seat trim		\$0.00
	IOU	Audio system, Chevrolet Infotainment 3 Plus system with connected Navigation		\$1,375.00
	KA1	Seats, heated driver and front passenger	Inc.	
	LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00
	M5T	Transmission, 8-speed automatic		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



MCR	USB data ports, 2, includes SD Card Reader	Inc.	
PCK	Luxury Package		\$1,750.00
PCM	LT Convenience Package		\$760.00
PCW	Safety Package		\$780.00
QIA	Tires, 265/60R18 all-season, blackwall	Inc.	
RSZ	Wheels, 18" x 7.5" (45.7 cm x 19.05 cm) aluminum	Inc.	
RVP	LPO, Assist steps, Black, 3" round, Off-road step bars	Inc.	
SB9	LPO, Black tailgate lettering		\$500.00
SFE	LPO, Wheel locks		\$80.00
T3C	Headlamps, projector-type	Inc.	
T3U	Fog lamps, front	Inc.	
U2L	HD Radio	Inc.	
UD7	Rear Park Assist, Ultrasonic	Inc.	
UDD	Display, driver instrument information enhanced, multi-colour	Inc.	
UEU	Forward Collision Alert	Inc.	
UFL	Lane Departure Warning	Inc.	
UGA	Red Recovery Hooks	Inc.	
UQA	Audio system feature, Bose premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
UVD	Steering wheel, heated	Inc.	
VQK	LPO, Front and rear splash guards		\$240.00
WGQ	Redline Special Edition		\$3,375.00
ZQ9	Appearance Package, Exterior Trim, Black Out	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$47,758.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$49,758.00

FUEL ECONOMY

Est City:14.0 L/100 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Standard Equipment

• •	
Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine or Crew Cab Short Box models. Standard on Crew Cab Long Box models.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed AutoTrac
	Differential, automatic locking rear (Available with (LCV) 2.5L I4 engine. Requires (Z82) Trailering Package when (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine is ordered. Standard on Crew Cab Long Box models.)
	Four wheel drive
	Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Trailering Package, heavy-duty includes trailer hitch and 7-pin connector (Requires (G80) automatic locking rear differential and (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box models.)
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
	Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, 255/65R17 all-season, blackwall (STD)
	Tire, spare 255/65R17 all-season, blackwall (Included and only available with (LGZ) 3.6L DI DOHC V6 engine o (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Wheel, spare, 17 \times 8" (43.2 cm \times 20.3 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Bumper, rear body-colour (Deleted when (01U) Special Paint is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Exterior	
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Door handles, body-colour
	Tailgate, EZ-Lift and Lower
	Tailgate, remote locking (locks and unlocks with key fob)
	Tailgate handle, Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 System 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Interior	
	Floor mats, carpeted rear (Deleted when (B38) full-length Black vinyl floor covering is ordered.)
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOU) 8" diagonal Chevrolet Infotainment System with Navigation.)
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone manual climate control
	Handles, door release, front and rear, chrome
	Mirror, inside rearview auto-dimming
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Exterior	
	Daytime Running Lamps



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)
	Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
WADDANTV	

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.





Technical Specifications

Powertrain

_								
Tr	ar	١S	m	19	SS	1	o	r

Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3025G
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

Mileage

EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km

Engine

Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



ehicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	284
nassis			
Veight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	N/A	Curb Weight - Rear	N/A
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	N/A	As Spec'd Payload	N/A
Maximum Payload Capacity	N/A	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	N/A
Reserve Axle Capacity	N/A	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Maximum Trailering Capacity	3,447.36 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2- Stage, Multi-Leaf
Spring Capacity - Front	1,451.52 kg	Spring Capacity - Rear	1,587.6 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Chassis			
Suspension			
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZAO	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	255/65R17
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity	1,587.6 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	457.2 x 190.5 mm	Rear Wheel Size	457.2 x 190.5 mm
Spare Wheel Size	431.8 x 203.2 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



4		
(<	Complete)

Fuel Tank Fuel Tank Capacity, Approx 79 L Aux Fuel Tank Capacity, Approx N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Simensions Interior Dimensions Passenger Capacity 5 Front Head Room 1,051.56 mm Front Leg Room 1,143 mm Front Shoulder Room 1,460.5 mm Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Second Hip Room 1,355.82 mm Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,867.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Frame Width, Rear N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Rear 205.74 mm Body Length Om Cab to Body N/A Cargo Box Length © Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Length Over Box Vidth @ Wheelhousings 1,127.76 mm Length Over Box Width @ Wheelhousings 1,127.76 mm Length Ov				
Fuel Tank Capacity, Approx 79 L Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Fuel Tank Location N/A Fuel Tank Location N/A Front Second S	hassis			
Fuel Tank Location N/A Aux Fuel Tank Location N/A Dimensions Interior Dimensions Passenger Capacity 5 Front Head Room 1,051.56 mm Front Leg Room 1,143 mm Front Shoulder Room 1,460.5 mm Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Second Hip Room 1,353.82 mm Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground to Top of Frame N/A Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm	Fuel Tank			
Dimensions Interior Dimensions Passenger Capacity 5 Front Head Room 1,051.56 mm Front Leg Room 1,143 mm Front Shoulder Room 1,460.5 mm Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Length @ Floor 1,468.12 mm Cargo Box Width @ Top, Rear N/A<	Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Passenger Capacity 5	Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Passenger Capacity 5 Front Head Room 1,051.56 mm Front Leg Room 1,143 mm Front Shoulder Room 1,460.5 mm Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Second Hip Room 1,353.82 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm <tr< td=""><td>imensions</td><td></td><td></td><td></td></tr<>	imensions			
Front Leg Room 1,143 mm Front Shoulder Room 1,460.5 mm Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Second Hip Room 1,353.82 mm Second Shoulder Room 1,427.48 mm Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box	Interior Dimensions			
Front Hip Room 1,397 mm Second Head Room 972.82 mm Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Second Hip Room 1,353.82 mm Second Shoulder Room 1,427.48 mm Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Uength @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A	Passenger Capacity	5	Front Head Room	1,051.56 mm
Second Leg Room 909.32 mm Second Shoulder Room 1,427.48 mm Exterior Dimensions Exterior Dimensions Length, Overall w/o rear bumper N/A Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Box Uength @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Exterior Dimensions Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall Worderall Worderall w/o rear bumper N/A Length, Overall Worderall Worderall Worderall Worderall Worderall Worderall N/A Length, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cat bo Body N/A Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length O m Cab to Body N/A Cargo Area Dimensions Cargo Box Length © Floor 1,879.6 mm Cargo Box Width © Top, Rear N/A Cargo Box Width © Floor 1,468.12 mm Cargo Box Width © Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Wheelbase 3,568.7 mm Length, Overall w/o rear bumper N/A Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Cab to Body N/A Cargo Box Length © Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Second Hip Room	1,353.82 mm		
Length, Overall 5,712.46 mm Width, Max w/o mirrors 1,887.22 mm Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cargo Area Dimensions Cargo Box Length © Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width © Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Exterior Dimensions			
Height, Overall 1,790.7 mm Overhang, Front 937.26 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Wheelbase	3,568.7 mm	Length, Overall w/o rear bumper	N/A
Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 917.7 mm Cab to End of Frame N/A Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Length, Overall	5,712.46 mm	Width, Max w/o mirrors	1,887.22 mm
Cab to Axle Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Cab to Body Cargo Area Dimensions Cargo Box Length @ Floor Cargo Box Width @ Floor Cargo Box (Area) Height N/A Cab to End of Frame N/A Ground to Top of Frame N/A Ground Clearance, Front Body Length Body Length Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Height, Overall	1,790.7 mm	Overhang, Front	937.26 mm
Ground to Top of Load Floor 878.84 mm Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Body Length 0 m Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Frame Width, Rear N/A Ground Clearance, Front 205.74 mm Ground Clearance, Rear 205.74 mm Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Cab to Axle	917.7 mm	Cab to End of Frame	N/A
Ground Clearance, Rear 205.74 mm Body Length 0 m Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Ground to Top of Load Floor	878.84 mm	Ground to Top of Frame	N/A
Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Frame Width, Rear	N/A	Ground Clearance, Front	205.74 mm
Cargo Area Dimensions Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Ground Clearance, Rear	205.74 mm	Body Length	0 m
Cargo Box Length @ Floor 1,879.6 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Cab to Body	N/A		
Cargo Box Width @ Floor 1,468.12 mm Cargo Box Width @ Wheelhousings 1,127.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A	Cargo Area Dimensions			
Cargo Box (Area) Height N/A Tailgate Width N/A	Cargo Box Length @ Floor	1,879.6 mm	Cargo Box Width @ Top, Rear	N/A
	Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Volume 1,413.01 L Ext'd Cab Cargo Volume N/A	Cargo Box (Area) Height	N/A	Tailgate Width	N/A
	Cargo Volume	1,413.01 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.