



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Suburban (CK10906) 4WD 4dr High Country

MSRP:\$83,898.00

Interior: Jet Black/Mocha, Perforated leather-appointed seat trim

Exterior 1:Iridescent Pearl Tricoat

Exterior 2:No colour has been selected.

Engine, 6.2L EcoTec3 V8

Transmission, 10-speed automatic

OPTIONS

| MSRP | | MODEL | CODE |
|-------------|------|--|---------|
| \$83,898.00 | try | [Retail] 2021 Chevrolet Suburban (CK10906) 4WD 4dr High | CK10906 |
| | | OPTIONS | |
| \$0.00 | | High Country Preferred Equipment Group | 3LZ |
| \$0.00 | | Seats, front bucket | A50 |
| | Inc. | Assist steps, power-retractable | B3L |
| | Inc. | Sunroof, power Panoramic, dual-pane, tilt-sliding | C3U |
| \$400.00 | | Console, floor, power-sliding centre | DCH |
| \$1,195.00 | | Iridescent Pearl Tricoat | G1W |
| \$0.00 | | Rear axle, 3.23 ratio | GU5 |
| \$0.00 | | Jet Black/Mocha, Perforated leather-appointed seat trim | HVB |
| \$0.00 | | Audio system, Chevrolet Infotainment 3 Premium system wit connected Navigation, 10.2" diagonal HD colour touchscreer | IOT |
| | Inc. | Trailer brake controller, integrated | JL1 |
| | Inc. | Adaptive Cruise Control | KSG |
| \$0.00 | | Engine, 6.2L EcoTec3 V8 | L87 |
| \$0.00 | | Transmission, 10-speed automatic | MQC |
| | Inc. | Max Trailering Package | NHT |
| \$5,305.00 | | Premium Package | PCU |
| | Inc. | Hitch Guidance with Hitch View | PZ8 |
| \$0.00 | ted | Wheels, 22" x 9" (55.9 cm x 22.9 cm) Sterling Silver premium | RPT |
| \$275.00 | | LPO, Black bowtie emblems, front and rear | SFZ |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| | | - 4 | |
|----------------------|--|---------------------------------|-------------|
| Vehicle: [Retail] 20 | 021 Chevrolet Suburban (CK10906) 4WD 4dr Hig | h Country (√ Complete) | |
| | | | |
| U1D | Advanced Trailering System | Inc. | |
| UGN | Enhanced Automatic Emergency Braking | Inc. | |
| UKV | Trailer Side Blind Zone Alert | Inc. | |
| UW9 | Rear Seat Media System | | \$2,295.00 |
| V03 | Cooling system, extra capacity | Inc. | |
| ZL6 | Advanced Trailering Package | Inc. | |
| | Federal air conditioning excise tax | | \$100.00 |
| | SUBTOTAL | | \$93,368.00 |
| | Adjustments Total | | \$0.00 |
| | Total Tax | | \$100.00 |
| | Destination Charge | | \$1,900.00 |
| | TOTAL PRICE | | \$95,368.00 |

FUEL ECONOMY

Est City:16.8 L/100 km

Est Highway:12.4 L/100 km

Est Highway Cruising Range:854.3 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.





Standard Equipment

| <u> </u> | |
|------------|--|
| Mechanical | |
| | Suspension Package, Magnetic Ride Control |
| | Engine, 6.2L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 Nm] @ 4100 rpm) (STD) |
| | Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD) |
| | GVWR, 7700 lbs. (3493 kg) (STD) |
| | Rear axle, 3.23 ratio |
| | Automatic Stop/Start |
| | Engine control, stop/start system disable button, non-latching |
| | Engine air filtration monitor |
| | Fuel, gasoline, E15 (Standard with (L87) 6.2L EcoTec3 V8 engine only.) |
| | Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing |
| | Differential, mechanical limited-slip |
| | 4-wheel drive |
| | Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (Deleted when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.) |
| | Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil |
| | Battery, 800 cold-cranking amps with 80 amp hour rating (Standard with (L87) 6.2L EcoTec3 V8 engine only.) |
| | Alternator, 220 amps (Standard with (L87) 6.2L EcoTec3 V8 engine only.) |
| | Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver |
| | Trailer sway control |
| | Hitch Guidance |
| | Suspension, front coil-over-shock with stabilizer bar |
| | Suspension, rear multi-link with coil springs |
| | Hill Decent Control |
| | Steering, power |
| | Brakes, 4-wheel antilock, 4-wheel disc, 17" front and rear |
| | Exhaust, dual system with dual twin polished stainless-steel tips (Deleted when (LM2) Duramax 3.0L Turbo- Diesel I6 engine is ordered.) |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| Mechanical | |
|------------|--|
| | Mechanical Jack with tools |
| Exterior | |
| | Wheels, 22" x 9" (55.9 cm x 22.9 cm) Sterling Silver premium painted with chrome inserts (Includes (SFE) wheel locks, LPO.) (STD) |
| | Tires, 275/50R22SL all-season, blackwall |
| | Wheel, full-size spare, 17" (43.2 cm) steel |
| | LPO, Wheel locks, set of 4 (dealer-installed) (Included with (RPT) 22" Sterling Silver premium painted wheels with chrome inserts. Not available with any LPO wheels. Note that LPO 22" wheels will come with wheel locks without the LPO code (SFE).) |
| | Tire, spare P265/70R17 all-season, blackwall |
| | Tire carrier, lockable outside spare, winch-type mounted under frame at rear |
| | Active aero shutters, upper (Standard with (L87) 6.2L EcoTec3 V8 engine only.) |
| | Fascia, front |
| | Luggage rack side rails, roof-mounted, bright |
| | Assist steps, Black with chrome accent strip (Deleted when (B3L) power-retractable assist steps, (PCU) Premium Package or (PDM) High Country Deluxe are ordered.) |
| | Headlamps, LED |
| | IntelliBeam, automatic high beam on/off |
| | Lamps, stop and tail, LED |
| | Mirrors, outside heated power-adjustable, power-folding, driver-side auto-dimming integrated turn signal indicators and puddle lighting |
| | Mirror caps, body-colour |
| | Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass) |
| | Glass, acoustic, laminated |
| | Glass, windshield shade band |
| | Wipers, front intermittent, Rainsense |
| | Wiper, rear intermittent with washer |
| | Door handles, chrome with body-colour strip |
| | Liftgate, rear power programmable, hands-free with emblem projection |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| Entertainment | |
|---------------|---|
| | Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation, 10.2" diagonal HD colour touchscreen AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, additional memory for in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD) |
| | Audio system feature, Bose 10-speaker Surround with CenterPoint |
| | Infotainment display, 10.2" diagonal multi-colour touchscreen |
| | SiriusXM Radio with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favorites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.ca/ca for details and limitations.) |
| | Radio, HD |
| | Bluetooth for phone personal cell phone connectivity to vehicle audio system |
| | Wireless Apple CarPlay/Wireless Android Auto |
| | 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| Interior | |
| | Seats, front bucket (STD) |
| | Keyless start, push button |
| | Seat trim, perforated leather-appointed |
| | Seat adjusters, 12-way power includes 8-way power driver and front passenger seats with 4-way power lumbar |
| | Seats, heated driver and front passenger |
| | Seats, heated and ventilated driver and front passenger |
| | Seats, heated second row outboard seats |
| | Seats, second row bucket, power release |
| | Seats, third row 60/40 split-bench, power folding |
| | Console, floor with storage area and removable storage tray |
| | Floor covering, colour-keyed carpeting |
| | Floor mats, colour-keyed carpeted first and second row, removable |
| | Electronic Precision Shift |
| | Steering column, lock control, electrical |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| Interior | |
|----------|--|
| | Steering column, power tilt and telescopic |
| | Steering wheel, leather-wrapped |
| | Steering wheel, heated, automatic |
| | Steering wheel controls, mounted audio, Driver Information Center, cruise control, Forward Collision Alert following gap button and heated steering wheel (when equipped) |
| | Driver Information Centre, enhanced, 8" diagonal multi-colour digital display includes analog speedometer and tachometer gauges |
| | Head-Up Display, 15" diagonal multi-colour |
| | Rear Seat Reminder |
| | Door locks, power programmable with lockout protection and delayed locking |
| | Keyless Open includes extended range Remote Keyless Entry |
| | Remote start |
| | Cruise control, electronic with set and resume speed (Deleted when (PCU) Premium Package, (PDM) High Country Deluxe or (KSG) Adaptive Cruise Control are ordered.) |
| | Universal Home Remote includes garage door opener, programmable |
| | Theft-deterrent system, electrical, unauthorized entry |
| | Window, power with driver Express-Up/Down |
| | Window, power with front passenger Express-Up/Down |
| | Windows, power with rear Express-Down |
| | Memory settings, recalls 2 "driver" presets for power driver seat, outside rearview mirrors and power and tilt and telescopic steering column |
| | Wireless charging |
| | USB data ports 2, one type-A and one type-C, includes SD Card Reader, located within front centre console (When (DCH) power-sliding centre console is ordered, relocated within instrument panel.) |
| | USB data ports, 2, one type-A and one type-C, located within centre console (Deleted when (DCH) power-sliding centre console is ordered.) |
| | USB charging-only ports, 4, (2) located on rear of centre console and (2) in 3rd row |
| | Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants |
| | Air conditioning, rear |
| | Defogger, rear-window electric |
| | Power outlets, 2, 120-volt, located on the rear of the centre console and rear cargo area |
| | Power outlet, front auxiliary, 12-volt, located in the centre stack of instrument panel |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| Interior | |
|-------------------|--|
| | Sill plates, bright, front and rear door (High Country-specific with logo.) |
| | Rear Camera Mirror, inside rearview auto-dimming with full camera display |
| | Visors, driver and front passenger illuminated vanity mirrors, sliding |
| | Assist handles, overhead, driver and front passenger, located in headliner |
| | Assist handles, front passenger A-pillar and second row outboard B-pillar |
| | Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions |
| | Cargo management system |
| | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.) |
| Safety-Mechanical | |
| | Automatic Emergency Braking (Replaced with (UGN) Enhanced Automatic Emergency Braking when (KSG) Adaptive Cruise Control, (PCU) Premium Package or (PDM) High Country Deluxe are ordered.) |
| | Active Hill Hold Assist |
| | StabiliTrak, stability control system with brake assist, includes traction control |
| Safety-Exterior | |
| | Daytime Running Lamps, LED |
| Safety-Interior | |
| | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
| | Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions |
| | Front outboard Passenger Sensing System for frontal outboard passenger airbag |
| | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| | Front and Rear Park Assist |
| | Following Distance Indicator |
| | HD Surround Vision |
| | Rear Camera Mirror Washer |
| | Rear Cross Traffic Alert |
| | Front Pedestrian Braking |
| | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| Safety-Interior | |
|-----------------|--|
| | Rear Pedestrian Alert |
| | Lane Change Alert with Side Blind Zone Alert |
| | Lane Keep Assist with Lane Departure Warning |
| | Forward Collision Alert |
| | Safety Alert Seat |
| | Door locks, rear child security, manual |
| | LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions |
| | Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire) |
| | Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on |
| WADDANTY | |

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



Technical Specifications

| Powertrain | |
|------------|--|

| _ | | | | |
|-----|----|-----|-----|---|
| Tra | ns | mis | sio | ٦ |

| Drivetrain | Four Wheel Drive | Trans Order Code | MQC |
|-------------------------------------|------------------|------------------------------------|-----------|
| Trans Type | 10 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | N/A |
| Second Gear Ratio (:1) | N/A | Third Gear Ratio (:1) | N/A |
| Fourth Gear Ratio (:1) | N/A | Fifth Gear Ratio (:1) | N/A |
| Sixth Gear Ratio (:1) | N/A | Reverse Ratio (:1) | N/A |
| Clutch Size | N/A | Trans Power Take Off | N/A |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | N/A |
| Transfer Case Gear Ratio (:1), High | 1 | Transfer Case Gear Ratio (:1), Low | N/A |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | N/A |
| Eighth Gear Ratio (:1) | N/A | Ninth Gear Ratio (:1) | N/A |
| Tenth Gear Ratio (:1) | N/A | | |
| | | | |

Mileage

| EnerGuide Estimate - City | 16.8 L/100 km | EnerGuide Estimate - Hwy | 12.4 L/100 km |
|---------------------------|---------------|--------------------------|---------------|
| Cruising Range - City | 630.56 km | Cruising Range - Hwy | 854.3 km |

Engine

| Engine Order Code | L87 | Engine Type | Gas V8 |
|--------------------------|------------|----------------------|------------------|
| Displacement | 6.2L/-TBD- | Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 420 @ 5600 | SAE Net Torque @ RPM | 460 @ 4100 |
| Engine Oil Cooler | N/A | | |

Electrical

| Cold Cranking Amps @ 0° F (Primary) | 800 | Cold Cranking Amps @ 0° F (2nd) | N/A |
|-------------------------------------|-----|---------------------------------|-----|
| Maximum Alternator Capacity (amps) | N/A | Cold Cranking Amps @ 0° F (3rd) | N/A |

Cooling System

Total Cooling System Capacity N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| ehicle | | | |
|---|-------------|--|-------------|
| Emissions | | | |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | N/A |
| | | | |
| /ehicle | | | |
| Rear Door Type | Liftgate | | |
| hassis | | | |
| Weight Information | | | |
| Standard Weight - Front | 0 kg | Standard Weight - Rear | 0 kg |
| Gross Axle Wt Rating - Front | 1,723.68 kg | Gross Axle Wt Rating - Rear | 1,950.48 kg |
| Curb Weight - Front | N/A | Curb Weight - Rear | N/A |
| Option Weight - Front | 0 kg | Option Weight - Rear | 0 kg |
| Reserve Axle Capacity - Front | N/A | Reserve Axle Capacity - Rear | N/A |
| As Spec'd Curb Weight | N/A | As Spec'd Payload | N/A |
| Maximum Payload Capacity | N/A | Gross Combined Wt Rating | 6,577.2 kg |
| Gross Axle Weight Rating | 3,674.16 kg | Curb Weight | N/A |
| Reserve Axle Capacity | N/A | Total Option Weight | 0 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 3,492.72 kg | | |
| - - - - - - - - | | | |
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 3,583.44 kg | Wt Distributing Hitch - Max Tongue Wt. | 358.34 kg |
| Maximum Trailering Capacity | N/A | | |
| Frame | | | |
| Frame Type | N/A | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |
| Suspension | | | |
| Suspension Type - Front | Independent | Suspension Type - Rear | Multi-Link |
| | | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| hassis | | | |
|----------------------------------|---------------------|------------------------------------|---------------------|
| Suspension | | | |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |
| Axle Type - Front | Independent | Axle Type - Rear | N/A |
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | 3.23 | Axle Ratio (:1) - Rear | 3.23 |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |
| Tires | | | |
| Front Tire Order Code | XCG | Rear Tire Order Code | XCG |
| Spare Tire Order Code | XCQ | Front Tire Size | 275/50R22 |
| Rear Tire Size | 275/50R22 | Spare Tire Size | P265/70R17 |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |
| Wheels | | | |
| Front Wheel Size | 558.8 x 228.6 mm | Rear Wheel Size | 558.8 x 228.6 mm |
| Spare Wheel Size | 431.8 x -TBD- mm | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Steel |
| Steering | | | |
| Steering Type | Pwr | Steering Ratio (:1), On Centre | N/A |
| Steering Ratio (:1), At Lock | N/A | Turning Diameter - Curb to Curb | 13.2 m |
| Turning Diameter - Wall to Wall | N/A | | |
| Brakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 431.8 x -TBD- mm |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



| L | | | |
|-----------------------------------|---------------------|--------------------------------|-------------|
| hassis | | | |
| Brakes | | | |
| Rear Brake Rotor Diam x Thickness | 431.8 x -TBD- mm | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |
| uel Tank | | | |
| Fuel Tank Capacity, Approx | 106 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |
| mensions | | | |
| nterior Dimensions | | | |
| Passenger Capacity | 7 | Front Head Room | 1,026.16 mm |
| Front Leg Room | 1,130.3 mm | Front Shoulder Room | 1,676.4 mm |
| Front Hip Room | 1,562.1 mm | Second Head Room | 952.5 mm |
| Second Leg Room | 1,066.8 mm | Second Shoulder Room | 1,645.92 mm |
| Second Hip Room | 1,557.02 mm | Third Head Room | 970.28 mm |
| Third Leg Room | 932.18 mm | Third Shoulder Room | 1,567.18 mm |
| Third Hip Room | 1,254.76 mm | | |
| xterior Dimensions | | | |
| Wheelbase | 3,406.14 mm | Length, Overall w/rear bumper | N/A |
| Length, Overall | 5,732.78 mm | Width, Max w/o mirrors | N/A |
| Height, Overall | 1,922.78 mm | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | N/A |
| Ground Clearance, Rear | N/A | Body Length | 0 m |
| Rear Door Opening Height | N/A | Rear Door Opening Width | N/A |
| Side Door Opening Height | N/A | Side Door Opening Width | N/A |
| Step Up Height - Front | N/A | Step Up Height - Side | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.



N/A

Dimensions Exterior Dimensions N/A Cab to Body **Cargo Area Dimensions** Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 N/A Cargo Area Length @ Floor to Seat 2 N/A Cargo Area Length @ Floor to Seat 3 N/A Cargo Box Width @ Top, Rear Cargo Area Width @ Beltline N/A N/A Cargo Box Width @ Floor N/A Cargo Box Width @ Wheelhousings 1,254.76 mm Cargo Box (Area) Height N/A Tailgate Width N/A 4,097.46 L Cargo Volume N/A Cargo Volume to Seat 1 Cargo Volume to Seat 2 2,656.13 L Cargo Volume to Seat 3 1,175.15 L Cargo Volume to Seat 4 N/A Ext'd Cab Cargo Volume N/A **Exterior Doors**



Side Door Type

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12824. Data Updated: 8-Jul-2020 11:01:00 PDT PM.