

### **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Spark (1DS48) 4dr HB Man 1LT

MSRP:\$14,898.00

Interior: Jet Black/Dark Anderson Silver Metallic, Cloth seat trim

Exterior 1:Mosaic Black

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, 5-speed manual

| <b>OPTIONS</b> |
|----------------|
|----------------|

| OF I | IONS  |  |      |             |
|------|-------|--|------|-------------|
|      | CODE  | MODEL  |      | MSRP        |
|      | 1DS48 | [Retail] 2021 Chevrolet Spark (1DS48) 4dr HB Man 1LT   |      | \$14,898.00 |
|      |       | OPTIONS  |      |             |
|      | 1SC   | 1LT Preferred Equipment Group  |      | \$0.00      |
|      | AV5   | Seats, front high-back bucket  |      | \$0.00      |
|      | B94   | Emblem, Black  | Inc. |             |
|      | C95   | Lighting, interior overhead courtesy lamp and dual reading lamps                             | Inc. |             |
|      | CF5   | Sunroof, power, sliding  |      | \$1,195.00  |
|      | CWQ   | Summit White two-tone roof   |      | \$0.00      |
|      | GB0   | Mosaic Black   |      | \$295.00    |
|      | HJG   | Jet Black/Dark Anderson Silver Metallic, Cloth seat trim                                     |      | \$0.00      |
|      | IOR   | Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. |      | \$0.00      |
|      | LV7   | Engine, 1.4L DOHC 4-cylinder MFI   |      | \$0.00      |
|      | MR7   | Transmission, 5-speed manual   |      | \$0.00      |
|      | PCH   | Spark Sport Edition  |      | \$795.00    |
|      | RRK   | Wheels, 15" (38.1 cm) Black-painted machined finish alloy                                    | Inc. |             |
|      | SFE   | LPO, Wheel lock kit  |      | \$70.00     |
|      | TL4   | Grille, Black-painted  | Inc. |             |
|      | TTK   | Bezel, Black, daytime running lamps  | Inc. |             |
|      |       | Federal air conditioning excise tax  |      | \$100.00    |
|      |       |  |      |             |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| SUBTOTAL           | \$17,253.00 |
|--------------------|-------------|
| Adjustments Total  | \$0.00      |
| Total Tax          | \$100.00    |
| Destination Charge | \$1,600.00  |
| TOTAL PRICE        | \$18,953.00 |

#### **FUEL ECONOMY**

Est City:8.0 L/100 km

Est Highway:6.2 L/100 km

Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



# **Standard Equipment**

| Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD) |
|---|
| Transmission, 5-speed manual (STD)  |
| Axle, 3.91 ratio, final drive   |
| Front wheel drive   |
| Battery, 375 cold-cranking amps   |
| Alternator, 80 amps   |
| Suspension, front, MacPherson struts  |
| Suspension, rear, compound crank  |
| Steering, power, non-variable ratio, electric   |
| Brakes, 4-wheel antilock, front disc/rear drum  |
| Fuel tank, 35L, 9 gallons   |
| Jack, mechanical with tools   |
|   |
| Wheels, 15" (38.1 cm) aluminum (STD)  |
| Wheel, 14" (35.6 cm) steel spare  |
| Tires, P185/55R15 all-season blackwall  |
| Tire, spare, T105/70D14, blackwall  |
| Spoiler, rear, Aero   |
| Grille, chrome  |
| Headlamps, halogen projector with automatic exterior lamp control   |
| Lamp, centre high-mounted stop/brake (CHMSL)  |
| Mirrors, heated, outside manual-folding, body-colour  |
| Glass, solar absorbing  |
| Wipers, front intermittent, variable  |
| Wiper, rear intermittent, 2-speed   |
| Door handles, body-colour   |
| License plate bracket, front  |
|   |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| Entertainment                          |   |
|--|---|
| Littertailinent                        |   |
|  | Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)  |
|  | SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.) |
| Audio system feature, 6-speaker system |   |
|  | 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)  |
|  | Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)  |
|  | Antenna, roof-mounted   |
| Interior                               |   |
|  | Seats, front high-back bucket (STD)   |
|  | Seat trim, Cloth  |
|  | Seat adjuster, driver 4-way fore/aft (up/down) manual with manual recline   |
|  | Seat adjuster, 2-way manual front passenger with manual recline   |
|  | Seat adjuster, front passenger, manual recline  |
|  | Seat, rear 60/40 split-bench, folding   |
|  | Head restraints, 2-way adjustable (up/down) front and rear  |
|  | Console, rear, centre with storage tray   |
|  | Floor mats, carpeted front and rear   |
|  | Foot rest, driver side  |
|  | Steering column, Tilt-Wheel   |
|  | Steering wheel, 3-spoke   |
|  | Steering wheel controls, mounted audio and phone interface controls   |
|  | Instrumentation, analog with speedometer, tachometer and fuel gauge   |
|  | Driver Information Centre, segmented display  |
|  | Oil life monitoring system  |
|  | Outside temperature display   |
|  | Windows, power with driver express up/down  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| Interior          |   |
|-------------------|---|
|                   | Door handles, Black   |
|                   | Remote Keyless Entry includes panic alarm button  |
|                   | Keys, foldable (2)  |
|                   | Cruise control, electronic with set and resume speed, steering wheel-mounted                |
|                   | Fuel filler door release, remote  |
|                   | Theft-deterrent system, content theft alarm   |
|                   | Engine immobilizer  |
|                   | USB data ports, 2, illuminated located in the front centre stack storage bin                |
|                   | Air conditioning, single-zone manual  |
|                   | Cabin air filter  |
|                   | Defogger, rear-window   |
|                   | Glovebox, non-locking   |
|                   | Storage, passenger IP storage tray  |
|                   | Storage, lower centre IP bin  |
|                   | Cup holders, 2 front and 2 rear   |
|                   | Power outlet, auxiliary located in front centre stack storage bin                           |
|                   | Armrest, driver seat  |
|                   | Mirror, inside rearview manual day/night  |
|                   | Visors, driver and front passenger vanity mirrors, covered                                  |
|                   | Assist handle, front passenger  |
|                   | Lighting, interior overhead courtesy lamp with OnStar controls                              |
|                   | Lighting, dimming instrument panel cluster  |
|                   | Lighting, rear cargo compartment lamp   |
|                   | Map pocket, front passenger seatback  |
|                   | Coat hooks, rear seat   |
|                   | Cargo security shelf, rear  |
|                   | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.) |
| Safety-Mechanical |   |
|                   | StabiliTrak, stability control system with Brake Assist                                     |
|                   |   |



Traction control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| Safety-Mechanical |   |
|-------------------|---|
|                   | Hill Start Assist   |
| Safety-Exterior   |   |
|                   | Daytime Running Lamps, LED with signature lighting  |
| Safety-Interior   |   |
|                   | Rear Vision Camera  |
|                   | Remote panic alarm  |
|                   | Airbags driver and front passenger frontal and knee, seat-mounted side-impact and roof rail-mounted head-<br>curtain for all outboard seating positions, and Passenger Sensing System for front passenger |
|                   | Door locks, power, emergency unlock, automatic  |
|                   | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)   |
|                   | Seat belt pretensioners, driver and front passenger, dual   |
|                   | Seat belts, 3-point, all positions  |
|                   | LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats  |
|                   | Tire Pressure Monitoring System (does not monitor spare tire)   |
| WARRANTY          |   |

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



# **Technical Specifications**

#### **Powertrain Transmission** Front Wheel Drive Trans Order Code MR7 Drivetrain Trans Type 5 Trans Description Cont. Manual Trans Description Cont. Again First Gear Ratio (:1) 3.636 N/A Second Gear Ratio (:1) 1.864 Third Gear Ratio (:1) 1.189 Fourth Gear Ratio (:1) 1.00 Fifth Gear Ratio (:1) 0.756 Reverse Ratio (:1) 3.385 Clutch Size N/A Final Drive Axle Ratio (:1) 3.91 Mileage 6.2 L/100 km EnerGuide Estimate - City 8.0 L/100 km EnerGuide Estimate - Hwy Cruising Range - City 437.44 km Cruising Range - Hwy 564.45 km EnerGuide Estimate Equivalent -N/A EnerGuide Estimate Equivalent - Hwy N/A Combined EnerGuide Estimate Equivalent - City N/A N/A **Battery Range Engine Engine Order Code** LV7 **Engine Type** Gas I4 Displacement 1.4L/85.4 Fuel System Electronic Fuel Injection SAE Net Horsepower @ RPM 98 @ 6200 SAE Net Torque @ RPM 94 @ 4400 **Electrical** Cold Cranking Amps @ 0° F (Primary) 375 Maximum Alternator Capacity (amps) 80 **Cooling System Total Cooling System Capacity** N/A **Vehicle Emissions** 170 Kg/yr of CO2 Emissions @ 20K km/year N/A G/km Of CO2 Emissions



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| Vehicle                                 |                        |  |                |
|---|------------------------|--|----------------|
| Vehicle                                 |                        |  |                |
| EPA Classification                      | Subcompact Car         |  |                |
| Chassis                                 |                        |  |                |
| Weight Information                      |                        |  |                |
| Base Curb Weight                        | 1,027.86 kg            |  |                |
| Trailering                              |                        |  |                |
| Dead Weight Hitch - Max Trailer Wt.     | N/A                    | Dead Weight Hitch - Max Tongue Wt.     | N/A            |
| Wt Distributing Hitch - Max Trailer Wt. | N/A                    | Wt Distributing Hitch - Max Tongue Wt. | N/A            |
| Suspension                              |                        |  |                |
| Suspension Type - Front                 | MacPherson Strut       | Suspension Type - Rear                 | Compound Crank |
| Suspension Type - Front (Cont.)         | N/A                    | Suspension Type - Rear (Cont.)         | N/A            |
| Shock Absorber Diameter - Front         | N/A                    | Shock Absorber Diameter - Rear         | N/A            |
| Stabilizer Bar Diameter - Front         | N/A                    | Stabilizer Bar Diameter - Rear         | N/A            |
| Tires                                   |                        |  |                |
| Front Tire Order Code                   | QGD                    | Rear Tire Order Code                   | QGD            |
| Spare Tire Order Code                   | ZAL                    | Front Tire Size                        | P185/55R15     |
| Rear Tire Size                          | P185/55R15             | Spare Tire Size                        | T105/70D14     |
| Wheels                                  |                        |  |                |
| Front Wheel Size                        | 381 x -TBD- mm         | Rear Wheel Size                        | 381 x -TBD- mm |
| Spare Wheel Size                        | 355.6 x -TBD-<br>mm    | Front Wheel Material                   | Aluminum       |
| Rear Wheel Material                     | Aluminum               | Spare Wheel Material                   | Steel          |
| Steering                                |                        |  |                |
| Steering Type                           | Electric Rack & Pinion | Steering Ratio (:1), Overall           | N/A            |
| Lock to Lock Turns (Steering)           | N/A                    | Turning Diameter - Curb to Curb        | 10.3 m         |
| Turning Diameter - Wall to Wall         | N/A                    |  |                |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.



| Chassis                           | Chassis              |                                    |                      |  |
|-----------------------------------|----------------------|------------------------------------|----------------------|--|
| Brakes                            |                      |                                    |                      |  |
| Brake Type                        | Pwr                  | Brake ABS System                   | 4-Wheel              |  |
| Brake ABS System (Second Line)    | N/A                  | Disc - Front (Yes or )             | Yes                  |  |
| Disc - Rear (Yes or )             | N/A                  | Front Brake Rotor Diam x Thickness | 236.22 x -TBD-<br>mm |  |
| Rear Brake Rotor Diam x Thickness | N/A                  | Drum - Rear (Yes or )              | Yes                  |  |
| Rear Drum Diam x Width            | 200.66 x -TBD-<br>mm |                                    |                      |  |
| Fuel Tank                         |                      |                                    |                      |  |
| Fuel Tank Capacity, Approx        | 35 L                 | Aux Fuel Tank Capacity, Approx     | N/A                  |  |
| Dimensions                        |                      |                                    |                      |  |
| Interior Dimensions               |                      |                                    |                      |  |
| Passenger Capacity                | 4                    | Passenger Volume                   | 2,350.3 L            |  |
| Front Head Room                   | 990.6 mm             | Front Leg Room                     | 1,059.18 mm          |  |
| Front Shoulder Room               | 1,290.32 mm          | Front Hip Room                     | 1,224.28 mm          |  |
| Second Head Room                  | 939.8 mm             | Second Leg Room                    | 838.2 mm             |  |
| Second Shoulder Room              | 1,264.92 mm          | Second Hip Room                    | 1,219.2 mm           |  |
| Exterior Dimensions               |                      |                                    |                      |  |
| Wheelbase                         | 2,385.06 mm          | Length, Overall                    | 3,634.74 mm          |  |
| Width, Max w/o mirrors            | 1,595.12 mm          | Height, Overall                    | 1,483.36 mm          |  |
| Track Width, Front                | 1,384.3 mm           | Track Width, Rear                  | 1,384.3 mm           |  |
| Min Ground Clearance              | N/A                  | Liftover Height                    | N/A                  |  |
| Cargo Area Dimensions             |                      |                                    |                      |  |
| Cargo Volume with Rear Seat Up    | 314.32 L             | Cargo Volume with Rear Seat Down   | 770.22 L             |  |
| Trunk Volume                      | N/A                  |                                    |                      |  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12832. Data Updated: 9-Jul-2020 10:35:00 PDT PM.