


Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$50,798.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10543	[Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST	\$50,798.00
OPTIONS		
1SP	RST Preferred Equipment Group	\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.
A48	Window, power, rear sliding	Inc.
A50	Seats, front bucket	Inc.
AAK	LPO, All-weather floor liners	Inc.
B1J	Wheelhouse liners, rear	Inc.
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.
CJ2	Air conditioning, dual-zone automatic climate control	Inc.
CTT	Hitch Guidance	Inc.
D07	Centre Console, floor-mounted	Inc.
G80	Differential, heavy-duty locking rear	Inc.
GBA	Black	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
H0U	Jet Black, Cloth seat trim	\$0.00
IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.
JHD	Hill Descent Control	Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.




Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

JL1	Trailer brake controller, integrated		\$350.00
K05	Engine block heater		\$195.00
K47	Air filter, high-capacity	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NP5	Steering wheel, leather-wrapped	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCH	Convenience Package with Bucket Seats		\$0.00
PCM	Convenience Package II		\$1,895.00
PDB	LPO, Dark Essentials Package		\$455.00
PDU	True North Edition		\$3,380.00
PDZ	Z71 Off-Road and Protection Package		\$2,070.00
QAE	Tires, 275/60R20SL all-terrain, blackwall		\$0.00
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
R70	Seat, Cloth Rear with Storage Package	Inc.	
RD4	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Painted aluminum		\$1,395.00
RIK	LPO, Black nameplates	Inc.	
SB7	LPO, Black tailgate lettering	Inc.	
U2K	SiriusXM	Inc.	
U2L	Radio, HD	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VQK	LPO, Moulded splash guards, Black		\$215.00
WPQ	Bed Protection Package	Inc.	
Z71	Z71 Off-Road Package	Inc.	
Z82	Trailer Package	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Option/package discount		-\$500.00
—	Option/package discount		-\$500.00
—	SiriusXM with 360L	Inc.	

SUBTOTAL	\$61,598.00
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,900.00
TOTAL PRICE	\$63,598.00

FUEL ECONOMY

Est City:14.7 L/100 km
 Est Highway:10.7 L/100 km
 Est Highway Cruising Range:850 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Standard Equipment

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Tires, 265/65R18SL all-season, blackwall (STD)

Tire, spare 265/70R17SL all-season, blackwall (STD)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front (Body-colour.)


Bumper, rear (Body colour.)

CornerStep, rear bumper



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Exterior

- Recovery hooks, front, frame-mounted, black
- Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
- Grille (Body colour bars with high gloss Black mesh inserts.)
- Black Bowtie, (front grille)
- Headlamps, LED reflector with LED signature Daytime Running Lamps
- Fog lamps, front, LED
- Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
- LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
- Taillamps, LED with signature
- Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
- Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
- Glass, deep-tinted
- Door handles, body-colour
- Tailgate and bed rail protection cap, top
- Tailgate, gate function manual with EZ Lift includes power lock and release

Entertainment

- Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
- Audio system feature, 6-speaker system
- Bluetooth for phone, connectivity to vehicle infotainment system
- 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)
- Seat trim, Cloth
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, colour-keyed carpeting
- Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Interior

- Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
- Steering wheel, urethane
- Steering wheel audio controls
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering column, lock control, electrical
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Centre, 4.2" diagonal colour display includes driver personalization
- Exterior Temperature Display located in radio display
- Compass located in instrument cluster
- Windows, power front, drivers express up/down
- Windows, power front, passenger express down
- Windows, power rear, express down
- Door locks, power
- Remote vehicle starter system
- Keyless Open and Start
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Theft-deterrent system, unauthorized entry
- USB ports, 2 (first row) located on instrument panel
- Air conditioning, single-zone manual, semi-automatic
- Air vents, rear, heating/cooling
- Defogger, rear-window electric
- Power outlet, front auxiliary, 12-volt
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
- Power outlet, rear auxiliary, 12-volt
- USB ports, dual, charge-only (2nd row)
- Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



ONTARIO MOTOR SALES

— CHEVROLET CADILLAC —

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EnerGuide Estimate - City	14.7 L/100 km	EnerGuide Estimate - Hwy	10.7 L/100 km
Cruising Range - City	618.71 km	Cruising Range - Hwy	850 km

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A		
-------------------------------	-----	--	--



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
 Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✔ Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	303
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	5.9 kg	Standard Weight - Rear	6.8 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	73.48 kg	Option Weight - Rear	72.58 kg
Reserve Axle Capacity - Front	356.53 kg	Reserve Axle Capacity - Rear	747.99 kg
As Spec'd Curb Weight	2,342.84 kg	As Spec'd Payload	877.72 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,104.52 kg	Total Option Weight	146.06 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,354.56 kg	Wt Distributing Hitch - Max Tongue Wt.	435.46 kg
Fifth Wheel Hitch - Max Trailer Wt.	4,309.2 kg	Maximum Trailering Capacity	5,443.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	1,077.3 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (Complete)

Chassis

Suspension

Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	20" x 9" mm	Rear Wheel Size	20" x 9" mm
Spare Wheel Size	17" x 8" mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.



Vehicle: [Retail] 2020 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (Complete)

Chassis

Brakes

Rear Drum Diam x Width	N/A
------------------------	-----

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12926. Data Updated: 21-Jul-2020 10:20:00 PDT PM.