

Window Sticker

SUMMARY

[Retail] 2020 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT

MSRP:\$38,898.00

Interior: Jet Black, Leather-appointed seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

DETIONS			
CODE	MODEL		MSRP
12U43	[Retail] 2020 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT		\$38,898.00
	OPTIONS		
4LT	LT Preferred Equipment Group		\$0.00
A28	Window, rear-sliding, manual	Inc.	
AAQ	Seat adjuster, 4-way power front passenger	Inc.	
AL9	Seat adjuster, power driver lumbar control	Inc.	
AR7	Seats, front bucket		\$0.00
AT9	Seat adjuster, power passenger lumbar control	Inc.	
BTV	Remote vehicle starter system	Inc.	
BW5	Mouldings, Black beltline	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
C68	Air conditioning, single-zone automatic climate control	Inc.	
CGN	Bedliner, spray-on, Black	Inc.	
DD8	Mirror, inside rearview auto-dimming	Inc.	
DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
GAZ	Summit White		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H2U	Jet Black, Leather-appointed seat trim		\$0.00
IOU	Audio system, Chevrolet Infotainment 3 Plus system		\$795.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



	· · · · · · · · · · · · · · · · · · ·		
144.4			
KA1	Seats, heated driver and front passenger	Inc.	
LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00
M5T	Transmission, 8-speed automatic		\$0.00
MCR	USB data ports, 2, includes SD Card Reader	Inc.	
PCK	Luxury Package		\$2,455.00
PCM	LT Convenience Package		\$760.00
PCW	Safety Package		\$780.00
QIA	Tires, 265/60R18 all-season, blackwall	Inc.	
RSZ	Wheels, 18" x 7.5" (45.7 cm x 19.05 cm) aluminum	Inc.	
RVP	LPO, Assist steps, Black, 3" round, Off-road step bars	Inc.	
SFE	LPO, Wheel locks		\$80.00
T3C	Headlamps, projector-type	Inc.	
T3U	Fog lamps, front	Inc.	

Rear Park Assist, Ultrasonic

Forward Collision Alert

Red Recovery Hooks

Steering wheel, heated

Redline Special Edition

LPO, Front and rear splash guards

Lane Departure Warning

	SUBTOTAL		\$47.960.00
	Federal air conditioning excise tax		\$100.00
ZQ9	Appearance Package, Exterior Trim, Black Out	Inc.	

Audio system feature, Bose premium 7-speaker system

Adjustments Total \$0.00

Total Tax \$100.00

Destination Charge \$1,900.00

Inc.

Inc.

Inc.

Inc.

Inc.

\$685.00

\$240.00

\$3,267.00

TOTAL PRICE \$49,960.00

FUEL ECONOMY

UD7

UEU

UFL

UGA

UQA

UVD

VQK

WGQ

Est City:14.0 L/100 km Est Highway:9.9 L/100 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Standard Equipment

Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box models. Standard on Crew Cab Long Box models.)
GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
Transfer case, electric, 2-speed AutoTrac
Differential, automatic locking rear (Available with (LCV) 2.5L I4 engine. Requires (Z82) Trailering Package when (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine is ordered. Standard on Crew Cab Long Bed models.)
Four wheel drive
Capless Fuel Fill
Trailering Package, heavy-duty includes trailer hitch and 7-pin connector (Requires (G80) automatic locking rear differential and (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box models.)
Hitch Guidance, trailering assist guideline (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
Recovery hooks, front
Frame, fully-boxed
Pickup box
Steering, Electric Power Steering (EPS) assist
Brakes, 4-wheel antilock, 4-wheel disc
Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
Tires, 255/65R17 all-season, blackwall (STD)
Tire, spare 265/70R16 all-season, blackwall (Included and only available with (S1K) 16" \times 7" (40.6 cm \times 17.8 cm) steel spare wheel.)
Wheel, spare, 16" x 7" (40.6 cm x 17.8 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box. Standard on Crew Cab Long Box.)
Bumper, rear body-colour (Deleted when (TGK) Special Paint is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Exterior	
	CornerStep, rear bumper
	Mouldings, Chrome beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Glass, windshield shade band
	Handles, door release, front and rear, chrome
	Door handles, body-colour
	Tailgate, EZ-Lift and Lower
	Tailgate, remote locking (locks and unlocks with key fob)
	Tailgate handle, Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period (STD)
	Audio system feature, 6-speaker system
	HD Radio
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Interior	
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, multi-colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	USB data ports, 2 includes auxiliary input jack, located on the front console
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone manual climate control
	Mirror, inside rearview manual day/night
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Exterior	
	Daytime Running Lamps



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)
	Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
WARRANTY	

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code Drivetrain M5T Trans Type 8 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.62 N/A Third Gear Ratio (:1) 2.07 Second Gear Ratio (:1) 3.04 Fourth Gear Ratio (:1) 1.66 Fifth Gear Ratio (:1) 1.26 Sixth Gear Ratio (:1) 1.00 Reverse Ratio (:1) 3.93 Clutch Size N/A Trans Power Take Off Yes Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP3025G Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), Low 2.72 1.00 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 0.85 Eighth Gear Ratio (:1) 0.66 Mileage EnerGuide Estimate - City 14.0 L/100 km 9.9 L/100 km EnerGuide Estimate - Hwy Cruising Range - City 563.98 km Cruising Range - Hwy 797.55 km **Engine Engine Order Code** LGZ **Engine Type** Gas V6 Displacement 3.6L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 308 @ 6800 275 @ 4000 SAE Net Torque @ RPM **Engine Oil Cooler** N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) N/A Cold Cranking Amps @ 0° F (2nd) N/A Maximum Alternator Capacity (amps) N/A Cold Cranking Amps @ 0° F (3rd) N/A



Cooling System

Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.

5-Aug-2020 Page 8

N/A



ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	286
hassis			
Veight Information			
Standard Weight - Front	86.64 kg	Standard Weight - Rear	31.3 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	1,090.91 kg	Curb Weight - Rear	793.8 kg
Option Weight - Front	32.21 kg	Option Weight - Rear	33.57 kg
Reserve Axle Capacity - Front	241.77 kg	Reserve Axle Capacity - Rear	728.94 kg
As Spec'd Curb Weight	2,068.42 kg	As Spec'd Payload	653.18 kg
Maximum Payload Capacity	836.89 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,884.71 kg
Reserve Axle Capacity	970.7 kg	Total Option Weight	65.77 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,424.68 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-elliptic, 2- stage, multi-lea
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



Chassis			
Suspension			
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZJJ	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	265/70R16
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	457.2 x 190.5 mm	Rear Wheel Size	457.2 x 190.5 mm
Spare Wheel Size	406.4 x 177.8 mm	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.



)
)

nassis			
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
xterior Dimensions			
Wheelbase	3,568.7 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,712.46 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,790.7 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	916.94 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	878.84 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.74 mm
Ground Clearance, Rear	205.74 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,879.6 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,413.01 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13030. Data Updated: 4-Aug-2020 12:37:00 PDT AM.