

## **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Traverse (1NB56) FWD 4dr LS w/1LS

MSRP:W/A

Interior: Jet Black, Premium cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L V6, SIDI, VVT

Transmission, 9-speed automatic

## **OPTIONS**

OF HONS			
CODE	MODEL		MSRP
1NB56	[Retail] 2021 Chevrolet Traverse (1NB56) FWD 4dr LS w/1LS	W/A	
	OPTIONS		
1LS	LS Preferred Equipment Group	W/A	
AR9	Seats, front bucket	W/A	
GAZ	Summit White	W/A	
H1T	Jet Black, Premium cloth seat trim	W/A	
IOR	Audio system, Chevrolet Infotainment 3 system	W/A	
LFY	Engine, 3.6L V6, SIDI, VVT	W/A	
M3V	Transmission, 9-speed automatic	W/A	
PXJ	Wheels, 18" (45.7 cm) Bright Silver painted aluminum	W/A	
QO5	Tires, P255/65R18 all-season blackwall	W/A	
SFE	LPO, Wheel locks	W/A	
SFZ	LPO, Black bowtie emblems, front and rear	W/A	
	Federal air conditioning excise tax	W/A	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Total Tax		\$100.00
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

## **FUEL ECONOMY**



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



Est City:13.0 (2020) L/100 km

Est Highway:8.8 (2020) L/100 km

Est Highway Cruising Range:833.62 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



# **Standard Equipment**

Mechanical	
	Engine, 3.6L V6, SIDI, VVT (310 hp [232.0 kW] @ 6800 rpm, 266 lb-ft of torque [361 N-m] @ 2800 rpm) (STD)
	Transmission, 9-speed automatic (STD)
	E10 Fuel capable
	Engine control, stop-start system
	Driver Mode Selector
	Axle, 3.49 final drive ratio
	Front wheel drive
	Battery, heavy-duty 600 cold-cranking amps
	Alternator, 170 amps
	GVWR, 6160 lbs. (2800 kg)
	Suspension, Ride and Handling
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc, 17" front and rear
	Tool kit, road emergency
Exterior	
	Wheels, 18" (45.7 cm) Bright Silver painted aluminum (STD)
	Tires, P255/65R18 all-season blackwall (STD)
	Wheel, spare, 18" (45.7 cm) steel
	Tire, compact spare, T135/70R18, blackwall
	Mouldings, Black bodyside
	Fascia, front body-colour
	Mouldings, rocker, Black
	Headlamps, high intensity discharge
	Mirror caps, Black painted
	Mirrors, outside heated power-adjustable, Black, manual-folding
	Glass, deep-tinted
	Wipers, front intermittent with washers
	Wiper, rear intermittent with washer
	Door handles, body-colour



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



	4	
•	W/	Complete
ı	~	Complete

Exterior	
	Liftgate, rear manual
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Seating, 8-passenger (2-3-3 seating configuration)
	Seat trim, premium cloth
	Console, front centre with 2 cup holders, covered storage bin with storage and removable tray
	USB ports
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed all rows
	Steering wheel, urethane
	Steering column, tilt
	Steering wheel controls, mounted controls for audio, phone and cruise
	Display, 3.5" driver instrument information, monochromatic
	Compass display, digital
	Speedometer, km/miles, km odometer
	Windows, power, with driver and front passenger Express-Down
	Door locks, power programmable with lockout protection
	Keyless Open, includes extended range Remote Keyless Entry with lock/unlock feature
	Cruise control, electronic with set and resume speed
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
	Sensor, humidity and windshield temperature
	Defogger, rear-window electric
	Mirror, inside rearview manual day/night
	Umbrella holders, driver and front passenger doors
	Visors, driver and passenger illuminated vanity mirrors, covered



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



Interior	
	Lighting, interior with theatre dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate activated switches and illuminated entry and exit feature
	Cup holders, 10 total
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with traction control
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Airbags, dual-stage frontal and side-impact for driver and front passenger, driver inboard seat-mounted side-impact and roof-rail side-impact for all rows in outboard seating positions (Always use seat belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Passenger Sensing System sensor indicator inflatable restraint, front passenger presence detector (Always use seat belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Door locks, rear child security
	Rear Seat Reminder
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.

safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you

19-Sep-2020 Page 5

information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitor, includes Tire Fill Alert (Does not monitor spare.)

Horn, dual-note



### **WARRANTY**

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.





# **Technical Specifications**

## **Powertrain**

_					
I r	an	sm	NIC	SIC	าท

Drivetrain	Front Wheel Drive	Trans Order Code	M3V
Trans Type	9	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	3.31	Third Gear Ratio (:1)	3.01
Fourth Gear Ratio (:1)	2.44	Fifth Gear Ratio (:1)	1.92
Sixth Gear Ratio (:1)	1.44	Reverse Ratio (:1)	2.96
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.49
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	1.00	Eighth Gear Ratio (:1)	0.75
Ninth Gear Ratio (:1)	0.62		

### Mileage

EnerGuide Estimate - City	13.0 (2020) L/100 km	EnerGuide Estimate - Hwy	8.8 (2020) L/100 km
Cruising Range - City	564.28 km	Cruising Range - Hwy	833.62 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A		

### **Engine**

Engine Order Code	LFY	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 6800	SAE Net Torque @ RPM	266 @ 2800

#### **Electrical**

Cold Cranking Amps @ 0° F (Primary)	600	Maximum Alternator Capacity (amps)	170

## **Cooling System**

**Total Cooling System Capacity** N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



,	V	Complete

Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	261 (2020)
Vehicle			
EPA Classification	Sport Utility		
	Vehicles		
Chassis			
Weight Information			
Base Curb Weight	N/A	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	680.4 kg	Dead Weight Hitch - Max Tongue Wt.	68.04 kg
Wt Distributing Hitch - Max Trailer Wt.	680.4 kg	Wt Distributing Hitch - Max Tongue Wt.	68.04 kg
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	N/A	Suspension Type - Rear	N/A
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QO5	Rear Tire Order Code	QO5
Spare Tire Order Code	ZCD	Front Tire Size	P255/65R18
Rear Tire Size	P255/65R18	Spare Tire Size	T135/70R18
Wheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



4	
<b>V</b>	Complete
~	Complet

Chassis			
Steering			
Steering Type	Pwr Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.89 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	321.06 x -TBD- mm
Rear Brake Rotor Diam x Thickness	314.96 x -TBD- mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	73.4 L	Aux Fuel Tank Capacity, Approx	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	8	Passenger Volume	N/A
Front Head Room	1,049.02 mm	Front Leg Room	1,041.4 mm
Front Shoulder Room	1,577.34 mm	Front Hip Room	1,475.74 mm
Second Head Room	1,016 mm	Second Leg Room	975.36 mm
Second Shoulder Room	1,579.88 mm	Second Hip Room	1,445.26 mm
Third Head Room	970.28 mm	Third Leg Room	850.9 mm
Third Shoulder Room	1,460.5 mm	Third Hip Room	1,231.9 mm
Exterior Dimensions			
Wheelbase	3,070.86 mm	Length, Overall	5,189.22 mm
Width, Max w/o mirrors	1,996.44 mm	Height, Overall	1,795.78 mm
Track Width, Front	1,709.42 mm	Track Width, Rear	1,701.8 mm
Min Ground Clearance	N/A	Rear Door Opening Height	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.



	4	
1	1	Camplata
	~	Complete

Dimensions						
Exterior Dimensions						
Rear Door Opening Width	N/A	Liftover Height	N/A			
Cargo Area Dimensions						
Cargo Area Length @ Floor to Seat 1	N/A	Cargo Area Length @ Floor to Seat 2	N/A			
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A			
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A			
Cargo Volume to Seat 1	2,780.72 L	Cargo Volume to Seat 2	1,636.72 L			
Cargo Volume to Seat 3	651.29 L					



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13394. Data Updated: 18-Sep-2020 10:44:00 PDT PM.