



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom

MSRP:\$55,298.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

OPTIONS

MSRP		MODEL	CODE	
\$55,298.00		[Retail] 2021 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom	CK20743	
		OPTIONS		
\$0.00		Custom Preferred Equipment Group	1CX	
\$0.00		Seats, front 40/20/40 split-bench	AE7	
	Inc.	Remote vehicle starter system	BTV	
	Inc.	Defogger, rear-window electric	C49	
	Inc.	Chevytec spray-on bedliner	CGN	
\$1,255.00		Gooseneck/5th Wheel Package	CMT	
\$550.00		Rear Camera Mirror, inside rearview auto-dimming	DRZ	
	Inc.	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass	DWI	
\$495.00		Mosaic Black Metallic	GB8	
\$0.00		Rear axle, 3.73 ratio	GT4	
\$0.00		Jet Black, Cloth seat trim	H1T	
\$0.00		Audio system, Chevrolet Infotainment 3 system	IOR	
	Inc.	GVWR, 10,650 lbs. (4831 kg)	JGF	
	Inc.	Trailer brake controller, integrated	JL1	
\$195.00		Engine block heater	K05	
\$160.00		Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr	K4B	
	Inc.	Power outlet, bed mounted, 120-volt	KC9	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.



Vehicle: [Retail] 2021 Ch	evrolet Silverado 2500HD (CK20743) 4WD Cr	ew Cab 159" Custom	(Complete)
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$440.00
KI4	Power outlet, instrument panel, 120-volt		\$275.00
L8T	Engine, 6.6L V8		\$0.00
MYD	Transmission, 6-speed automatic, heavy-duty		\$0.00
PCX	Custom Convenience Package	Inc.	
PDX	Custom Value Package		\$2,565.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
R70	Seat, Cloth Rear with Storage Package		\$260.00
RVS	LPO, Assist steps - 4" Black - round		\$900.00
SFZ	LPO, Black Bowtie emblem, front		\$145.00
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
U2K	SiriusXM	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
VQK	LPO, Moulded splash guards, Black		\$220.00
VV4	4G LTE Wi-Fi Hotspot capable	Inc.	
Z6A	Gooseneck/5th Wheel Prep Package	Inc.	
ZLA	Infotainment Package	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$250.00
	Compass	Inc.	
	Chevrolet Connected Access capable	Inc.	
	SUBTOTAL		\$62,593.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$64,593.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD)
	Rear axle, 3.73 ratio
	GVWR, 10,650 lbs. (4831 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20943 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine.)
Exterior	
	Wheels, 20" (50.8 cm) machined aluminum with Grazen Metallic painted accents, 10-spoke
	Tires, LT275/65R20 all-terrain, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Exterior	
	Tire, spare LT275/70R18 all-terrain, blackwall
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss Black.)
	Bumper, rear (High gloss Black.)
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Front grille bar with "CHEVROLET" painted body colour. Includes body colour surround and Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps, LED with signature
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
	Tailgate, gate function manual, no EZ Lift
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage (STD)
	Cloth seat trim



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Interior	
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailoring Information Label provides may trailor ratings for tangua weight conventional geography and 5th

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYD Drivetrain Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.03 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.36 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.67 Reverse Ratio (:1) 3.06 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP1625/6 Transfer Case Gear Ratio (:1), High 1.00 2.72 Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City N/A N/A EnerGuide Estimate - Hwy N/A N/A Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L8T **Engine Type** Gas V8 Displacement 6.6L/400 Fuel System Direct Injection SAE Net Torque @ RPM SAE Net Horsepower @ RPM 401 @ 5200 464 @ 4000 Engine Oil Cooler Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 730 Cold Cranking Amps @ 0° F (2nd) Maximum Alternator Capacity (amps) 390 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.

17-Oct-2020 Page 7

N/A





hicle missions Kg/yr of CO2 Emissions @ 20K km/year assis	N/A	G/km Of CO2 Emissions	N/A
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
	N/A	G/km Of CO2 Emissions	N/A
assis			
eight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,745.91 kg	Curb Weight - Rear	1,262.82 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	3,008.73 kg	As Spec'd Payload	1,822.11 kg
Maximum Payload Capacity	1,822.11 kg	Gross Combined Wt Rating	10,886.4 kg
Gross Axle Weight Rating	N/A	Curb Weight	3,008.73 kg
Reserve Axle Capacity	N/A	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,830.84 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	8,391.6 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





assis			
spension			
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QF9	Rear Tire Order Code	QF9
Spare Tire Order Code	ZYG	Front Tire Size	LT275/65R2
Rear Tire Size	LT275/65R20	Spare Tire Size	LT275/70R1
Front Tire Capacity	1,369.87 kg	Rear Tire Capacity	1,529.99 kg
Spare Tire Capacity	1,650.2 kg	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	20 x 8.5 in	Rear Wheel Size	20 x 8.5 in
Spare Wheel Size	18 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
reering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.6
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.





Chassis				
Fuel Tank				
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
Dimensions				
Interior Dimensions				
Passenger Capacity	6	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm	
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm	
Second Hip Room	1,530.1 mm			
Exterior Dimensions				
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A	
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm	
Height, Overall	2,027.43 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	257.05 mm	
Ground Clearance, Rear	257.05 mm	Body Length	0 m	
Cab to Body	N/A			
Cargo Area Dimensions				
Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm	
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A	
Cargo Volume	1,968.02 L	Ext'd Cab Cargo Volume	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 13617. Data Updated: 16-Oct-2020 11:32:00 PDT PM.