

## **Window Sticker**

### **SUMMARY**

[Retail] 2021 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT

MSRP:\$38,898.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

### **OPTIONS**

<i>J</i>	10113			
	CODE	MODEL		MSRP
	12U43	[Retail] 2021 Chevrolet Colorado (12U43) 4WD Crew Cab 141" LT		\$38,898.00
		OPTIONS		
	4LT	LT Preferred Equipment Group		\$0.00
	A28	Window, rear-sliding, manual	Inc.	
	AL9	Seat adjuster, power driver lumbar control	Inc.	
	AR7	Seats, front bucket		\$0.00
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
	CGN	Bedliner, spray-on, Black		\$550.00
	DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
	GBA	Black		\$0.00
	GU6	Rear axle, 3.42 ratio	Inc.	
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOR	Audio system, Chevrolet Infotainment 3 System		\$0.00
	KA1	Seats, heated driver and front passenger		\$635.00
	LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00
	M5T	Transmission, 8-speed automatic		\$0.00
	PCM	LT Convenience Package		\$760.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



\$0.00		Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum	Q5U
\$0.00		Tires, 255/65R17 all-season, blackwall	QHR
\$880.00		LPO, Assist steps, Black, 5" rectangular	RVS
\$80.00		LPO, Wheel locks	SFE
\$205.00		LPO, Black Bowtie Emblem Package	SG1
\$475.00		Front 1" Leveling Kit	SQS
	Inc.	Fog lamps, front	T3U
	Inc.	Steering wheel, heated	UVD
\$240.00		LPO, Front and rear splash guards	VQK
\$100.00		Federal air conditioning excise tax	
\$42,723.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Total Tax	
\$1,900.00		Destination Charge	
\$44,723.00		TOTAL PRICE	

## **FUEL ECONOMY**

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



# **Standard Equipment**

Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine on Crew Cab Short Box models. Standard on Crew Cab Long Box models.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed AutoTrac
	Differential, automatic locking rear (Available with (LCV) 2.5L I4 engine. Requires (Z82) Trailering Package when (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine is ordered. Standard on Crew Cab Long Box models.)
	Four wheel drive
	Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Trailering Package, heavy-duty includes trailer hitch and 7-pin connector (Requires (G80) automatic locking rear differential and (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box models.)
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
	Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, 255/65R17 all-season, blackwall (STD)
	Tire, spare 255/65R17 all-season, blackwall (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Bumper, rear body-colour (Deleted when (01U) Special Paint is ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



ornerStep, rear bumper
louldings, Black beltline
leadlamps, halogen with automatic exterior lamp control
argo box light, back of cab
firrors, outside power-adjustable, body-colour, manual-folding
firror, spotter, located in corner of driver-side outside mirror
oor handles, body-colour
ailgate, EZ-Lift and Lower
ailgate, remote locking (locks and unlocks with key fob)
ailgate handle, Black
udio system, Chevrolet Infotainment 3 System 8" diagonal colour touchscreen, AM/FM stereo. Additional eatures for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-prough to phone, Apple CarPlay and Android Auto capable. (STD)
udio system feature, 6-speaker system
iriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus ports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome of the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-urrent rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
licrophones, Driver side and Passenger side
eats, front bucket (STD)
eat trim, Cloth
eat adjuster, driver 6-way power
eat adjuster, passenger 2-way manual fore/aft with manual recline
eat, rear folding bench (Crew Cab models only.)
console, floor, front compartment, custom
1 1 1 0 6 6 6 6 1 1 1 1 1 1 1 1 1 1 1 1



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



Interior	
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Floor mats, carpeted rear (Deleted when (B38) full-length Black vinyl floor covering is ordered. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOU) 8" diagonal Chevrolet Infotainment System with Navigation.)
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone manual climate control
	Handles, door release, front and rear, chrome
	Mirror, inside rearview auto-dimming
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



Safety-Exterior	
	Daytime Running Lamps
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System (does not apply to spare tire)
	Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

### **WARRANTY**

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



# **Technical Specifications**

# recinical opecinications

Powertrain				
Transmission				
Drivetrain	Four Wheel Drive	Trans Order Code	M5T	
Trans Type	8	Trans Description Cont.	Automatic	
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62	
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07	
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26	
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93	
Clutch Size	N/A	Trans Power Take Off	N/A	
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3025G	
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72	
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85	
Eighth Gear Ratio (:1)	0.66			
Mileage				
EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km	
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km	
Engine				
Engine Order Code	LGZ	Engine Type	Gas V6	
Displacement	3.6L/-TBD-	Fuel System	Direct Injection	
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000	
Engine Oil Cooler	N/A			
Electrical				
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A	
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A	

Total Cooling System Capacity N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	284
hassis			
Veight Information			
Standard Weight - Front	87.09 kg	Standard Weight - Rear	31.3 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	N/A	Curb Weight - Rear	N/A
Option Weight - Front	13.61 kg	Option Weight - Rear	24.04 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	N/A	As Spec'd Payload	N/A
Maximum Payload Capacity	N/A	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	N/A
Reserve Axle Capacity	N/A	Total Option Weight	37.65 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,447.36 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, : Stage, Multi-L
Carina Conseity Front	4 454 50 100	Carina Canasity Been	4 507 C lan



Spring Capacity - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.

Spring Capacity - Rear

1,587.6 kg

22-Dec-2020 Page 8

1,451.52 kg



hassis		
spension		
Axle Type - Front	Independent	Axle Type - Rear
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear
Shock Absorber Diameter - Front	N/A	Shock Absorber Diamete
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - R
ires		
Front Tire Order Code	QHR	Rear Tire Order Code
Spare Tire Order Code	ZAO	Front Tire Size
Rear Tire Size	255/65R17	Spare Tire Size
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - F
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Sp
/heels		
Front Wheel Size	17 x 8 in	Rear Wheel Size
Spare Wheel Size	17 x 8 in	Front Wheel Material
Rear Wheel Material	Aluminum	Spare Wheel Material
teering		
Steering Type	Pwr	Steering Ratio (:1), On Centre
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb
Turning Diameter - Wall to Wall	N/A	
rakes		
Brake Type	Pwr	Brake ABS System
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickn
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )
Rear Drum Diam x Width	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.



(	Complete	)
( ~	Complete	,

Chassis			
Fuel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
Exterior Dimensions			
Wheelbase	3,568.7 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,712.46 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,790.7 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	917.7 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	878.84 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.74 mm
Ground Clearance, Rear	205.74 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,879.6 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,413.01 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14129. Data Updated: 22-Dec-2020 12:52:00 PST AM.