



## **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom

MSRP:\$46,898.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.7L Turbo

Transmission, 8-speed automatic, electronically controlled

### **OPTIONS**

•				
	CODE	MODEL		MSRP
	CK10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom		\$46,898.00
		OPTIONS		
	1CX	Custom Preferred Equipment Group		\$0.00
	AE7	Seats, front 40/20/40 split-bench		\$0.00
	C4P	Air conditioning, single-zone manual, semi-automatic		\$115.00
	C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
	G80	Auto-locking rear differential		\$450.00
	GBA	Black		\$0.00
	GU6	Rear axle, 3.42 ratio		\$0.00
	H1T	Jet Black, Cloth seat trim		\$0.00
	IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
	K05	Engine block heater		\$195.00
	KC9	Power outlet, bed mounted, 120-volt	Inc.	
	KI4	Power outlet, instrument panel, 120-volt		\$275.00
	KL9	Automatic Stop/Start	Inc.	
	KW5	Alternator, 220 amps	Inc.	
	L3B	Engine, 2.7L Turbo		\$0.00
	MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
	NZP	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.



• •	,	. ,
QAB	Tires, 275/60R20 all-season, blackwall	\$0.00
R7C	Option/package discount	-\$1,000.00
SFE	LPO, Wheel locks, set of 4	\$80.00
	Federal air conditioning excise tax	\$100.00
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, Incommendates and the second sec	o.
	SUBTOTAL	\$47,013.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,900.00
	TOTAL PRICE	\$49,013.00

## **FUEL ECONOMY**

Est City:12.5 L/100 km

Est Highway:10.8 L/100 km

Est Highway Cruising Range:842.13 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





## **Standard Equipment**

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L82) 5.3L EcoTec3 V8 engine requires (G80) locking differential.)
	Custom Value Package includes (PCX) Custom Convenience Package, (ZLA) Infotainment Package and (Z82) Trailering Package
	Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate (Included and only available with (PDX) Custom Value Package.)
	Infotainment Package includes (U2K) SiriusXM and (UE1) OnStar (Included and only available with (PDX) Custom Value Package.)
Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (L3B) 2.7L Turbo engine.)
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)
Exterior	

Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





Exterior	
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall
	LPO, Polished exhaust tip (dealer-installed) (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with black mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

23-Dec-2020 Page 4

Audio system feature, 6-speaker system





Entertainment	
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Remote vehicle starter system
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





Interior	
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
WARRANTY	

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





# **Technical Specifications**

## **Powertrain**

_					•		
	ra	n	c	m	10	$\sim$	n

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

### Mileage

EnerGuide Estimate - City	12.5 L/100 km	EnerGuide Estimate - Hwy	10.8 L/100 km
Cruising Range - City	727.6 km	Cruising Range - Hwy	842.13 km

## **Engine**

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/166	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	348 @ 1500
Engine Oil Cooler	N/A		

#### **Electrical**

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A

### **Cooling System**

**Total Cooling System Capacity** N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.



(	<b>√</b>	Complete

nissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	275
assis			
eight Information			
Standard Weight - Front	7.26 kg	Standard Weight - Rear	28.12 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	-21.32 kg	Option Weight - Rear	2.72 kg
Reserve Axle Capacity - Front	449.97 kg	Reserve Axle Capacity - Rear	796.52 kg
As Spec'd Curb Weight	2,200.87 kg	As Spec'd Payload	974.33 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,577.2 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,246.49 kg	Total Option Weight	-18.6 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,127.76 kg	Wt Distributing Hitch - Max Tongue Wt.	412.78 kg
Fifth Wheel Hitch - Max Trailer Wt.	4,082.4 kg	Maximum Trailering Capacity	4,309.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	1,020.6 kg		
ame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
	Independent	Suspension Type - Rear	Solid Axle



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





N/A

#### Chassis Suspension N/A N/A Axle Type - Front Axle Type - Rear 1,723.68 kg 1,723.68 kg Axle Capacity - Front Axle Capacity - Rear Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear 50.0 mm Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QAB Rear Tire Order Code QAB Spare Tire Order Code QAQ Front Tire Size 275/60R20 Rear Tire Size 275/60R20 Spare Tire Size 255/80R17SL Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 20" x 9" in Rear Wheel Size 20" x 9" in Spare Wheel Size N/A Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material N/A Steering Steering Type Electric Rack & Steering Ratio (:1), On Centre N/A Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 14.3 m Turning Diameter - Wall to Wall N/A **Brakes** Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or ) Yes Disc - Rear (Yes or ) Front Brake Rotor Diam x Thickness 342.9 x 29.97 mm Yes



Rear Brake Rotor Diam x Thickness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

Drum - Rear (Yes or )

23-Dec-2020 Page 9

345.44 x 20.07

mm





assis			
rakes			
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
	IV/A	Aux i dei Talik Location	IN/A
nensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
utadan Dimamalana			
xterior Dimensions	0.744.70	Lavarth Overall w/s as as house as	N1/A
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab  Cab to End of Frame	N/A
Cab to Axle	N/A		N/A N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

23-Dec-2020 Page 10