



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom

MSRP:\$46,898.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Cherry Red Tintcoat

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

| • • • | | | | |
|-------|---------|---|------|-------------|
| | CODE | MODEL | | MSRP |
| | CK10543 | [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom | | \$46,898.00 |
| | | OPTIONS | | |
| | 1CX | Custom Preferred Equipment Group | | \$0.00 |
| | AE7 | Seats, front 40/20/40 split-bench | | \$0.00 |
| | C5Y | GVWR, 7100 lbs. (3221 kg) | Inc. | |
| | CGN | Chevytec spray-on bedliner, Black with Chevrolet logo | | \$600.00 |
| | G80 | Auto-locking rear differential | | \$450.00 |
| | GSK | Cherry Red Tintcoat | | \$595.00 |
| | GU6 | Rear axle, 3.42 ratio | | \$0.00 |
| | H1T | Jet Black, Cloth seat trim | | \$0.00 |
| | IOR | Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo | | \$0.00 |
| | JL1 | Trailer brake controller, integrated | | \$350.00 |
| | K05 | Engine block heater | | \$195.00 |
| | KNP | Cooling, auxiliary external transmission oil cooler | Inc. | |
| | L82 | Engine, 5.3L EcoTec3 V8 | | \$1,845.00 |
| | MYC | Transmission, 6-speed automatic, electronically controlled | | \$0.00 |
| | N10 | Exhaust, dual with polished outlets | Inc. | |
| | NZP | Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum | | \$0.00 |
| | QAB | Tires, 275/60R20 all-season, blackwall | | \$0.00 |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.



| Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom (✓ Compl | ete) |
|---|------|
|---|------|

| | <u> </u> | |
|-----|--|-------------|
| R70 | Seat, Cloth Rear with Storage Package | \$260.00 |
| SFE | LPO, Wheel locks, set of 4 | \$80.00 |
| SFZ | LPO, Black Bowtie Emblem, front | \$145.00 |
| VQK | LPO, Moulded splash guards, Black | \$215.00 |
| VXH | LPO, Assist steps, chromed tubular, 6" rectangular | \$900.00 |
| | Federal air conditioning excise tax | \$100.00 |
| | Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free | Inc. |
| | SUBTOTAL | \$52,533.00 |
| | Adjustments Total | \$0.00 |
| | Total Tax | \$100.00 |
| | Destination Charge | \$1,900.00 |
| | TOTAL PRICE | \$54,533.00 |
| | | |

FUEL ECONOMY

Est City:16.0 L/100 km

Est Highway:11.8 L/100 km

Est Highway Cruising Range:770.76 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





Standard Equipment

| Package | |
|------------|---|
| | Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L82) 5.3L EcoTec3 V8 engine requires (G80) locking differential.) |
| | Custom Value Package includes (PCX) Custom Convenience Package, (ZLA) Infotainment Package and (Z82) Trailering Package |
| | Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate (Included and only available with (PDX) Custom Value Package.) |
| | Infotainment Package includes (U2K) SiriusXM and (UE1) OnStar (Included and only available with (PDX) Custom Value Package.) |
| Mechanical | |
| | Durabed, pickup bed |
| | Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD) |
| | Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) |
| | Rear axle, 3.42 ratio |
| | GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine.) |
| | Transfer case, single speed electronic Autotrac with push button control (4WD models only) |
| | Four wheel drive |
| | Cooling, external engine oil cooler (Not available with (L3B) 2.7L Turbo engine.) |
| | Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.) |
| | Alternator, 170 amps |
| | Frame, fully-boxed, hydroformed front section |
| | Steering, Electric Power Steering (EPS) assist, rack-and-pinion |
| | Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors |
| | Brake lining wear indicator |
| | Capless Fuel Fill |
| | Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.) |
| Exterior | |
| | |

Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





| Exterior | |
|---------------|---|
| | Tires, 275/60R20 all-season, blackwall (STD) |
| | Tire, spare 255/80R17SL all-season, blackwall |
| | LPO, Polished exhaust tip (dealer-installed) (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.) |
| | Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare |
| | Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door |
| | Bumper, front (Body-colour.) |
| | Bumper, rear (Body colour.) |
| | CornerStep, rear bumper |
| | Recovery hooks, front, frame-mounted, black |
| | Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner |
| | Grille (Body colour bars with black mesh inserts.) |
| | Headlamps, halogen reflector with halogen Daytime Running Lamps |
| | Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel |
| | LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob |
| | Taillamps, LED with signature |
| | Mirrors, outside heated power-adjustable |
| | Glass, deep-tinted |
| | Door handles, Black |
| | Tailgate and bed rail protection cap, top |
| | Tailgate, standard |
| | Tailgate, gate function manual with EZ Lift includes power lock and release |
| Entertainment | |
| | Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD) |
| | SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.) |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

23-Dec-2020 Page 4

Audio system feature, 6-speaker system





| Entertainment | |
|---------------|---|
| | Bluetooth for phone, connectivity to vehicle infotainment system |
| | 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| Interior | |
| | Seats, front 40/20/40 split-bench with covered armrest storage (STD) |
| | Seat trim, Cloth |
| | Seat adjuster, driver 4-way manual |
| | Seat adjuster, passenger 4-way manual |
| | Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor) |
| | Floor covering, colour-keyed carpeting |
| | Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.) |
| | Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.) |
| | Steering wheel, urethane |
| | Steering column, Tilt-Wheel, manual with wheel locking security feature |
| | Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure |
| | Driver Information Centre, 3.5" diagonal monochrome display |
| | Exterior Temperature Display located in radio display |
| | Compass located in instrument cluster |
| | Rear Seat Reminder |
| | Window, power front, drivers express up/down |
| | Window, power front, passenger express down |
| | Windows, power rear, express down |
| | Door locks, power |
| | Remote Keyless Entry, with 2 transmitters |
| | Remote vehicle starter system |
| | Cruise control, electronic with set and resume speed, steering wheel-mounted |
| | Theft-deterrent system, unauthorized entry |
| | Power outlet, front auxiliary, 12-volt |
| | USB ports, 2 (first row) located on instrument panel |
| | Air conditioning, single-zone |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





| Interior | |
|-------------------|--|
| | Air vents, rear, heating/cooling |
| | Defogger, rear-window electric |
| | Mirror, inside rearview, manual tilt |
| | Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted |
| | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.) |
| Safety-Mechanical | |
| | StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist |
| Safety-Exterior | |
| | Daytime Running Lamps with automatic exterior lamp control |
| Safety-Interior | |
| | Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag |
| | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| | Rear Vision Camera |
| | Hitch Guidance dynamic single line to aid in trailer alignment for hitching |
| | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
| | Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire) |
| WARRANTY | |

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





Technical Specifications

Powertrain Transmission Four Wheel Drive Trans Order Code MYC Drivetrain Trans Type 6 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.03 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.36 1.53 Fourth Gear Ratio (:1) 1.15 Fifth Gear Ratio (:1) 0.85 Sixth Gear Ratio (:1) 0.66 Reverse Ratio (:1) 3.06 Clutch Size N/A N/A Trans Power Take Off Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Mileage EnerGuide Estimate - City 16.0 L/100 km 11.8 L/100 km EnerGuide Estimate - Hwy 568.44 km 770.76 km Cruising Range - City Cruising Range - Hwy **Engine Engine Order Code** L82 **Engine Type** Gas V8 Displacement 5.3L/325 Fuel System **Direct Injection** SAE Net Torque @ RPM SAE Net Horsepower @ RPM 355 @ 5600 383 @ 4100 Engine Oil Cooler N/A **Electrical** Cold Cranking Amps @ 0° F (Primary) N/A 720 Cold Cranking Amps @ 0° F (2nd) Maximum Alternator Capacity (amps) 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System**



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

23-Dec-2020 Page 7

N/A





| ehicle | | | |
|---|-------------|--|-------------|
| Emissions | | | |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 331 |
| hassis | | | |
| Weight Information | | | |
| Standard Weight - Front | 4.54 kg | Standard Weight - Rear | 19.5 kg |
| Gross Axle Wt Rating - Front | 1,723.68 kg | Gross Axle Wt Rating - Rear | 1,723.68 kg |
| Curb Weight - Front | 1,287.77 kg | Curb Weight - Rear | 896.31 kg |
| Option Weight - Front | 54.43 kg | Option Weight - Rear | 44 kg |
| Reserve Axle Capacity - Front | 376.94 kg | Reserve Axle Capacity - Rear | 763.86 kg |
| As Spec'd Curb Weight | 2,306.56 kg | As Spec'd Payload | 914 kg |
| Maximum Payload Capacity | 1,036.48 kg | Gross Combined Wt Rating | 6,804 kg |
| Gross Axle Weight Rating | 3,447.36 kg | Curb Weight | 2,184.08 kg |
| Reserve Axle Capacity | 1,140.8 kg | Total Option Weight | 98.43 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 3,220.56 kg | | |
| Trailering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 4,309.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 430.92 kg |
| Fifth Wheel Hitch - Max Trailer Wt. | 4,173.12 kg | Maximum Trailering Capacity | 4,309.2 kg |
| Fifth Wheel Hitch - Max Tongue Wt. | 1,043.28 kg | | |
| Frame | | | |
| Frame Type | Box Ladder | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |
| Suspension | | | |
| Suspension Type - Front | Independent | Suspension Type - Rear | Solid Axle |
| Spring Capacity - Front | 1,723.68 kg | Spring Capacity - Rear | 1,746.36 kg |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.





N/A

Chassis Suspension N/A N/A Axle Type - Front Axle Type - Rear 1,723.68 kg 1,723.68 kg Axle Capacity - Front Axle Capacity - Rear Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear 50.0 mm Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QAB Rear Tire Order Code QAB Spare Tire Order Code QAQ Front Tire Size 275/60R20 Rear Tire Size 275/60R20 Spare Tire Size 255/80R17SL Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 20" x 9" in Rear Wheel Size 20" x 9" in Spare Wheel Size N/A Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material N/A Steering Steering Type Electric Rack & Steering Ratio (:1), On Centre N/A Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 14.3 m Turning Diameter - Wall to Wall N/A **Brakes** Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Front Brake Rotor Diam x Thickness 342.9 x 29.97 mm Yes



Rear Brake Rotor Diam x Thickness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

Drum - Rear (Yes or)

23-Dec-2020 Page 9

345.44 x 20.07

mm





| assis | | | |
|-----------------------------|-------------|------------------------------------|-------------|
| rakes | | | |
| Rear Drum Diam x Width | N/A | | |
| uel Tank | | | |
| Fuel Tank Capacity, Approx | 91 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |
| | IV/A | Aux i dei Talik Location | IN/A |
| nensions | | | |
| terior Dimensions | | | |
| Passenger Capacity | 6 | Front Head Room | 1,092.96 mm |
| Front Leg Room | 1,131.06 mm | Front Shoulder Room | 1,676.91 mm |
| Front Hip Room | 1,553.97 mm | Second Head Room | 1,019.05 mm |
| Second Leg Room | 1,102.36 mm | Second Shoulder Room | 1,655.06 mm |
| Second Hip Room | 1,530.1 mm | | |
| utadan Dimamalana | | | |
| xterior Dimensions | 0.744.70 | Lavarth Overall w/s as as house as | N1/A |
| Wheelbase | 3,744.72 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,885.18 mm | Width, Max w/o mirrors | 2,063.5 mm |
| Height, Overall | 1,917.95 mm | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | 205.49 mm |
| Ground Clearance, Rear | 205.49 mm | Body Length | 0 m |
| Cab to Body | N/A | | |
| argo Area Dimensions | | | |
| Cargo Box Length @ Floor | 1,775.97 mm | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height | 568.96 mm | Tailgate Width | N/A |
| Cargo Volume | 1,781.13 L | Ext'd Cab Cargo Volume | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14137. Data Updated: 22-Dec-2020 10:37:00 PST PM.

23-Dec-2020 Page 10