

Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$53,098.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST		\$53,098.00
	OPTIONS		
1SP	RST Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
AAK	LPO, All-weather floor liners	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
D07	Centre Console, floor-mounted	Inc.	
G9K	Satin Steel Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated		\$350.00
K47	Air filter, heavy-duty	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



KI4	Power outlet, instrument panel, 120-volt	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
MQE	Transmission, 8-speed automatic, electronically controlled		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCH	Convenience Package with Bucket Seats		\$685.00
PCM	Convenience Package II		\$1,655.00
PDZ	Z71 Off-Road and Protection Package		\$2,095.00
PZX	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
QK2	Tailgate, Multi-Flex, with six functional load/access features		\$525.00
SFE	LPO, Wheel locks, set of 4		\$80.00
U2L	HD Radio	Inc.	
UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VQK	LPO, Moulded splash guards, Black		\$215.00
WPQ	Bed Protection Package	Inc.	
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z71	Z71 Off-Road Package	Inc.	
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$500.00
	SiriusXM with 360L	Inc.	
	Wireless Phone Projection, for Apple CarPlay and Android Auto	Inc.	
	SUBTOTAL		\$60,543.00
	Adjustments Total		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.





\$100.00 **Total Tax**

\$1,900.00 **Destination Charge**

TOTAL PRICE \$62,543.00

FUEL ECONOMY

Est City:14.4 L/100 km

Est Highway:10.6 L/100 km

Est Highway Cruising Range:858.01 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	True North Edition (Upgradeable to (PCH) Convenience Package with Bucket Seats and includes all content of (PCL) Convenience Package plus (A50) bucket seats and (D07) centre console.)
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel and (N37) manual tilt/telescoping steering column (Includes (R7O) Cloth Rear Seat with Storage Package.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo- Diesel I6 engine or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



√ Comple	9
----------	---

Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Body colour bars with high gloss Black mesh inserts.)
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	

Entertainment

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, wired Apple CarPlay and Android Auto capable (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



Entertainment	
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger
	Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor)
	Seat, Cloth Rear with Storage Package 60/40 folding bench for Crew Cab models, includes seatback storage on left and right side, centre fold out armrest with 2 cupholders, (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage

9-Feb-2021 Page 6

Driver Information Centre, 4.2" diagonal colour display includes driver personalization

Steering wheel, leather-wrapped

Steering wheel audio controls

Steering column, manual tilt and telescoping

Exterior Temperature Display located in radio display

Steering column, lock control, electrical

Steering wheel, heated

and oil pressure





Interior	
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
Thin	document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.

Page 7 9-Feb-2021





Safety-Interior

Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



Powertrain

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST (✓ Complete)

Technical Specifications

Transmission Trans Order Code Four Wheel Drive MQE Drivetrain Trans Type 8 Trans Description Cont. Automatic Trans Description Cont. Again First Gear Ratio (:1) 4.56 N/A Second Gear Ratio (:1) Third Gear Ratio (:1) 2.08 2.97 Fourth Gear Ratio (:1) 1.69 Fifth Gear Ratio (:1) 1.27 Sixth Gear Ratio (:1) 1.00 Reverse Ratio (:1) 3.82 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna MP3023/4 Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), Low 2.69 1.00 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 0.85 Eighth Gear Ratio (:1) 0.65 Mileage EnerGuide Estimate - City 14.4 L/100 km 10.6 L/100 km EnerGuide Estimate - Hwy Cruising Range - City 631.6 km Cruising Range - Hwy 858.01 km

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	299
nassis			
Veight Information			
Standard Weight - Front	16.78 kg	Standard Weight - Rear	34.47 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	44.91 kg	Option Weight - Rear	61.69 kg
Reserve Axle Capacity - Front	374.22 kg	Reserve Axle Capacity - Rear	731.2 kg
As Spec'd Curb Weight	2,341.94 kg	As Spec'd Payload	878.62 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,105.42 kg	Total Option Weight	106.6 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,263.84 kg	Wt Distributing Hitch - Max Tongue Wt.	426.38 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,991.68 kg	Maximum Trailering Capacity	5,397.84 kg
Fifth Wheel Hitch - Max Tongue Wt.	997.92 kg		
rame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.



ssis			
spension			
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
es			
Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
neels			
Front Wheel Size	18.5" x 8.5" in	Rear Wheel Size	18.5" x 8.5" in
Spare Wheel Size	17" x 8" in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
akes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97



Rear Brake Rotor Diam x Thickness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.

Drum - Rear (Yes or)

N/A

9-Feb-2021 Page 11

345.44 x 20.07

mm



assis			
rakes	N//A		
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
xterior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
	568.96 mm	Tailgate Width	N/A



Cargo Volume

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14540. Data Updated: 8-Feb-2021 10:18:00 PST PM.

Ext'd Cab Cargo Volume

N/A

9-Feb-2021 Page 12

1,781.13 L