



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck

MSRP:\$42,798.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

OPTIONS

CO	DDE	MODEL		MSRP
CK	(10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck		\$42,798.00
		OPTIONS		
1W	/T	Work Truck Preferred Equipment Group		\$0.00
AE	7	Seats, front 40/20/40 split-bench		\$0.00
AK	O	Glass, deep-tinted	Inc.	
AQ	QQ	Remote Keyless Entry, with 2 transmitters	Inc.	
C4	9	Defogger, rear-window electric	Inc.	
C5	Υ	GVWR, 7100 lbs. (3221 kg)	Inc.	
CG	SN .	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
СТ	Т	Hitch Guidance	Inc.	
DL	F	Mirrors, outside heated power-adjustable	Inc.	
G8	30	Auto-locking rear differential		\$450.00
GA	λZ	Summit White		\$0.00
GL	J6	Rear axle, 3.42 ratio		\$0.00
H1	Т	Jet Black, Cloth seat trim		\$0.00
IOI	R	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
JL′	1	Trailer brake controller, integrated		\$350.00
K3-	4	Cruise control, electronic	Inc.	
KC	9	Power outlet, bed mounted, 120-volt	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.



(🎺 Complete	te
--------------	----

KNP Cooling, auxiliary external transmission oil cooler Inc. L82 Engine, 5.3L EcoTec3 V8 \$1. MYC Transmission, 6-speed automatic, electronically controlled PCV WT Convenience Package Inc. PEB WT Value Package \$1. Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum \$1. QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$1. UF2 LED Cargo Area Lighting \$1. VOK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax \$1. Option/package discount \$1. Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free \$4. SUBTOTAL \$48. Adjustments Total				
L82 Engine, 5.3L EcoTec3 V8 MYC Transmission, 6-speed automatic, electronically controlled PCV WT Convenience Package Inc. PEB WT Value Package \$1, Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum \$1, QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$1, UF2 LED Cargo Area Lighting \$1, VQK LPO, Moulded splash guards, Black \$1, Z82 Trailering Package Inc. Federal air conditioning excise tax \$1, Qption/package discount \$1, Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free \$1, SUBTOTAL \$48, Adjustments Total	(14			\$275.00
MYC Transmission, 6-speed automatic, electronically controlled PCV WT Convenience Package Inc. PEB WT Value Package \$1. Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum \$1. QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$1. UF2 LED Cargo Area Lighting \$1. VQK LPO, Moulded splash guards, Black \$1. Z82 Trailering Package Inc. Federal air conditioning excise tax \$1. Option/package discount \$1. Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free \$1. SUBTOTAL \$48. Adjustments Total	NP		Inc.	
PCV WT Convenience Package Inc. PEB WT Value Package \$1. Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum \$1. QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$1. UF2 LED Cargo Area Lighting \$1. VQK LPO, Moulded splash guards, Black \$1. Z82 Trailering Package Inc. Federal air conditioning excise tax \$1. Option/package discount \$1. Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free \$1. SUBTOTAL \$48. Adjustments Total	.82			\$1,845.00
PEB WT Value Package \$1. Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum \$1. QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$1. UF2 LED Cargo Area Lighting \$1. VQK LPO, Moulded splash guards, Black \$1. Z82 Trailering Package Inc. Federal air conditioning excise tax \$1. Option/package discount \$1. Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free \$4. SUBTOTAL Adjustments Total	/IYC	ntrolled		\$0.00
Q5U Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front UF2 LED Cargo Area Lighting VQK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free SUBTOTAL Adjustments Total	CV		Inc.	
QBN Tires, 255/70R17 all-season, blackwall QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front UF2 LED Cargo Area Lighting VQK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free SUBTOTAL Adjustments Total	'EB			\$1,845.00
QBR Tire, spare 255/70R17 all-season, blackwall QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$ UF2 LED Cargo Area Lighting \$ VQK LPO, Moulded splash guards, Black \$ Z82 Trailering Package Inc. Federal air conditioning excise tax \$ Option/package discount \$ Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free SUBTOTAL \$48, Adjustments Total) 5U	painted aluminun	n	\$405.00
QT5 Tailgate, gate function manual with EZ Lift Inc. SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front \$ UF2 LED Cargo Area Lighting \$ VQK LPO, Moulded splash guards, Black \$ Z82 Trailering Package Inc. Federal air conditioning excise tax \$ Option/package discount \$ Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free \$ SUBTOTAL \$48, Adjustments Total	QBN			\$0.00
SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front UF2 LED Cargo Area Lighting VQK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free SUBTOTAL Adjustments Total	QBR			\$0.00
SFZ LPO, Black Bowtie Emblem, front UF2 LED Cargo Area Lighting VQK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free SUBTOTAL Adjustments Total	QT5		Inc.	
UF2 LED Cargo Area Lighting VQK LPO, Moulded splash guards, Black Z82 Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free SUBTOTAL Adjustments Total	SFE			\$80.00
VQK LPO, Moulded splash guards, Black Trailering Package Inc. Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free SUBTOTAL Adjustments Total	SFZ			\$145.00
Trailering Package Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free SUBTOTAL Adjustments Total	JF2			\$150.00
Federal air conditioning excise tax Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free SUBTOTAL Adjustments Total	/QK			\$215.00
Option/package discount Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc maintenance-free SUBTOTAL \$48. Adjustments Total	'82		Inc.	
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, Inc. maintenance-free SUBTOTAL Adjustments Total				\$100.00
SUBTOTAL \$48. Adjustments Total				-\$500.00
Adjustments Total	_	np-hr,	Inc.	
·				\$48,658.00
Total Tax \$				\$0.00
				\$100.00
Destination Charge \$1				\$1,900.00
TOTAL PRICE \$50				\$50,658.00

FUEL ECONOMY

Est City:16.0 L/100 km

Est Highway:11.8 L/100 km

Est Highway Cruising Range:770.76 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





Standard Equipment

Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (L3B) 2.7L Turbo engine.)
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front, Black (semi-gloss)
	Bumper, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.



(V Complete

Exterior	
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Black bars and mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door
	Tailgate, standard
	Tailgate, gate function manual no EZ lift
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





Interior	
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





Technical Specifications

rechnical Specifications			
Powertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.66	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		
Mileage			
EnerGuide Estimate - City	16.0 L/100 km	EnerGuide Estimate - Hwy	11.8 L/100 km
Cruising Range - City	568.44 km	Cruising Range - Hwy	770.76 km
Engine			
Engine Order Code	L82	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





'ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	331
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	32.66 kg	Option Weight - Rear	24.04 kg
Reserve Axle Capacity - Front	403.25 kg	Reserve Axle Capacity - Rear	803.33 kg
As Spec'd Curb Weight	2,240.78 kg	As Spec'd Payload	979.78 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,206.58 kg	Total Option Weight	56.7 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
Frailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,309.2 kg	Wt Distributing Hitch - Max Tongue Wt.	430.92 kg
Fifth Wheel Hitch - Max Trailer Wt.	4,173.12 kg	Maximum Trailering Capacity	4,309.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	1,043.28 kg		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





Chassis Suspension Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear 1,723.68 kg 3.42 Axle Ratio (:1) - Rear 3.42 Axle Ratio (:1) - Front Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear 50.0 mm Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QBN Rear Tire Order Code QBN Spare Tire Order Code **QBR** Front Tire Size 255/70R17 255/70R17 Rear Tire Size Spare Tire Size 255/70R17 Front Tire Capacity N/A N/A Rear Tire Capacity Spare Tire Capacity Revolutions/Mile @ 45 mph - Front N/A N/A Revolutions/Mile @ 45 mph - Rear Revolutions/Mile @ 45 mph - Spare N/A N/A Wheels Front Wheel Size 17" x 8" in Rear Wheel Size 17" x 8" in Spare Wheel Size N/A Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material N/A Steering Steering Type Electric Rack & Steering Ratio (:1), On Centre N/A Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 14.11 m Turning Diameter - Wall to Wall N/A **Brakes** Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 342.9 x 29.97 mm Rear Brake Rotor Diam x Thickness 345.44 x 20.07 Drum - Rear (Yes or) N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.





akes			
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			
erior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 m
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 m
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 m
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 m
Second Hip Room	1,530.1 mm		
terior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mr
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
	N/A	Ground Clearance, Front	205.49 mm
Frame Width, Rear			•
Frame Width, Rear Ground Clearance, Rear	205.49 mm	Body Length	0 m
	205.49 mm N/A	Body Length	0 m
Ground Clearance, Rear Cab to Body		Body Length	0 m
Ground Clearance, Rear		Body Length Cargo Box Width @ Top, Rear	0 m
Ground Clearance, Rear Cab to Body argo Area Dimensions	N/A	_ · ·	
Ground Clearance, Rear Cab to Body argo Area Dimensions Cargo Box Length @ Floor	N/A 1,775.97 mm	Cargo Box Width @ Top, Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 14733. Data Updated: 3-Mar-2021 10:27:00 PST PM.