

Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Spark (1DS48) 4dr HB CVT 1LT

MSRP:\$16,298.00

\$0.00

Interior: Jet Black/Dark Anderson Silver Metallic, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, Continuous Variable (CVT)

OPTIONS

	SUBTOTAL		\$17,163.00
	Federal air conditioning excise tax		\$100.00
TTK	Bezel, Black, daytime running lamps	Inc.	
TL4	Grille, Black-painted	Inc.	
SFE	LPO, Wheel lock kit		\$70.00
RRK	Wheels, 15" (38.1 cm) Black-painted machined finish alloy	Inc.	
PCH	Spark Sport Edition		\$795.00
MR8	Transmission, Continuous Variable (CVT)		\$0.00
LV7	Engine, 1.4L DOHC 4-cylinder MFI		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo.	ur	\$0.00
HJG	Jet Black/Dark Anderson Silver Metallic, Cloth seat trim		\$0.00
GAZ	Summit White		\$0.00
CWP	Mosaic Black two-tone roof		\$0.00
B94	Emblem, Black	Inc.	
AV5	Seats, front high-back bucket		\$0.00
1SD	1LT Preferred Equipment Group		\$0.00
	OPTIONS		
1DS48	[Retail] 2021 Chevrolet Spark (1DS48) 4dr HB CVT 1LT		\$16,298.00
CODE	MODEL		MSRP
OPTIONS			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.

13-Apr-2021 Page 1

Adjustments Total



Total Tax \$100.00

Destination Charge \$1,800.00

TOTAL PRICE \$19,063.00

FUEL ECONOMY

Est City:7.7 L/100 km

Est Highway:6.2 L/100 km

Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



Standard Equipment

Mechanical	
	Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD)
	Transmission, Continuous Variable (CVT) (STD)
	Axle, 3.76 final drive ratio
	Front wheel drive
	Battery, 375 cold-cranking amps
	Alternator, 80 amps
	Suspension, front, MacPherson struts
	Suspension, rear, compound crank
	Steering, power, non-variable ratio, electric
	Brakes, 4-wheel antilock, front disc/rear drum
	Fuel tank, 35L, 9 gallons
	Jack, mechanical with tools
Exterior	
	Wheels, 15" (38.1 cm) aluminum (STD)
	Wheel, 14" (35.6 cm) steel spare
	Tires, P185/55R15 all-season blackwall
	Tire, spare, T105/70D14, blackwall
	Spoiler, rear, Aero
	Grille, chrome
	Headlamps, halogen projector with automatic exterior lamp control
	Lamp, centre high-mounted stop/brake (CHMSL)
	Mirrors, heated, outside manual-folding, body-colour
	Glass, solar absorbing
	Wipers, front intermittent, variable
	Wiper, rear intermittent, 2-speed
	Door handles, body-colour
	License plate bracket, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)
	Antenna, roof-mounted
Interior	
	Seats, front high-back bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way fore/aft (up/down) manual with manual recline
	Seat adjuster, 2-way manual front passenger with manual recline
	Seat adjuster, front passenger, manual recline
	Seat, rear 60/40 split-bench, folding
	Head restraints, 2-way adjustable (up/down) front and rear
	Console, rear, centre with storage tray
	Floor mats, carpeted front and rear (Removed when the following options are ordered: (VAV) All-weather floor mats, LPO, (PDH) Interior Protection Package, LPO or (PCN) Winter/Summer Floor Mats Package, LPO)
	Foot rest, driver side
	Steering column, Tilt-Wheel
	Steering wheel, 3-spoke
	Steering wheel controls, mounted audio and phone interface controls
	Instrumentation, analog with speedometer, tachometer and fuel gauge
	Driver Information Centre, segmented display
	Oil life monitoring system
	Outside temperature display



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



Interior	
	Windows, power with driver express up/down
	Door handles, Black
	Remote Keyless Entry includes panic alarm button
	Keys, foldable (2)
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Fuel filler door release, remote
	Theft-deterrent system, content theft alarm
	Engine immobilizer
	USB data ports, 2, illuminated located in the front centre stack storage bin
	Air conditioning, single-zone manual
	Cabin air filter
	Defogger, rear-window
	Glovebox, non-locking
	Storage, passenger IP storage tray
	Storage, lower centre IP bin
	Cup holders, 2 front and 2 rear
	Power outlet, auxiliary located in front centre stack storage bin
	Armrest, driver seat
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger vanity mirrors, covered
	Assist handle, front passenger
	Lighting, interior overhead courtesy lamp with OnStar controls
	Lighting, dimming instrument panel cluster
	Lighting, rear cargo compartment lamp
	Map pocket, front passenger seatback
	Coat hooks, rear seat
	Cargo security shelf, rear
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

StabiliTrak, stability control system with Brake Assist



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



Safety-Mechanical	
	Traction control
	Hill Start Assist
Safety-Exterior	
	Daytime Running Lamps, LED with signature lighting
Safety-Interior	
	Rear Vision Camera
	Remote panic alarm
	Airbags driver and front passenger frontal and knee, seat-mounted side-impact and roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger
	Door locks, power, emergency unlock, automatic
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Seat belt pretensioners, driver and front passenger, dual
	Seat belts, 3-point, all positions

LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats

Tire Pressure Monitoring System (does not monitor spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

T	ransmission			
	Drivetrain	Front Wheel Drive	Trans Order Code	MR8
	Trans Type	1	Trans Description Cont.	Automatic



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



ransmission			
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A	Clutch Size	N/A
Final Drive Axle Ratio (:1)	3.76		
lileage			
EnerGuide Estimate - City	7.7 L/100 km	EnerGuide Estimate - Hwy	6.2 L/100 km
Cruising Range - City	454.48 km	Cruising Range - Hwy	564.45 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Battery Range	N/A
ingine			
Engine Order Code	LV7	Engine Type	Gas I4
Displacement	1.4L/85.4	Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	98 @ 6200	SAE Net Torque @ RPM	94 @ 4400
Electrical			
Cold Cranking Amps @ 0° F (Primary)	375	Maximum Alternator Capacity (amps)	80
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	165
'ehicle			
EPA Classification	Subcompact Car		
nassis			
Veight Information			
Base Curb Weight	1,048.72 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



assis			
eight Information			
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
uspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Cra
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QGD	Rear Tire Order Code	QGD
Spare Tire Order Code	ZAL	Front Tire Size	P185/55R15
Rear Tire Size	P185/55R15	Spare Tire Size	T105/70D14
/heels	AF TDD .in	Describility of Cine	45 TDD ::-
Front Wheel Size	15 x -TBD- in	Rear Wheel Size	15 x -TBD- in
Spare Wheel Size	14 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	10.3 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	236.22 x -TBD mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.



hassis			
Brakes			
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	200.66 x -TBD- mm		
uel Tank			
Fuel Tank Capacity, Approx	35 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
nterior Dimensions			
Passenger Capacity	4	Passenger Volume	2,350.3 L
Front Head Room	990.6 mm	Front Leg Room	1,059.18 mm
Front Shoulder Room	1,290.32 mm	Front Hip Room	1,224.28 mm
Second Head Room	939.8 mm	Second Leg Room	838.2 mm
Second Shoulder Room	1,264.92 mm	Second Hip Room	1,219.2 mm
exterior Dimensions			
Wheelbase	2,385.06 mm	Length, Overall	3,634.74 mm
Width, Max w/o mirrors	1,595.12 mm	Height, Overall	1,483.36 mm
Track Width, Front	1,384.3 mm	Track Width, Rear	1,384.3 mm
Min Ground Clearance	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Volume with Rear Seat Up	314.32 L	Cargo Volume with Rear Seat Down	770.22 L
Trunk Volume	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15043. Data Updated: 12-Apr-2021 9:18:00 PDT PM.