



## **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss

MSRP:\$48,648.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Shadow Grey Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 6-speed automatic, electronically controlled

### **OPTIONS**

CODE	MODEL		MSRP
CK10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss		\$48,648.00
	OPTIONS		
2CX	Custom Trail Boss Preferred Equipment Group		\$0.00
AE7	Seats, front 40/20/40 split-bench		\$0.00
C5W	GVWR, 7000 lbs. (3175 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
GJI	Shadow Grey Metallic		\$495.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo		\$0.00
JL1	Trailer brake controller, integrated		\$350.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
L82	Engine, 5.3L EcoTec3 V8		\$1,845.00
MYC	Transmission, 6-speed automatic, electronically controlled		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	
QK2	Tailgate, Multi-Flex, with six functional load/access features		\$525.00
R3O	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac		\$0.00
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





YK9	Not Equipped with Active Fuel Management		-\$50.00
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
	SUBTOTAL		\$52,413.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,950.00
	TOTAL PRICE		\$54,463.00

### **FUEL ECONOMY**

Est City:17.8 L/100 km

Est Highway:13.2 L/100 km

Est Highway Cruising Range:689.02 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





# **Standard Equipment**

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air cleaner and Z71 hard badge
	Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate
	Infotainment Package includes (U2K) SiriusXM and (UE1) OnStar
Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 with Active Fuel Management, (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 6900 lbs. (3130 kg) (STD) (Crew Cab models require (LV3) 4.3L EcoTec3 V6 engine.)
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with rotary dial control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Air filter, heavy-duty
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet (Requires (LV3) 4.3L EcoTec3 V6 engine. Includes (VQZ) polished exhaust tip, LPO.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac (STD)
	Tire, spare 265/70R17SL all-season, blackwall
	LPO, Polished exhaust tip (dealer-installed) (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss black.)
	Bumper, rear (High gloss black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (High gloss Black bars with mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	

#### **Entertainment**

Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, wired Apple CarPlay and Android Auto capable (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





Part and a large	
Entertainment	
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage (STD)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





Interior	
	Remote vehicle starter system
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





#### **WARRANTY**

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

## **Technical Specifications**

## **Powertrain**

Trans	ะเทเร	SION

Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.66	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A		

#### Mileage

EnerGuide Estimate - City	17.8 L/100 km	EnerGuide Estimate - Hwy	13.2 L/100 km
Cruising Range - City	510.95 km	Cruising Range - Hwy	689.02 km

### **Engine**

Engine Order Code	L82	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





Powertrain			
Engine			
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	368
Chassis			
Weight Information			
Standard Weight - Front	19.5 kg	Standard Weight - Rear	34.02 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	32.21 kg	Option Weight - Rear	49.9 kg
Reserve Axle Capacity - Front	384.2 kg	Reserve Axle Capacity - Rear	743.45 kg
As Spec'd Curb Weight	2,319.71 kg	As Spec'd Payload	855.49 kg
Maximum Payload Capacity	991.12 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,127.65 kg	Total Option Weight	82.1 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





Wt Distributing Hitch - Max Trailer Wt. 4,263.84 kg Wt Distributing Hitch - Max Tongue Wt Fifth Wheel Hitch - Max Tongue Wt. 997.92 kg  Frame  Frame Type Box Ladder Sect Modulus Rails Only Frame RBM N/A Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear Axle Type - Front 1,723.68 kg Axle Capacity - Rear Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear	t. 426.38 kg 4,263.84 kg
Fifth Wheel Hitch - Max Trailer Wt. 3,991.68 kg  Fifth Wheel Hitch - Max Tongue Wt. 997.92 kg  Frame  Frame Type Box Ladder Sect Modulus Rails Only  Frame RBM N/A Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear  Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear  Axle Type - Front 1,723.68 kg Axle Capacity - Rear  Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	
Frame  Frame Type Box Ladder Sect Modulus Rails Only Frame RBM N/A Frame Strength  Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear Axle Type - Front 1,723.68 kg Axle Type - Rear  Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	4,263.84 kg
Frame Type Box Ladder Sect Modulus Rails Only Frame RBM N/A Frame Strength Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear Axle Type - Front N/A Axle Type - Rear Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	
Frame Type  Box Ladder  Sect Modulus Rails Only  Frame RBM  N/A  Frame Strength  Frame Strength  Suspension  Suspension Type - Front  Independent  Suspension Type - Rear  Spring Capacity - Front  1,723.68 kg  Spring Capacity - Rear  Axle Type - Front  N/A  Axle Type - Rear  Axle Capacity - Front  1,723.68 kg  Axle Capacity - Rear  Axle Capacity - Front  3.42  Axle Ratio (:1) - Rear	
Frame RBM N/A Frame Strength  Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear  Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear  Axle Type - Front N/A Axle Type - Rear  Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	
Frame Thickness N/A  Suspension  Suspension Type - Front Independent Suspension Type - Rear  Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear  Axle Type - Front N/A Axle Type - Rear  Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	N/A
Suspension  Suspension Type - Front  Independent  Suspension Type - Rear  Spring Capacity - Front  1,723.68 kg  Spring Capacity - Rear  Axle Type - Front  N/A  Axle Type - Rear  Axle Capacity - Front  1,723.68 kg  Axle Capacity - Rear  Axle Capacity - Front  3.42  Axle Ratio (:1) - Rear	N/A
Suspension Type - Front  Independent  Suspension Type - Rear  1,723.68 kg  Spring Capacity - Rear  Axle Type - Front  N/A  Axle Type - Rear  Axle Capacity - Front  1,723.68 kg  Axle Capacity - Rear  Axle Capacity - Front  3.42  Axle Ratio (:1) - Rear	
Spring Capacity - Front1,723.68 kgSpring Capacity - RearAxle Type - FrontN/AAxle Type - RearAxle Capacity - Front1,723.68 kgAxle Capacity - RearAxle Ratio (:1) - Front3.42Axle Ratio (:1) - Rear	
Axle Type - Front N/A Axle Type - Rear  Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	Solid Axle
Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear  Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	1,746.36 kg
Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear	N/A
	1,723.68 kg
Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear	3.42
	51.0 mm
Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear	N/A
Tires Tires	
Front Tire Order Code R3O Rear Tire Order Code	R30
Spare Tire Order Code XCQ Front Tire Size	LT275/65R18C
Rear Tire Size LT275/65R18C Spare Tire Size	265/70R17SL
Front Tire Capacity N/A Rear Tire Capacity	N/A
Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare	N/A
Vheels	
Front Wheel Size 18.5" x 8.5" in Rear Wheel Size	18.5" x 8.5" in
Spare Wheel Size N/A Front Wheel Material	Aluminum
Rear Wheel Material Aluminum Spare Wheel Material	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





hassis				
Steering				
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A	
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m	
Turning Diameter - Wall to Wall	N/A			
Brakes				
Brake Type	Pwr	Brake ABS System	4-Wheel	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes	
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 r	
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or )	N/A	
Rear Drum Diam x Width	N/A			
Fuel Tank				
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A	
imensions				
nterior Dimensions				
Passenger Capacity	6	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm	
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm	
Second Hip Room	1,530.1 mm			
Exterior Dimensions				
Wheelbase	3,747.26 mm	Length, Overall w/o rear bumper	N/A	
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm	
Height, Overall	1,990.09 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	N/A	Cab to End of Frame	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





#### **Dimensions Exterior Dimensions** Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 276.35 mm Ground Clearance, Rear 276.35 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





## **Selected Model and Options**

MODEL						
CODE	MODEL			Invoice	MSRP	
CK10543	2021 Chevrolet Silverado 1500 4WD Cre	2021 Chevrolet Silverado 1500 4WD Crew Cab 147" Custom Trail Boss				
COLOURS						
CODE	DESCRIPTION					
GJI	Shadow Grey Metallic (Available at extra	charge.)				
AIR CONDITIONIN	IG EXCISE TAX					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP	
	Federal air conditioning excise tax	0.00 lbs	0.00 lbs	\$100.00	\$100.00	
PREFERRED EQU	IIPMENT GROUP					

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
2CX	Custom Trail Boss Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00	\$0.00

ENGINE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
L82	Engine, 5.3L EcoTec3 V8 with available Active Fuel Management, (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (NOTE: Some models built beginning in March will include (YK9) Not Equipped with Active Fuel Management.)	75.00 lbs	0.00 lbs	\$1,624.00	\$1,845.00

TRANSMISSION					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
MYC	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Page 12 28-Apr-2021





GVWR					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
C5W	GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab model and (L82) 5.3L EcoTec3 V8 engine. Requires (L87) 6.2L EcoTec3 V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.
AXLE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
GU6	Rear axle, 3.42 ratio	0.00 lbs	-7.00 lbs	\$0.00	\$0.00
WHEELS					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00
TIRES					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
R3O	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac (STD)	28.00 lbs	28.00 lbs	\$0.00	\$0.00
PAINT					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
GJI	Shadow Grey Metallic (Available at extra charge.)	0.00 lbs	0.00 lbs	\$436.00	\$495.00
SEAT TYPE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
AE7	Seats, front 40/20/40 split-bench with covered armrest storage (STD)	4.00 lbs	2.00 lbs	\$0.00	\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.





SEAT TRIM					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP
H1T	Jet Black, Cloth seat trim	-1.00 lbs	-1.00 lbs	\$0.00	\$0.00
RADIO					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP

ADDITIONAL E	ADDITIONAL EQUIPMENT - MECHANICAL						
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP		
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L82) 5.3L EcoTec3 V8 engine.)	0.00 lbs	0.00 lbs	Inc.	Inc.		
JL1	Trailer brake controller, integrated	3.00 lbs	1.00 lbs	\$308.00	\$350.00		
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs	Inc.	Inc.		
N10	Exhaust, dual with polished outlets (Included and only available with (L82) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)	6.00 lbs	19.00 lbs	Inc.	Inc.		
YK9	Not Equipped with Active Fuel Management (Included and only available with (L82) 5.3L EcoTec3 V8 engine.) *CREDIT*	0.00 lbs	0.00 lbs	-\$44.00	-\$50.00		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Page 14 28-Apr-2021





DITIONAL EQUIPMENT - EXTERIOR						
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	Invoice	MSRP	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo (does not include spray-on liner on tailgate due to Black composite inner panel) (Included with (WJP) Midnight Edition or (G0S) Realtree Special Edition.)	2.00 lbs	30.00 lbs	\$528.00	\$600.00	
QK2	Tailgate, Multi-Flex, with six functional load/access features (Not available with (PDW) Assist Step and Tonneau Value Package I, LPO or (VPB) Premium soft roll-up tonneau cover, LPO.)	-14.00 lbs	61.00 lbs	\$462.00	\$525.00	
-	Options Total	103.00 lbs	133.00 lbs	\$3,314.00	\$3,765.00	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Page 15 28-Apr-2021