


Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$53,448.00

Interior:Jet Black, Leather-appointed front outboard seating positions

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6


Transmission, 10-speed automatic, electronically controlled

OPTIONS

| CODE | MODEL | MSRP |
|----------------|---|-------------|
| CK10543 | [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST | \$53,448.00 |
| OPTIONS | | |
| 1SP | RST Preferred Equipment Group | \$0.00 |
| A48 | Window, power, rear sliding | Inc. |
| A50 | Seats, front bucket | Inc. |
| AAK | LPO, All-weather floor liners | Inc. |
| B1J | Wheelhouse liners, rear | Inc. |
| C5Z | GVWR, 7200 lbs. (3266 kg) | Inc. |
| CF5 | Sunroof, power | \$1,325.00 |
| CGN | Chevytec spray-on bedliner, Black with Chevrolet logo | Inc. |
| CXH | Leather Package | \$995.00 |
| D07 | Centre Console, floor-mounted | Inc. |
| GBA | Black | \$0.00 |
| GU5 | Rear axle, 3.23 ratio | Inc. |
| H0Y | Jet Black, Leather-appointed front outboard seating positions | \$0.00 |
| IOS | Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo | Inc. |
| JHD | Hill Descent Control | Inc. |
| JL1 | Trailer brake controller, integrated | \$350.00 |
| K05 | Engine block heater | Inc. |




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

| | | | |
|-----|---|------|-------------|
| K47 | Air filter, heavy-duty | Inc. | |
| KC9 | Power outlet, bed mounted, 120-volt | Inc. | |
| KI4 | Power outlet, instrument panel, 120-volt | Inc. | |
| LM2 | Engine, Duramax 3.0L Turbo-Diesel I6 | | \$4,830.00 |
| MCR | USB Ports (Inside Console with bucket seats), 2 | Inc. | |
| MQB | Transmission, 10-speed automatic, electronically controlled | Inc. | |
| N10 | Exhaust, dual with polished outlets | Inc. | |
| NQH | Transfer case, two-speed | Inc. | |
| NZZ | Skid Plates | Inc. | |
| PCH | Convenience Package with Bucket Seats | | \$685.00 |
| PCM | Convenience Package II | Inc. | |
| PDD | True North Edition Plus | | \$3,050.00 |
| PDZ | Z71 Off-Road and Protection Package | | \$2,095.00 |
| QAE | Tires, 275/60R20SL all-terrain, blackwall | | \$0.00 |
| QAQ | Tire, spare 255/80R17SL all-season, blackwall | Inc. | |
| QK2 | Tailgate, Multi-Flex, with six functional load/access features | | \$525.00 |
| R7C | Option/package discount | | -\$1,250.00 |
| RD4 | Wheels, 20" x 9" (50.8 cm x 22.9 cm) Painted aluminum | Inc. | |
| SFE | LPO, Wheel locks, set of 4 | | \$80.00 |
| SNR | Seat, Up-level Rear with Storage Package, 60/40 folding bench for Crew Cab models | Inc. | |
| U2L | HD Radio | Inc. | |
| UG1 | Universal Home Remote | Inc. | |
| UQA | Bose Sound System, premium 7-speaker system | Inc. | |
| UVB | HD Rear Vision Camera | Inc. | |
| WPQ | Bed Protection Package | Inc. | |
| Z71 | Z71 Off-Road Package | Inc. | |
| — | Federal air conditioning excise tax | | \$100.00 |
| — | Option/package discount | | -\$250.00 |
| — | Option/package discount | | -\$500.00 |
| — | Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free | Inc. | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

| | | |
|--------------------|---|--------------------|
| — | SiriusXM with 360L | Inc. |
| — | Wireless Phone Projection, for Apple CarPlay and Android Auto | Inc. |
| SUBTOTAL | | \$65,383.00 |
| Adjustments Total | | \$0.00 |
| Total Tax | | \$100.00 |
| Destination Charge | | \$1,950.00 |
| TOTAL PRICE | | \$67,433.00 |

FUEL ECONOMY


Est City:10.6 L/100 km

Est Highway:9.2 L/100 km

Est Highway Cruising Range:988.59 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Standard Equipment

Package

Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance

True North Edition (Upgradeable to (PCH) Convenience Package with Bucket Seats and includes all content of (PCL) Convenience Package plus (A50) bucket seats and (D07) centre console.)

Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel and (N37) manual tilt/telescoping steering column (Includes (R7O) Cloth Rear Seat with Storage Package.)

Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 B8 engine.)

Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine with (NHT) Max Trailering Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Auto-locking rear differential

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L3B) 2.7L Turbo engine, (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)

Frame, fully-boxed, hydroformed front section

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors


Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Exterior


| |
|--|
| Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD) |
| Tires, 265/65R18SL all-season, blackwall (STD) |
| Tire, spare 265/70R17SL all-season, blackwall (STD) |
| Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare |
| Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door |
| Bumper, front (Body-colour.) |
| Bumper, rear (Body colour.) |
| CornerStep, rear bumper |
| Recovery hooks, front, frame-mounted, black |
| Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner |
| Grille (Body colour bars with high gloss Black mesh inserts.) |
| Black Bowtie, (front grille) |
| Headlamps, LED reflector with LED signature Daytime Running Lamps |
| Fog lamps, front, LED |
| Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel |
| LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob |
| Taillamps, LED with signature |
| Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.) |
| Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.) |
| Glass, deep-tinted |
| Door handles, body-colour |
| Tailgate and bed rail protection cap, top |
| Tailgate, standard |
| Tailgate, gate function manual with EZ Lift includes power lock and release |

Entertainment

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Entertainment

SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)

Audio system feature, 6-speaker system

Bluetooth for phone, connectivity to vehicle infotainment system

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCH) Convenience Package with Bucket Seats.)

Seat trim, Cloth

Seat adjuster, driver 10-way power including lumbar

Seat adjuster, passenger 4-way manual

Seating, heated driver and front outboard passenger

Seat, rear 60/40 folding bench (folds up), 3-Passenger (includes child seat top tether anchor)

Seat, Cloth Rear with Storage Package 60/40 folding bench for Crew Cab models, includes seatback storage on left and right side, centre fold out armrest with 2 cupholders, (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)

Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)

Steering wheel, leather-wrapped

Steering wheel, heated

Steering wheel audio controls

Steering column, manual tilt and telescoping

Steering column, lock control, electrical


Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 4.2" diagonal colour display includes driver personalization

Exterior Temperature Display located in radio display



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Interior

Compass located in instrument cluster

Rear Seat Reminder

Window, power front, drivers express up/down

Window, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote vehicle starter system

Keyless Open and Start

Cruise control, electronic with set and resume speed, steering wheel-mounted

Theft-deterrent system, unauthorized entry

Power outlet, front auxiliary, 12-volt

USB ports, 2 (first row) located on instrument panel

Power outlet, rear auxiliary, 12-volt

USB ports, dual, charge-only (2nd row)

Air conditioning, dual-zone automatic climate control

Air vents, rear, heating/cooling

Defogger, rear-window electric

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior


Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Rear Vision Camera



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Safety-Interior

Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5
Drivetrain Miles/km: 100,000
Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 160,000
Corrosion Miles/km: 60,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 100,000
Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications


Powertrain

Transmission

| | | | |
|-------------------------------------|------------------|------------------------------------|----------------|
| Drivetrain | Four Wheel Drive | Trans Order Code | MQB |
| Trans Type | 10 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.69 |
| Second Gear Ratio (:1) | 2.98 | Third Gear Ratio (:1) | 2.15 |
| Fourth Gear Ratio (:1) | 1.8 | Fifth Gear Ratio (:1) | 1.52 |
| Sixth Gear Ratio (:1) | 1.28 | Reverse Ratio (:1) | 4.86 |
| Clutch Size | N/A | Trans Power Take Off | N/A |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | Magna MP3023/4 |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | 2.69 |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 1.00 |
| Eighth Gear Ratio (:1) | 0.85 | Ninth Gear Ratio (:1) | 0.69 |
| Tenth Gear Ratio (:1) | 0.63 | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Powertrain

Mileage

| | | | |
|---------------------------|---------------|--------------------------|--------------|
| EnerGuide Estimate - City | 10.6 L/100 km | EnerGuide Estimate - Hwy | 9.2 L/100 km |
| Cruising Range - City | 858.01 km | Cruising Range - Hwy | 988.59 km |

Engine

| | | | |
|--------------------------|------------|----------------------|------------------------|
| Engine Order Code | LM2 | Engine Type | Turbocharged Diesel I6 |
| Displacement | 3.0L/183 | Fuel System | N/A |
| SAE Net Horsepower @ RPM | 277 @ 3750 | SAE Net Torque @ RPM | 460 @ 1500 |
| Engine Oil Cooler | N/A | | |

Electrical

| | | | |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 850 | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps) | 220 | Cold Cranking Amps @ 0° F (3rd) | N/A |

Cooling System

| | |
|-------------------------------|-----|
| Total Cooling System Capacity | N/A |
|-------------------------------|-----|

Vehicle

Emissions

| | | | |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 268 |
|--------------------------------------|-----|-----------------------|-----|


Chassis

Weight Information

| | | | |
|-------------------------------|-------------|------------------------------|-------------|
| Standard Weight - Front | 18.14 kg | Standard Weight - Rear | 27.22 kg |
| Gross Axle Wt Rating - Front | 1,723.68 kg | Gross Axle Wt Rating - Rear | 1,723.68 kg |
| Curb Weight - Front | 1,287.77 kg | Curb Weight - Rear | 896.31 kg |
| Option Weight - Front | 117.03 kg | Option Weight - Rear | 134.27 kg |
| Reserve Axle Capacity - Front | 300.74 kg | Reserve Axle Capacity - Rear | 665.88 kg |
| As Spec'd Curb Weight | 2,480.74 kg | As Spec'd Payload | 785.18 kg |
| Maximum Payload Capacity | 1,081.84 kg | Gross Combined Wt Rating | 6,804 kg |
| Gross Axle Weight Rating | 3,447.36 kg | Curb Weight | 2,184.08 kg |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Chassis

Weight Information

| | |
|-----------------------------|-------------|
| Reserve Axle Capacity | 966.62 kg |
| Payload Weight Front | 0 kg |
| Gross Vehicle Weight Rating | 3,265.92 kg |

| | |
|---------------------|-----------|
| Total Option Weight | 251.29 kg |
| Payload Weight Rear | 0 kg |

Trailerling

| | |
|---|-------------|
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 4,082.4 kg |
| Fifth Wheel Hitch - Max Trailer Wt. | 3,492.72 kg |
| Fifth Wheel Hitch - Max Tongue Wt. | 873.18 kg |

| | |
|--|-------------|
| Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Tongue Wt. | 408.24 kg |
| Maximum Trailerling Capacity | 5,397.84 kg |

Frame

| | |
|-----------------|------------|
| Frame Type | Box Ladder |
| Frame RBM | N/A |
| Frame Thickness | N/A |

| | |
|-------------------------|-----|
| Sect Modulus Rails Only | N/A |
| Frame Strength | N/A |

Suspension

| | |
|---------------------------------|-------------|
| Suspension Type - Front | Independent |
| Spring Capacity - Front | 1,723.68 kg |
| Axle Type - Front | N/A |
| Axle Capacity - Front | 1,723.68 kg |
| Axle Ratio (:1) - Front | 3.23 |
| Shock Absorber Diameter - Front | 50.0 mm |
| Stabilizer Bar Diameter - Front | 33.02 mm |

| | |
|--------------------------------|-------------|
| Suspension Type - Rear | Solid Axle |
| Spring Capacity - Rear | 1,746.36 kg |
| Axle Type - Rear | N/A |
| Axle Capacity - Rear | 1,723.68 kg |
| Axle Ratio (:1) - Rear | 3.23 |
| Shock Absorber Diameter - Rear | 50.0 mm |
| Stabilizer Bar Diameter - Rear | N/A |


Tires

| | |
|----------------------------------|-------------|
| Front Tire Order Code | QAE |
| Spare Tire Order Code | QAQ |
| Rear Tire Size | 275/60R20SL |
| Front Tire Capacity | N/A |
| Spare Tire Capacity | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A |

| | |
|-----------------------------------|-------------|
| Rear Tire Order Code | QAE |
| Front Tire Size | 275/60R20SL |
| Spare Tire Size | 255/80R17SL |
| Rear Tire Capacity | N/A |
| Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Spare | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Chassis

Tires

Wheels

| | |
|---------------------|-------------|
| Front Wheel Size | 20" x 9" in |
| Spare Wheel Size | 17" x 8" in |
| Rear Wheel Material | Aluminum |

| | |
|----------------------|-------------|
| Rear Wheel Size | 20" x 9" in |
| Front Wheel Material | Aluminum |
| Spare Wheel Material | Steel |

Steering

| | |
|---------------------------------|------------------------|
| Steering Type | Electric Rack & Pinion |
| Steering Ratio (:1), At Lock | N/A |
| Turning Diameter - Wall to Wall | N/A |

| | |
|---------------------------------|--------|
| Steering Ratio (:1), On Centre | N/A |
| Turning Diameter - Curb to Curb | 14.3 m |

Brakes

| | |
|-----------------------------------|-------------------|
| Brake Type | Pwr |
| Brake ABS System (Second Line) | N/A |
| Disc - Rear (Yes or) | Yes |
| Rear Brake Rotor Diam x Thickness | 345.44 x 20.07 mm |
| Rear Drum Diam x Width | N/A |

| | |
|------------------------------------|------------------|
| Brake ABS System | 4-Wheel |
| Disc - Front (Yes or) | Yes |
| Front Brake Rotor Diam x Thickness | 342.9 x 29.97 mm |
| Drum - Rear (Yes or) | N/A |

Fuel Tank

| | |
|----------------------------|------|
| Fuel Tank Capacity, Approx | 91 L |
| Fuel Tank Location | N/A |

| | |
|--------------------------------|-----|
| Aux Fuel Tank Capacity, Approx | N/A |
| Aux Fuel Tank Location | N/A |

Dimensions


Interior Dimensions

| | |
|--------------------|-------------|
| Passenger Capacity | 5 |
| Front Leg Room | 1,131.06 mm |
| Front Hip Room | 1,553.97 mm |
| Second Leg Room | 1,102.36 mm |
| Second Hip Room | 1,530.1 mm |

| | |
|----------------------|-------------|
| Front Head Room | 1,092.96 mm |
| Front Shoulder Room | 1,676.91 mm |
| Second Head Room | 1,019.05 mm |
| Second Shoulder Room | 1,655.06 mm |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.

Vehicle: [Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST ( Complete)

Dimensions

Exterior Dimensions

| | | | |
|-----------------------------|-------------|---------------------------------|------------|
| Wheelbase | 3,744.72 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,885.18 mm | Width, Max w/o mirrors | 2,063.5 mm |
| Height, Overall | 1,917.95 mm | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | 205.49 mm |
| Ground Clearance, Rear | 205.49 mm | Body Length | 0 m |
| Cab to Body | N/A | | |

Cargo Area Dimensions

| | | | |
|--------------------------|-------------|---------------------------------|----------|
| Cargo Box Length @ Floor | 1,775.97 mm | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height | 568.96 mm | Tailgate Width | N/A |
| Cargo Volume | 1,781.13 L | Ext'd Cab Cargo Volume | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15165. Data Updated: 27-Apr-2021 10:27:00 PDT PM.