



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ

MSRP:\$62,548.00

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1: Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ	1	\$62,548.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$0.00
BRS	Assist steps, power-retractable		\$1,995.00
C5Y	GVWR, 7100 lbs. (3221 kg)		\$0.00
CF5	Sunroof, power	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
CWM	Technology Package		\$2,750.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
GB8	Mosaic Black Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1Y	Jet Black, Perforated Leather-appointed front seat trim		\$0.00
HS1	Safety Alert Seat	Inc.	
IOT	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation	Inc.	
K4C	Wireless Charging	Inc.	
KSG	Adaptive Cruise Control	Inc.	
L84	Engine, 5.3L EcoTec3 V8		\$0.00
MQE	Transmission, 8-speed automatic, electronically controlled		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



DOM	1770		
PCN	LTZ Convenience Package II	Inc.	
PDJ	Safety Package II	Inc.	
PDK	LTZ Premium Package		\$4,150.00
PQB	Safety Package		\$0.00
QAE	Tires, 275/60R20SL all-terrain, blackwall		\$250.00
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
QK2	Tailgate, Multi-Flex, with six functional load/access features		\$300.00
QT5	Tailgate, gate function manual with EZ Lift		\$0.00
RD2	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Polished finish		\$0.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$180.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
UE4	Following Distance Indicator	Inc.	
UEU	Forward Collision Alert	Inc.	
UHS	Driver Information Centre, enhanced, 8" diagonal multicolour digital display	Inc.	
UHX	Lane Keep Assist with Lane Departure Warning	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UKJ	Front Pedestrian Braking	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UV6	Multicolour 15" Diagonal Head-Up Display	Inc.	
UVN	Bed View Camera	Inc.	
UVS	HD Surround Vision with Two Trailer View Camera Provisions	Inc.	
YK9	Not Equipped with Dynamic Fuel Management		-\$50.00
	Federal air conditioning excise tax		\$100.00
	Option/package discount		-\$500.00
	SUBTOTAL		\$72,798.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,950.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.

\$74,848.00

3-May-2021 Page 2

TOTAL PRICE





FUEL ECONOMY

Est City:16.8 L/100 km

Est Highway:11.4 L/100 km

Est Highway Cruising Range:797.81 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.





Standard Equipment

Otanidara Equ	.6
Package	
	Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert and (UFG) Rear Cross Traffic Alert (Includes Perimeter Lighting.)
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	LTZ Plus Package includes (PCZ) LTZ Convenience Package and (PQB) Safety Package (Deleted when (RG7) Fleet LTZ Base Content Delete is ordered.)
	LTZ Convenience Package includes (A50) bucket seats with (D07) centre console, (KQV) heated and ventilated front seats, (A48) rear sliding power window, (UG1) Universal Home Remote (MCZ) 2 USB ports with auxiliary input and (KA6) rear heated seats (Included and only available with (PDF) LTZ Plus Package. Deleted when (RG7) Fleet LTZ Base Content Delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD) (NOTE: Some models built beginning in March will include (YK9) Not Equipped with Dynamic Fuel Management.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Trailer brake controller, integrated



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



	Complete	,
	O 0p.o.o	1

Mechanical	
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Polished finish (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Grille (Chrome bars with high gloss Black mesh and Chrome inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



(√	Complete
---	----------	----------

Futorion	
Exterior	
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, wireless Apple CarPlay and Android Auto capable, voice recognition, in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	HD Radio
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system
	Wireless Phone Projection, for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seats, heated second row outboard seats



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



Interior	
	Seat, Up-level Rear with Storage Package, 60/40 folding bench for Crew Cab models includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor)
	Centre Console, floor-mounted with cup holders, cell phone storage, power cord management, hanging file folder capability (Deleted when (RG7) Fleet LTZ Base Content Delete is ordered.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, rubberized vinyl rear (Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Window, power, rear sliding with rear defogger
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Universal Home Remote
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
This	document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



	4		
(\	Complete	

Interior	
	USB ports, 2 (first row) located on instrument panel
	USB Ports (Inside Console with bucket seats), 2 also includes 1 SD card reader and auxiliary jack
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, Ultrasonic
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Rear Cross Traffic Alert (Deleted when (RG7) Fleet LTZ Base Content Delete is ordered. NOTE: When (PQB) Safety Package is ordered as a free flow the vehicle will retain this feature.)
	Lane Change Alert with Side Blind Zone Alert (Deleted when (RG7) Fleet LTZ Base Content Delete is ordered. NOTE: When (PQB) Safety Package is ordered as a free flow the vehicle will retain this feature.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.





Safety-Interior

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission
Duitrotusia

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EnerGuide Estimate - City	16.8 L/100 km	EnerGuide Estimate - Hwy	11.4 L/100 km
Cruising Range - City	541.37 km	Cruising Range - Hwy	797.81 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



(Complete	
١	•	Complete	

Powertrain			
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	339
Chassis			
Weight Information			
Standard Weight - Front	30.84 kg	Standard Weight - Rear	46.72 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	40.82 kg	Option Weight - Rear	83.92 kg
Reserve Axle Capacity - Front	364.24 kg	Reserve Axle Capacity - Rear	696.73 kg
As Spec'd Curb Weight	2,386.39 kg	As Spec'd Payload	834.17 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,060.97 kg	Total Option Weight	124.74 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.





Chassis **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 4,263.84 kg Wt Distributing Hitch - Max Tongue Wt. 426.38 kg Fifth Wheel Hitch - Max Trailer Wt. 3,991.68 kg Maximum Trailering Capacity 5,397.84 kg Fifth Wheel Hitch - Max Tongue Wt. 997.92 kg **Frame** Frame Type Box Ladder Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Solid Axle Suspension Type - Front Independent Suspension Type - Rear Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear 1,746.36 kg Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear 1,723.68 kg Axle Ratio (:1) - Front 3.23 Axle Ratio (:1) - Rear 3.23 Shock Absorber Diameter - Front 50.0 mm Shock Absorber Diameter - Rear 50.0 mm Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QAE QAE Rear Tire Order Code Front Tire Size Spare Tire Order Code QAQ 275/60R20SL Rear Tire Size 275/60R20SL Spare Tire Size 255/80R17SL Front Tire Capacity Rear Tire Capacity N/A N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 20" x 9" in Rear Wheel Size 20" x 9" in Spare Wheel Size N/A Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.





Chassis Wheels Steering Electric Rack & Steering Ratio (:1), On Centre Steering Type N/A Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 14.3 m Turning Diameter - Wall to Wall N/A **Brakes** Brake ABS System 4-Wheel Brake Type Pwr Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Front Brake Rotor Diam x Thickness 342.9 x 29.97 mm Disc - Rear (Yes or) Yes Rear Brake Rotor Diam x Thickness 345.44 x 20.07 Drum - Rear (Yes or) N/A Rear Drum Diam x Width N/A **Fuel Tank** 91 L N/A Fuel Tank Capacity, Approx Aux Fuel Tank Capacity, Approx **Fuel Tank Location** N/A Aux Fuel Tank Location N/A **Dimensions Interior Dimensions Passenger Capacity** 5 Front Head Room 1,092.96 mm Front Shoulder Room Front Leg Room 1,131.06 mm 1,676.91 mm Second Head Room Front Hip Room 1,553.97 mm 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm **Exterior Dimensions** Wheelbase Length, Overall w/o rear bumper 3,744.72 mm N/A Length, Overall Width, Max w/o mirrors 2,063.5 mm 5,885.18 mm Overhang, Front N/A Height, Overall 1,917.95 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.





Dimensions Exterior Dimensions Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.