

# **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck

MSRP:\$34,948.00

Interior: Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Bright Blue Metallic

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

# OPTIONS

OPT	IONS			
	CODE	MODEL		MSRP
	12M43	[Retail] 2021 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck		\$34,948.00
		OPTIONS		
	4WT	Work Truck Preferred Equipment Group		\$0.00
	5GD	Tow/Haul Mode	Inc.	
	9B7	Mirror, spotter, located in corner of driver-side outside mirror	Inc.	
	A91	Tailgate, remote locking	Inc.	
	AR7	Seats, front bucket		\$0.00
	ATG	Remote Keyless Entry, extended range	Inc.	
	C5J	GVWR, 6000 lbs. (2722 kg)	Inc.	
	CGN	Bedliner, spray-on, Black		\$550.00
	CTT	Hitch Guidance	Inc.	
	D75	Door handles, body-colour	Inc.	
	DL6	Mirrors, outside power-adjustable, body-colour, manual-folding	Inc.	
	G80	Differential, automatic locking rear		\$410.00
	GLT	Bright Blue Metallic		\$495.00
	GU6	Rear axle, 3.42 ratio	Inc.	
	H2R	Jet Black/Dark Ash, Cloth seat trim		\$0.00
	IOR	Audio system, Chevrolet Infotainment 3 System		\$0.00
	K34	Cruise control, electronic, automatic	Inc.	
	LGZ	Engine, 3.6L DI DOHC V6 VVT		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



M5T	Transmission, 8-speed automatic		\$0.0
PCN	WT Convenience Package		\$625.0
PPA	Tailgate, EZ-Lift and Lower	Inc.	ψ020.0
QIA	Tires, 265/60R18 all-season, blackwall	Inc.	
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum	Inc.	
RVS	LPO, Assist steps, Black, 5" rectangular		\$880.0
SFE	LPO, Wheel locks		\$80.0
SG1	LPO, Black Bowtie Emblem Package		\$205.0
SQS	Front 1" Leveling Kit		\$475.0
JE1	OnStar and Chevrolet connected services capable		\$395.0
JTJ	Theft-deterrent system, unauthorized entry	Inc.	
/QK	LPO, Front and rear splash guards		\$240.0
T5	Bumper, rear body-colour	Inc.	
/V4	4G LTE Wi-Fi Hotspot capable	Inc.	
VGV	Custom Special Edition		\$1,310.0
<b>2</b> 82	Trailering Package, heavy-duty		\$295.0
	Federal air conditioning excise tax		\$100.0
	Chevrolet Connected Access capable	Inc.	
	SUBTOTAL		\$40,908.0
	Adjustments Total		\$0.0
	Total Tax		\$100.0
	Destination Charge		\$1,950.0
	TOTAL PRICE		\$42,958.0

### **FUEL ECONOMY**

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



# **Standard Equipment**

Mechanical	
	Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)
	Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)
	Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)
	Transfer case, electric, 2-speed
	Four wheel drive
	Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel (STD)
	Tires, 255/65R17 all-season, blackwall (STD)
	Tire, spare 255/65R17 all-season, blackwall (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Bumper, rear chrome
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside manual-folding, Black
	Door handles, Black
	Tailgate, locking
	Tailgate handle, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.

Page 3 3-May-2021



(	Complete	,
( 💙	Complete	

Entertainment	
	Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
Interior	
	Seats, front bucket (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way power with manual recline
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seat, rear folding bench (Crew Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Steering wheel, urethane
	Steering column, tilt, manual
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down
	Door locks, power
	Theft-deterrent system, immobilization
	USB data ports, 2 includes auxiliary input jack, located on the front console
	Air conditioning, single-zone manual climate control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



Interior           Handles, door release, front and rear, Jet Black           Mirror, inside rearview manual day/night           Visors, driver and front passenger with passenger vanity mirror           Lighting, interior, centre dome           Safety-Mechanical           StabiliTrak, stability control system           Traction control, electronic           Safety-Exterior           Safety-Interior           Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger sensing System for frontal passenger is passenger airbag           Rear Vision Camera           Rear Vision Camera           Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat bett is is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver           Tire Pressure Monitoring System (does not apply to spare tire)		
Mirror, inside rearview manual day/night  Visors, driver and front passenger with passenger vanity mirror  Lighting, interior, centre dome  Safety-Mechanical  StabiliTrak, stability control system  Traction control, electronic  Safety-Exterior  Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Bucklet-oDrive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to	Interior	
Visors, driver and front passenger with passenger vanity mirror  Lighting, interior, centre dome  Safety-Mechanical  StabiliTrak, stability control system Traction control, electronic  Safety-Exterior  Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Handles, door release, front and rear, Jet Black
Safety-Mechanical  StabiliTrak, stability control system Traction control, electronic  Safety-Exterior Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Mirror, inside rearview manual day/night
Safety-Mechanical  StabiliTrak, stability control system  Traction control, electronic  Safety-Exterior  Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Visors, driver and front passenger with passenger vanity mirror
StabiliTrak, stability control system  Traction control, electronic  Safety-Exterior  Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Lighting, interior, centre dome
Traction control, electronic  Safety-Exterior  Daytime Running Lamps  Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to	Safety-Mechanical	
Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		StabiliTrak, stability control system
Safety-Interior  Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Traction control, electronic
Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to	Safety-Exterior	
Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Daytime Running Lamps
and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag  Rear Vision Camera  Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to	Safety-Interior	
Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front
to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver  Tire Pressure Monitoring System (does not apply to spare tire)  Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		Rear Vision Camera
Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to		to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you
		Tire Pressure Monitoring System (does not apply to spare tire)
acnieve optimal tire pressure		Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

# WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



	Comr
<b>V</b>	Comp

ansmission			
Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1622
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		
leage			
EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km
ngine			
Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
• • • • • • • • • • • • • • • • • • • •		Cold Cranking Amps @ 0° F (3rd)	N/A



**Total Cooling System Capacity** 

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.

3-May-2021 Page 6

N/A



<b></b>	Comp	ı
<b>V</b>	Comp	ı

Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	284
Chassis			
Weight Information			
Standard Weight - Front	95.26 kg	Standard Weight - Rear	24.95 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	997.01 kg	Curb Weight - Rear	783.82 kg
Option Weight - Front	8.16 kg	Option Weight - Rear	22.68 kg
Reserve Axle Capacity - Front	351.09 kg	Reserve Axle Capacity - Rear	756.15 kg
As Spec'd Curb Weight	1,931.88 kg	As Spec'd Payload	789.72 kg
Maximum Payload Capacity	940.77 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,107.24 kg	Total Option Weight	30.84 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,447.36 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2- Stage, Multi-Leaf
Spring Capacity - Front	1,451.52 kg	Spring Capacity - Rear	1,587.6 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



	Cor
<b>\</b>	COL

;

nsion

Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

#### **Tires**

Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZAO	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	255/65R17
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity	1,587.6 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

### Wheels

Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

## Steering

_			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		

## **Brakes**

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.



	Comp	
$\vee$	Comp	

( <	Comp	lete
-----	------	------

nassis			
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		
exterior Dimensions			
Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,402.58 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,793.24 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	608.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	208.28 mm
Ground Clearance, Rear	208.28 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,169.49 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15200. Data Updated: 2-May-2021 11:28:00 PDT PM.