




Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS ( Complete)

Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS

MSRP:\$10,398.00

Interior:Jet Black/Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 1.4L DOHC 4-cylinder MFI

Transmission, 5-speed manual

OPTIONS

CODE	MODEL	MSRP
1DR48	[Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS	\$10,398.00
OPTIONS		
1SA	LS Preferred Equipment Group	\$0.00
AV5	Seats, front high-back bucket	\$0.00
GAZ	Summit White	\$0.00
HBI	Jet Black/Jet Black, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo.	\$0.00
LV7	Engine, 1.4L DOHC 4-cylinder MFI	\$0.00
MR7	Transmission, 5-speed manual	\$0.00
SFE	LPO, Wheel lock kit	\$70.00

SUBTOTAL **\$10,468.00**

Adjustments Total \$0.00

Destination Charge \$1,800.00

TOTAL PRICE **\$12,268.00**

FUEL ECONOMY


Est City:8.0 L/100 km

Est Highway:6.2 L/100 km

Est Highway Cruising Range:564.45 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS ( Complete)

Standard Equipment

Mechanical

Engine, 1.4L DOHC 4-cylinder MFI (98 hp [73.07 kW] @ 6200 rpm, 94 lb-ft of torque [127.4 N-m] @ 4400 rpm) (STD)
Transmission, 5-speed manual (STD)
Axle, 3.91 ratio, final drive
Front wheel drive
Battery, 375 cold-cranking amps
Alternator, 80 amps
Suspension, front, MacPherson struts
Suspension, rear, compound crank
Steering, power, non-variable ratio, electric
Brakes, 4-wheel antilock, front disc/rear drum
Fuel tank, 35L, 9 gallons
Jack, mechanical with tools

Exterior

Wheels, 15" (38.1 cm) steel
Wheel, 14" (35.6 cm) steel spare
Tires, P185/55R15 all-season blackwall
Tire, spare, T105/70D14, blackwall
Spoiler, rear, Aero
Grille, chrome
Headlamps, halogen projector with automatic exterior lamp control
Lamp, centre high-mounted stop/brake (CHMSL)
Mirrors, outside, Black, manual folding, manual adjustable
Glass, solar absorbing
Wipers, front intermittent, variable
Wiper, rear intermittent, 2-speed
Door handles, body-colour
License plate bracket, front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS (Complete)

Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 4-speaker system

4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)

Antenna, roof-mounted

Interior

Seats, front high-back bucket (STD)

Seat trim, Cloth

Seat adjuster, driver 4-way fore/aft (up/down) manual with manual recline

Seat adjuster, 2-way manual front passenger with manual recline

Seat adjuster, front passenger, manual recline

Seat, rear 60/40 split-bench, folding

Head restraints, 2-way adjustable (up/down) front and rear

Console, rear, centre with storage tray

Floor mats, carpeted front and rear (Removed when the following options are ordered: (VAV) All-weather floor mats, LPO, (PDH) Interior Protection Package, LPO or (PCN) Winter/Summer Floor Mats Package, LPO)

Foot rest, driver side

Steering column, Tilt-Wheel

Steering wheel, 3-spoke

Instrumentation, analog with speedometer, tachometer and fuel gauge

Instrumentation, analog with kph speedometer

Driver Information Centre, segmented display

Oil life monitoring system

Outside temperature display

Windows, manual

Door handles, Black

Keys, rigid (2)


Fuel filler door release, remote

Engine immobilizer



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS ( Complete)

Interior

- USB data ports, 2, illuminated located in the front centre stack storage bin
- Heater, outside air with fan
- Cabin air filter
- Defogger, rear-window
- Glovebox, non-locking
- Storage, passenger IP storage tray
- Storage, lower centre IP bin
- Cup holders, 2 front and 2 rear
- Power outlet, auxiliary located in front centre stack storage bin
- Armrest, driver seat
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger vanity mirrors, covered
- Assist handle, front passenger
- Lighting, interior overhead courtesy lamp with OnStar controls
- Lighting, dimming instrument panel cluster
- Lighting, rear cargo compartment lamp
- Map pocket, front passenger seatback
- Coat hooks, rear seat
- Cargo security shelf, rear
- Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

- StabiliTrak, stability control system with Brake Assist
- Traction control
- Hill Start Assist

Safety-Exterior

- Daytime Running Lamps, separate cavity

Safety-Interior

- Rear Vision Camera
- Airbags driver and front passenger frontal and knee, seat-mounted side-impact and roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



ONTARIO MOTOR SALES

— CHEVROLET CADILLAC —

Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS (Complete)

Safety-Interior

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Seat belt pretensioners, driver and front passenger, dual

Seat belts, 3-point, all positions

LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats

Tire Pressure Monitoring System (does not monitor spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Front Wheel Drive	Trans Order Code	MR7
Trans Type	5	Trans Description Cont.	Manual
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.636
Second Gear Ratio (:1)	1.864	Third Gear Ratio (:1)	1.189
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.756
Reverse Ratio (:1)	3.385	Clutch Size	N/A
Final Drive Axle Ratio (:1)	3.91		

Mileage

EnerGuide Estimate - City	8.0 L/100 km	EnerGuide Estimate - Hwy	6.2 L/100 km
Cruising Range - City	437.44 km	Cruising Range - Hwy	564.45 km
EnerGuide Estimate Equivalent -	N/A	EnerGuide Estimate Equivalent - Hwy	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS (✔ Complete)

Powertrain

Mileage

Combined

EnerGuide Estimate Equivalent - City

N/A

Estimated Battery Range

N/A

Engine

Engine Order Code

LV7

Engine Type

Gas I4

Displacement

1.4L/85.4

Fuel System

Electronic Fuel Injection

SAE Net Horsepower @ RPM

98 @ 6200

SAE Net Torque @ RPM

94 @ 4400

Electrical

Cold Cranking Amps @ 0° F (Primary)

375

Maximum Alternator Capacity (amps)

80

Cooling System

Total Cooling System Capacity

N/A

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year

N/A

G/km Of CO2 Emissions

170

Vehicle

EPA Classification

Subcompact Car

Chassis

Weight Information

Base Curb Weight

1,018.79 kg

Trailer

Dead Weight Hitch - Max Trailer Wt.

N/A

Dead Weight Hitch - Max Tongue Wt.

N/A

Wt Distributing Hitch - Max Trailer Wt.

N/A

Wt Distributing Hitch - Max Tongue Wt.

N/A

Suspension

Suspension Type - Front

MacPherson Strut

Suspension Type - Rear

Compound Crank

Suspension Type - Front (Cont.)

N/A

Suspension Type - Rear (Cont.)

N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS (Complete)

Chassis

Suspension

Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QGD	Rear Tire Order Code	QGD
Spare Tire Order Code	ZAL	Front Tire Size	P185/55R15
Rear Tire Size	P185/55R15	Spare Tire Size	T105/70D14

Wheels

Front Wheel Size	15 x -TBD- in	Rear Wheel Size	15 x -TBD- in
Spare Wheel Size	14 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	10.3 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	236.22 x -TBD- mm
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	200.66 x -TBD- mm		


Fuel Tank

Fuel Tank Capacity, Approx	35 L	Aux Fuel Tank Capacity, Approx	N/A
----------------------------	------	--------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.



Vehicle: [Retail] 2022 Chevrolet Spark (1DR48) 4dr HB Man LS ( Complete)

Dimensions

Interior Dimensions

Passenger Capacity	4	Passenger Volume	2,350.3 L
Front Head Room	990.6 mm	Front Leg Room	1,059.18 mm
Front Shoulder Room	1,290.32 mm	Front Hip Room	1,224.28 mm
Second Head Room	939.8 mm	Second Leg Room	838.2 mm
Second Shoulder Room	1,264.92 mm	Second Hip Room	1,219.2 mm

Exterior Dimensions

Wheelbase	2,385.06 mm	Length, Overall	3,634.74 mm
Width, Max w/o mirrors	1,595.12 mm	Height, Overall	1,483.36 mm
Track Width, Front	1,384.3 mm	Track Width, Rear	1,384.3 mm
Min Ground Clearance	N/A	Liftover Height	N/A

Cargo Area Dimensions

Cargo Volume with Rear Seat Up	314.32 L	Cargo Volume with Rear Seat Down	770.22 L
Trunk Volume	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 15414. Data Updated: 28-May-2021 10:10:00 PDT PM.