



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Tahoe (CK10706) 4WD 4dr RST

MSRP:\$69,948.00

Interior: Jet Black/Victory Red, Perforated Leather Seating Surfaces

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic

OPTIONS

OFTIONS		
CODE	MODEL	MSRP
CK10706	[Retail] 2021 Chevrolet Tahoe (CK10706) 4WD 4dr RST	\$69,948.00
	OPTIONS	
1SP	RST Preferred Equipment Group	\$0.00
A50	Seats, front bucket	\$0.00
C6H	GVWR, 7500 lbs. (3402 kg)	\$0.00
GAZ	Summit White	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
HVA	Jet Black/Victory Red, Perforated Leather Seating Surfaces	\$0.00
IOT	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation, 10.2" diagonal HD colour touchscreen	
L84	Engine, 5.3L EcoTec3 V8	\$0.00
MQC	Transmission, 10-speed automatic	\$0.00
NSS	Not Equipped with Automatic Stop/Start, see dealer for details	-\$50.00
R7N	Not Equipped with Steering Column Lock, see dealer for details	-\$50.00
SFE	LPO, Wheel locks, set of 4 Inc.	
SGF	Wheels, 22" x 9" (55.9 cm x 22.9 cm) bright machined High-Gloss Black painted	\$0.00
UW9	Rear Seat Media System Inc.	
VQK	LPO, Moulded splash guards	\$240.00
WPB	Rear Media and Nav Package	\$2,865.00
	Federal air conditioning excise tax	\$100.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



TOTAL PRICE

SUBTOTAL	\$72,953.00
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,950.00

\$75,003.00

FUEL ECONOMY

Est City:15.5 (Est) L/100 km

Est Highway:12 (Est) L/100 km

Est Highway Cruising Range:757.92 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Standard Equipment

Mechanical	
	Suspension Package, Premium Smooth Ride
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (Most vehicles built on or after 6-7-2021 with a V8 engine will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start, Engine control stop/start disable button and its content.) (STD)
	Rear axle, 3.23 ratio
	GVWR, 7500 lbs. (3402 kg) (STD)
	Automatic Stop/Start (Standard on vehicles built before 6-7-2021. Most vehicles built on or after 6-7-2021 equipped with a V8 engine will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start, Engine control stop/start disable button and its content. See dealer for details.)
	Engine control, stop/start system disable button, non-latching (Standard on vehicles built before 6-7-2021. Most vehicles built on or after 6-7-2021 equipped with a V8 engine will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start, Engine control stop/start disable button and its content. See dealer for details.)
	Engine air filtration monitor
	Fuel, gasoline, E15 (Standard with (L84) 5.3L EcoTec3 V8 engine only.)
	Transfer case, active, single-speed, electronic Autotrac does not include neutral. Cannot be dinghy towed (4WD models only. Deleted when (NHT) Max Trailering Package is ordered.)
	Differential, mechanical limited-slip
	4-wheel drive
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (Deleted when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.)
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 800 cold-cranking amps with 80 amp hour rating (Standard with (L84) 5.3L EcoTec3 V8 engine only.)
	Alternator, 220 amps (Standard with (L84) 5.3L EcoTec3 V8 engine only.)
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver
	Trailer sway control
	Hitch Guidance
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Mechanical	
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Exhaust, single system, single-outlet
	Mechanical Jack with tools
Exterior	
	Wheels, 22" x 9" (55.9 cm x 22.9 cm) bright machined High-Gloss Black painted (Includes (SFE) wheel locks, LPO.) (STD)
	Tires, 275/50R22SL all-season, blackwall
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P265/70R17 all-season, blackwall
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper (Standard with (L84) 5.3L EcoTec3 V8 engine only.)
	Fascia, front
	Luggage rack side rails, roof-mounted, Black
	Assist steps, Black with chrome accent strip (Includes Gloss Black accent strip.)
	Headlamps, LED
	IntelliBeam, automatic high beam on/off
	Lamps, stop and tail, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-colour
	Mirror caps, body-colour
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, body-colour
	Liftgate, rear power programmable, hands-free with emblem projection

Entertainment

Audio system, Chevrolet Infotainment 3 Plus system, 10.2" diagonal HD colour touchscreen AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Entertainment	
	Audio system feature, Bose 9-speaker stereo
	Infotainment display, 10.2" diagonal multi-colour touchscreen
	SiriusXM Radio with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.ca/ca for details and limitations.)
	Radio, HD
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wireless Apple CarPlay/Wireless Android Auto
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket
	Keyless start, push button
	Seat trim, perforated leather-appointed
	Seat adjusters, 10-way power includes 8-way power driver and front passenger seats with 2-way power lumbar
	Seats, heated driver and front passenger
	Seats, second row 60/40 split-folding bench, manual
	Seats, third row 60/40 split-folding bench, manual
	Console, floor with storage area and removable storage tray
	Floor covering, colour-keyed carpeting in occupant area. Horizontal surface of cargo area covered in black vinyl.
	Floor mats, colour-keyed carpeted first and second row, removable
	Electronic Precision Shift
	Steering column, manual tilt and telescopic
	Steering wheel, leather-wrapped
	Steering wheel controls, mounted audio, Driver Information Centre, cruise control, Forward Collision Alert following gap button and heated steering wheel (when equipped)
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Rear Seat Reminder
	Door locks, power programmable with lockout protection and delayed locking



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Interior	
	Keyless Open includes extended range Remote Keyless Entry
	Remote start
	Cruise control, electronic with set and resume speed
	Universal Home Remote includes garage door opener, programmable
	Theft-deterrent system, electrical, unauthorized entry
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Memory settings, recalls 2 "driver" presets for power driver seat
	Wireless charging
	USB data ports 2, one type-A and one type-C, includes SD Card Reader, located within front centre console (When (DCH) power-sliding centre console is ordered, relocated within instrument panel.)
	USB data ports, 2, one type-A and one type-C, located within centre console (Deleted when (DCH) power-sliding centre console is ordered.)
	USB charging-only ports, 4, (2) located on rear of centre console and (2) in 3rd row
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the centre console and rear cargo area
	Power outlet, front auxiliary, 12-volt, located in the centre stack of instrument panel
	Sill plates, bright, front and rear door
	Mirror, inside rearview auto-dimming
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Safety-Mechanical	
	Automatic Emergency Braking
	Hill Start Assist
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Park Assist
	Following Distance Indicator
	HD Rear Vision Camera (Replaced by (UV2) HD Surround Vision when (WPL) Luxury Package is ordered.)
	Front Pedestrian Braking
	Forward Collision Alert
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
Processing-Other	

Buildable Order Confirmation (No longer included as of September 17, 2020.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

		ion	

Drivetrain	Four Wheel Drive	Trans Order Code	MQC
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.14
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	15.5 (Est) L/100 km	EnerGuide Estimate - Hwy	12 (Est) L/100 km
Cruising Range - City	586.78 km	Cruising Range - Hwy	757.92 km

Engine

Engine Order Code	L84	Engine Type	Gas V8
Engine Graci Gode		=11g1110 1 / PO	9 40 10



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



Powertrain			
Engine			
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	800	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Walting			
Vehicle Peer Peer Type	l iftanto		
Rear Door Type	Liftgate		
Chassis			
Weight Information			
Standard Weight - Front	10.89 kg	Standard Weight - Rear	11.34 kg
Gross Axle Wt Rating - Front	1,678.32 kg	Gross Axle Wt Rating - Rear	1,950.48 kg
Curb Weight - Front	1,309.54 kg	Curb Weight - Rear	1,205.22 kg
Option Weight - Front	9.07 kg	Option Weight - Rear	3.18 kg
Reserve Axle Capacity - Front	348.82 kg	Reserve Axle Capacity - Rear	730.75 kg
As Spec'd Curb Weight	2,549.23 kg	As Spec'd Payload	852.77 kg
Maximum Payload Capacity	887.24 kg	Gross Combined Wt Rating	6,350.4 kg
Gross Axle Weight Rating	3,628.8 kg	Curb Weight	2,514.76 kg
Reserve Axle Capacity	1,079.57 kg	Total Option Weight	12.25 kg
		B 1 114 1 1 1 B	



Payload Weight Front

Gross Vehicle Weight Rating

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.

Payload Weight Rear

0 kg

6-Jul-2021 Page 9

0 kg

3,402 kg



assis			
ilering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	22
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributing Hitch - Max Tongue Wt.	34
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	N/A
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Multi
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	N/A
Axle Capacity - Front	1,678.32 kg	Axle Capacity - Rear	1,950
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	XCG	Rear Tire Order Code	XCG
Spare Tire Order Code	XCQ	Front Tire Size	275/5
Rear Tire Size	275/50R22	Spare Tire Size	P265
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	22 x 9 in	Rear Wheel Size	22 x
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Alum
Rear Wheel Material	Aluminum	Spare Wheel Material	Stee



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



hassis			
Wheels			
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.1 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	431.8 x -TBD mm
Rear Brake Rotor Diam x Thickness	431.8 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
nterior Dimensions			
Passenger Capacity	8	Front Head Room	1,074.42 mm
Front Leg Room	1,130.3 mm	Front Shoulder Room	1,676.4 mm
Front Hip Room	1,562.1 mm	Second Head Room	988.06 mm
Second Leg Room	1,066.8 mm	Second Shoulder Room	1,645.92 mm
Second Hip Room	1,557.02 mm	Third Head Room	970.28 mm
Third Leg Room	886.46 mm	Third Shoulder Room	1,592.58 mm
Third Hip Room	1,254.76 mm		
Exterior Dimensions			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.



rior Dimensions			
Length, Overall	5,351.78 mm	Width, Max w/o mirrors	2,057.4 mm
Height, Overall	1,927.86 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
go Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	1,254.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	3,480.15 L
Cargo Volume to Seat 2	2,055.81 L	Cargo Volume to Seat 3	722.08 L
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

Doors

Side Door Type N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15725. Data Updated: 5-Jul-2021 11:20:00 PDT PM.