



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" High Country

MSRP:\$67,848.00

Interior: Jet Black, Perforated leather seating surfaces

Exterior 1:Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, 6.2L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

OPTIONS

_			
	CODE	MODEL	MSRP
	CK10543	[Retail] 2021 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" High Country	\$67,848.00
		OPTIONS	
	3LZ	High Country Preferred Equipment Group	\$0.00
	A50	Seats, front bucket	\$0.00
	BKE	Floor liners, with removable carpet inserts, rear	Inc.
	BKF	Floor liners, with removable carpet inserts, front	\$155.00
	BRS	Assist steps, power-retractable	\$1,140.00
	C5Y	GVWR, 7100 lbs. (3221 kg)	\$0.00
	CF5	Sunroof, power	\$1,325.00
	GB8	Mosaic Black Metallic	\$495.00
	GU5	Rear axle, 3.23 ratio	\$0.00
	H2U	Jet Black, Perforated leather seating surfaces	\$0.00
	IOT	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation	\$0.00
	L87	Engine, 6.2L EcoTec3 V8	\$2,895.00
	MQB	Transmission, 10-speed automatic, electronically controlled	\$0.00
	NSS	Not Equipped with Automatic Stop/Start, see dealer for details	-\$50.00
	QK2	Tailgate, Multi-Flex, with six functional load/access features	\$300.00
	QT5	Tailgate, gate function manual with EZ Lift	\$0.00
	RG0	Not Equipped with HD Radio, see dealer for details	-\$50.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





RVA	Wheels, 22" x 9" (55.9 cm x 22.9 cm) polished aluminum	\$2,595.00
SFE	SFE LPO, Wheel locks, set of 4 SFZ LPO, Black Bowtie Emblem, front	
SFZ		
XCE	Tires, 275/50R22SL all-season, blackwall	\$0.00
Z45	Z45 Suspension, Adaptive Ride Control Federal air conditioning excise tax	
	SUBTOTAL	\$77,993.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,950.00
	TOTAL PRICE	\$80,043.00

FUEL ECONOMY

Est City:15.6 (Est) L/100 km

Est Highway:11.6 (Est) L/100 km

Est Highway Cruising Range:784.05 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.

Page 2 8-Jul-2021





Standard Equipment

otandara Equipment				
Package				
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance			
Mechanical				
	Durabed, pickup bed			
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)			
	Transmission, 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Most vehicles built on or after 6-7-2021 with a V8 engine and (MQB) 10-speed automatic transmission will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start and its content.)			
	Rear axle, 3.23 ratio			
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)			
	Automatic Stop/Start (Standard on vehicles built before 6-7-2021. Most vehicles built on or after 6-7-2021 with a V8 engine and (MQB) 10-speed automatic transmission will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start and its content. See dealer for details.)			
	Transfer case, two-speed electronic Autotrac with rotary dial control (4WD models only)			
	Auto-locking rear differential			
	Four wheel drive			
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)			
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)			
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)			
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)			
	Trailer brake controller, integrated			
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module			
	Frame, fully-boxed, hydroformed front section			
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion			
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, dual with polished outlets
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) painted aluminum with machined face and Light Argent pockets (STD)
	Tires, 275/60R20SL all-terrain, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body colour.)
	CornerStep, rear bumper
	Assist steps, Chrome, wheel to wheel
	Recovery hooks, chrome
	Chevytec spray-on bedliner, Black with Chevrolet logo (does not include spray-on liner on tailgate due to Black composite inner panel)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Grille (Chrome bars with high gloss Black mesh and Chrome/Bronze inserts.)
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, painted (Body-colour. Not available with (DQS) trailering mirrors.)
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection cap, top



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Exterior	
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, wireless Apple CarPlay and Android Auto capable, enhanced voice recognition, additional memory for in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	HD Radio (Standard on vehicles built before 7-12-2021. Certain vehicles built on or after 7-12-2021 will include (RG0) Not Equipped with HD Radio, which removes (U2L) HD Radio. See dealer for details.)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the All Access package for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the All Access package, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Bose Sound System, premium 7-speaker system with Richbass woofer
	Wireless Phone Projection, for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD)
	Seat trim, Perforated leather-appointed
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seats, heated second row outboard seats



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Interior	
	Seat, Up-level Rear with Storage Package, 60/40 folding bench for Crew Cab models includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor) (Rear seat features leather seating surfaces.)
	Centre Console, floor-mounted with cup holders, cell phone storage, power cord management, hanging file folder capability
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, carpeted rear (Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Steering column, lock control, electrical
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, enhanced, 8" diagonal multicolour digital display includes analogue speedometer and tachometer gauges
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Window, power, rear sliding with rear defogger
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Universal Home Remote
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Wireless Charging (Not compatible with all phones. Compliant batteries include QI and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Interior	
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB ports, 2 (first row) located on instrument panel
	USB Ports (Inside Console with bucket seats), 2 also includes 1 SD card reader and auxiliary jack
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, Ultrasonic
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Rear Cross Traffic Alert



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain Transmission

Transinission			
Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Mileage			
EnerGuide Estimate - City	15.6 (Est) L/100 km	EnerGuide Estimate - Hwy	11.6 (Est) L/100 km
Cruising Range - City	583.02 km	Cruising Range - Hwy	784.05 km
Engine			
Engine Order Code	L87	Engine Type	Gas V8
Displacement	6.2L/376	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	324 (Est)
hassis			
Weight Information			
Standard Weight - Front	48.54 kg	Standard Weight - Rear	87.54 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	73.48 kg	Option Weight - Rear	78.47 kg
Reserve Axle Capacity - Front	313.89 kg	Reserve Axle Capacity - Rear	661.35 kg
As Spec'd Curb Weight	2,472.12 kg	As Spec'd Payload	748.44 kg
Maximum Payload Capacity	1,036.48 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





eight Information			
Reserve Axle Capacity	975.24 kg	Total Option Weight	151.96 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,583.44 kg	Maximum Trailering Capacity	5,397.84 kg
Fifth Wheel Hitch - Max Tongue Wt.	895.86 kg		
ame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
	N/A Independent	Suspension Type - Rear	Solid Axle
uspension		Suspension Type - Rear Spring Capacity - Rear	Solid Axle 1,746.36 kg
uspension Suspension Type - Front	Independent		
Suspension Type - Front Spring Capacity - Front	Independent 1,723.68 kg	Spring Capacity - Rear	1,746.36 kg
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front	Independent 1,723.68 kg N/A	Spring Capacity - Rear Axle Type - Rear	1,746.36 kg N/A
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front	Independent 1,723.68 kg N/A 1,723.68 kg	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear	1,746.36 kg N/A 1,723.68 kg
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front	Independent 1,723.68 kg N/A 1,723.68 kg 3.23	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear	1,746.36 kg N/A 1,723.68 kg 3.23
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front Stabilizer Bar Diameter - Front	Independent 1,723.68 kg N/A 1,723.68 kg 3.23 50.0 mm	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear	1,746.36 kg N/A 1,723.68 kg 3.23 50.0 mm
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front	Independent 1,723.68 kg N/A 1,723.68 kg 3.23 50.0 mm	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear	1,746.36 kg N/A 1,723.68 kg 3.23 50.0 mm
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front Stabilizer Bar Diameter - Front	Independent 1,723.68 kg N/A 1,723.68 kg 3.23 50.0 mm 33.02 mm	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear Stabilizer Bar Diameter - Rear	1,746.36 kg N/A 1,723.68 kg 3.23 50.0 mm N/A
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front Stabilizer Bar Diameter - Front res Front Tire Order Code	Independent 1,723.68 kg N/A 1,723.68 kg 3.23 50.0 mm 33.02 mm	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear Stabilizer Bar Diameter - Rear	1,746.36 kg N/A 1,723.68 kg 3.23 50.0 mm N/A
Suspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front Stabilizer Bar Diameter - Front res Front Tire Order Code Spare Tire Order Code	Independent 1,723.68 kg N/A 1,723.68 kg 3.23 50.0 mm 33.02 mm XCE QAQ	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear Stabilizer Bar Diameter - Rear Rear Tire Order Code Front Tire Size	1,746.36 kg N/A 1,723.68 kg 3.23 50.0 mm N/A XCE 275/50R22SL



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.

Page 10 8-Jul-2021





nassis			
ires Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Trevolutions/wine & 40 mph Treat	14/71	revolutions/while @ 40 mpm opare	14//
Vheels			
Front Wheel Size	22" x 9" in	Rear Wheel Size	22" x 9" in
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 m
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.





Dimensions

		-			_	
ı	nter	i∩r	Dim	and	sion	c

Second Hip Room 1,530.1 mm

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 15744. Data Updated: 8-Jul-2021 12:37:00 PDT AM.