

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

## Window Sticker

### SUMMARY

[Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck MSRP:\$34,948.00

Interior:Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

### OPTIONS

CODE	MODEL	MSRP
12M43	[Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck	\$34,948.00
<b>OPTIONS</b>		
4WT	Work Truck Preferred Equipment Group	\$0.00
9B7	Mirror, spotter, located in corner of driver-side outside mirror	Inc.
A91	Tailgate, remote locking	Inc.
AR7	Seats, front bucket	\$0.00
ATG	Remote Keyless Entry, extended range	Inc.
C5J	GVWR, 6000 lbs. (2722 kg)	Inc.
D75	Door handles, body-colour	Inc.
DL6	Mirrors, outside power-adjustable, body-colour, manual-folding	Inc.
G80	Differential, automatic locking rear	\$410.00
GBA	Black	\$0.00
GU6	Rear axle, 3.42 ratio	Inc.
H2R	Jet Black/Dark Ash, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 System	\$0.00
K34	Cruise control, electronic, automatic	Inc.
LGZ	Engine, 3.6L DI DOHC V6 VVT	\$0.00
M5T	Transmission, 8-speed automatic	\$0.00
PCN	WT Convenience Package	\$625.00
PPA	Tailgate, EZ-Lift and Lower	Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

QIA	Tires, 265/60R18 all-season, blackwall	Inc.	
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum	Inc.	
RVS	LPO, Assist steps, Black, 5" rectangular		\$900.00
SFE	LPO, Wheel locks		\$80.00
SG1	LPO, Black Bowtie Emblem Package		\$205.00
SQS	Front 1" Leveling Kit		\$480.00
UE1	OnStar and Chevrolet connected services capable		\$395.00
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VQK	LPO, Front and rear splash guards		\$245.00
VT5	Bumper, rear body-colour	Inc.	
VV4	Wi-Fi Hotspot capable	Inc.	
WGV	Custom Special Edition		\$1,310.00
Z82	Trailer Package, heavy-duty		\$295.00
—	Federal air conditioning excise tax		\$100.00
—	Chevrolet Connected Access capable	Inc.	


<b>SUBTOTAL</b>	<b>\$39,893.00</b>
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,950.00
<b>TOTAL PRICE</b>	<b>\$41,943.00</b>

**FUEL ECONOMY**

Est City:14.0 L/100 km  
 Est Highway:9.9 L/100 km  
 Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
 Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (  Complete )

## Standard Equipment

### Mechanical

Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.)

Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)

Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)

GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)

Transfer case, electric, 2-speed

Four wheel drive

Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)

Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)

Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.)

Recovery hooks, front

Frame, fully-boxed

Pickup box

Steering, Electric Power Steering (EPS) assist

Brakes, 4-wheel antilock, 4-wheel disc

### Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel (STD)

Tires, 255/65R17 all-season, blackwall (STD)

Tire, spare 255/65R17 all-season, blackwall (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)

Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)

Bumper, rear chrome

CornerStep, rear bumper

Mouldings, Black beltline

Headlamps, halogen with automatic exterior lamp control

Cargo box light, back of cab

Mirrors, outside manual-folding, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck ( Complete )

**Exterior**

Door handles, Black

Tailgate, locking

Tailgate handle, Black

**Entertainment**

Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system

SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at [www.siriusxm.ca](http://www.siriusxm.ca) for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)

**Interior**

Seats, front bucket (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way power with manual recline

Seat adjuster, passenger 2-way manual fore/aft with manual recline

Seat, rear folding bench (Crew Cab models only.)

Console, floor, front compartment, custom

Floor covering, colour-keyed carpeting

Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Steering wheel, urethane

Steering column, tilt, manual

Speedometer, miles/kilometres


Display, driver instrument information enhanced, one colour

Windows, power with driver Express-Up and Down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (  Complete )

**Interior**

- Door locks, power
- Theft-deterrent system, immobilization
- USB data ports, 2 includes auxiliary input jack, located on the front console
- Air conditioning, single-zone manual climate control
- Handles, door release, front and rear, Jet Black
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger with passenger vanity mirror
- Lighting, interior, centre dome

**Safety-Mechanical**

- StabiliTrak, stability control system
- Traction control, electronic

**Safety-Exterior**

- Daytime Running Lamps

**Safety-Interior**

- Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
- Rear Vision Camera
- Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
- Tire Pressure Monitoring System (does not apply to spare tire)
- Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

## WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>  
 Basic Years: 3  
 Basic Miles/km: 60,000  
 Drivetrain Years: 5  
 Drivetrain Miles/km: 100,000  
 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km  
 Corrosion Years (Rust-Through): 6  
 Corrosion Years: 3  
 Corrosion Miles/km (Rust-Through): 160,000  
 Corrosion Miles/km: 60,000  
 Roadside Assistance Years: 5  
 Roadside Assistance Miles/km: 100,000  
 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

## Technical Specifications

### Powertrain

#### Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1622G
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

#### Mileage

EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km

#### Engine

Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
 Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



# ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

## Powertrain

### Engine

SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		

### Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

### Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

## Vehicle

### Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	283
--------------------------------------	-----	-----------------------	-----

## Chassis

### Weight Information

Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	997.01 kg	Curb Weight - Rear	783.82 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	454.51 kg	Reserve Axle Capacity - Rear	803.78 kg
As Spec'd Curb Weight	1,780.83 kg	As Spec'd Payload	940.77 kg
Maximum Payload Capacity	940.77 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,258.29 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,721.6 kg		

### Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck ( Complete )

**Chassis**

**Trailer**

Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,447.36 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		

**Frame**

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

**Suspension**

Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2-Stage, Multi-Leaf
Spring Capacity - Front	1,451.52 kg	Spring Capacity - Rear	1,587.6 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

**Tires**

Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZAO	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	255/65R17
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity	1,587.6 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

**Wheels**

Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.





# ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

## Chassis

### Steering

Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		

### Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		

### Fuel Tank

Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

## Dimensions

### Interior Dimensions

Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		

### Exterior Dimensions

Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,402.58 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,793.24 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	608.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck (✔ Complete)

**Dimensions**

**Exterior Dimensions**

Frame Width, Rear	N/A	Ground Clearance, Front	208.28 mm
Ground Clearance, Rear	208.28 mm	Body Length	0 m
Cab to Body	N/A		

**Cargo Area Dimensions**

Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,169.49 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 16263. Data Updated: 11-Sep-2021 12:43:00 PDT AM.