



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LT Trail Boss

MSRP:\$59,248.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

OPTIONS

<i>/</i> Γ I	IONS			
	CODE	MODEL		MSRP
	CK18543	[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LT Trail Boss		\$59,248.00
		OPTIONS		
	2LT	LT Trail Boss Preferred Equipment Group		\$0.00
	A48	Window, power, rear sliding	Inc.	
	A50	Seats, front bucket		\$0.00
	B1J	Wheelhouse liners, rear	Inc.	
	C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
	CF5	Sunroof, power		\$1,325.00
	CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
	GAZ	Summit White		\$0.00
	GU5	Rear axle, 3.23 ratio		\$0.00
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOS	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
	JL1	Trailer brake controller, integrated		\$350.00
	KC9	Power outlet, bed mounted, 120-volt	Inc.	
	KI4	Power outlet, instrument panel, 120-volt	Inc.	
	L84	Engine, 5.3L EcoTec3 V8		\$0.00
	MCR	USB Ports (Inside Console with bucket seats), 2	Inc.	
	MQB	Transmission, 10-speed automatic, electronically controlled		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





NSS	Not Equipped with Automatic Stop/Start, see dealer for details		-\$50.00
PCM	Convenience Package II		\$1,655.00
PDB	LPO, Dark Essentials Package		\$435.00
QT6	Tailgate, gate function power up/down		\$225.00
R3O	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac		\$0.00
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum		\$0.00
RIK	LPO, Black nameplates	Inc.	
SB7	LPO, Black tailgate lettering	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVB	HD Rear Vision Camera	Inc.	
VQK	LPO, Moulded splash guards, Black		\$250.00
WPQ	Bed Protection Package		\$780.00
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
	Federal air conditioning excise tax		\$100.00
	SiriusXM with 360L	Inc.	
	Wireless Phone Projection	Inc.	
	SUBTOTAL		\$64,298.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,950.00
	TOTAL PRICE		\$66,348.00
 FOONOMY			

FUEL ECONOMY

Est City:15.6 (2021) L/100 km

Est Highway:11.4 (2021) L/100 km

Est Highway Cruising Range:797.81 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Standard Equipment

Package	
	Convenience Package with Bucket Seats includes (A50) bucket seats, (D07) centre console, (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (KI3) heated steering wheel and (N37) manual tilt-telescoping steering column; Includes (R7O) Cloth Rear Seat with Storage Package (Leather seats require (CXH) Leather Package and includes (SNR) Uplevel Rear Seat with Storage Package.)
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air filter and Z71 hard badge
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Vehicles built with a V8 engine and (MQB) 10-speed automatic transmission will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start and its content.)
	Rear axle, 3.23 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine.)
	Automatic Stop/Start (Standard on vehicles equipped with (MQE) 8-speed automatic transmission or (LM2) Duramax 3.0L Turbo-Diesel I6 engine. Vehicles with a V8 engine and (MQB) 10-speed automatic will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start and its content. See dealer for details.)
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Air filter, heavy-duty
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.

Page 3 6-Oct-2021





Mechanical	
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, dual with polished outlets
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C MT blackwall Goodyear Wrangler DuraTrac (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss black.)
	Bumper, rear (High gloss black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (High gloss Black bars with high gloss Black mesh inserts.)
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour (High gloss Black.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Exterior	
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger
	Seat, Cloth Rear with Storage Package 60/40 folding bench for Crew Cab models, includes seatback storage on left and right side, centre fold out armrest with 2 cupholders, (includes child seat top tether anchor)
	Centre Console, floor-mounted with cup holders, cell phone storage, power cord management, hanging file folder capability
	Floor covering, colour-keyed carpeting
	LPO, All-weather floor liners, 1st and 2nd rows (includes Z71 logo on front mats), [Replaces factory floor mats]
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Interior	
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





owertrain			
Transmission			
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
Mileage			
EnerGuide Estimate - City	15.6 (2021) L/100 km	EnerGuide Estimate - Hwy	11.4 (2021) L/10 km
Cruising Range - City	583.02 km	Cruising Range - Hwy	797.81 km
ingine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	321 (2021)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Chassis **Weight Information** Standard Weight - Front 0 kg Standard Weight - Rear 0 kg Gross Axle Wt Rating - Front 1,723.68 kg Gross Axle Wt Rating - Rear 1,723.68 kg Curb Weight - Front Curb Weight - Rear 1,287.77 kg 896.31 kg Option Weight - Front Option Weight - Rear 0 kg 0 kg Reserve Axle Capacity - Front 435.91 kg Reserve Axle Capacity - Rear 827.37 kg As Spec'd Curb Weight 2,184.08 kg As Spec'd Payload 991.12 kg Maximum Payload Capacity 991.12 kg **Gross Combined Wt Rating** 6,804 kg Gross Axle Weight Rating 3,447.36 kg **Curb Weight** 2,184.08 kg Reserve Axle Capacity 1,263.28 kg **Total Option Weight** 0 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,175.2 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Tongue Wt. 4,173.12 kg 417.31 kg Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity 3,810.24 kg 4,173.12 kg Fifth Wheel Hitch - Max Tongue Wt. 952.56 kg **Frame** Frame Type Box Ladder Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Independent Suspension Type - Rear Solid Axle Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear 1,746.36 kg Axle Type - Front N/A N/A Axle Type - Rear Axle Capacity - Front Axle Capacity - Rear 1,723.68 kg 1,723.68 kg 3.23 Axle Ratio (:1) - Front 3.23 Axle Ratio (:1) - Rear



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





Chassis			
Suspension			
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	R30	Rear Tire Order Code	R30
Spare Tire Order Code	XCQ	Front Tire Size	LT275/65R18C
Rear Tire Size	LT275/65R18C	Spare Tire Size	265/70R17SL
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18" x 8.5" in	Rear Wheel Size	18" x 8.5" in
Spare Wheel Size	17" x 8" in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.





hassis			
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
exterior Dimensions			
Wheelbase	3,747.26 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,990.09 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	276.35 mm
Ground Clearance, Rear	276.35 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16455. Data Updated: 4-Oct-2021 11:44:00 PDT PM.

Page 11 6-Oct-2021