



#### **Window Sticker**

#### **SUMMARY**

[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18903) 4WD Reg Cab 140" Work Truck

MSRP:\$36,848.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 8-speed automatic, electronically controlled

#### **OPTIONS**

CODE	<b>=</b>	MODEL		MSRP
CK18	903	[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18903) 4WD Reg Cab 140" Work Truck		\$36,848.00
		OPTIONS		
1WT		Work Truck Preferred Equipment Group		\$0.00
AE7		Seats, front 40/20/40 split-bench		\$0.00
AED		Window, power front, passenger express down	Inc.	
AKO		Glass, deep-tinted	Inc.	
AQQ		Remote Keyless Entry, with 2 transmitters	Inc.	
AU3		Door locks, power	Inc.	
AXG		Window, power front, drivers express up/down	Inc.	
B30		Floor covering, colour-keyed carpeting		\$140.00
B32		Floor mats, rubberized vinyl, front	Inc.	
C49		Defogger, rear-window electric	Inc.	
CGN		Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
CTT		Hitch Guidance	Inc.	
DLF		Mirrors, outside heated power-adjustable	Inc.	
E63		Durabed, pickup bed		\$0.00
G80		Auto-locking rear differential		\$450.00
GAZ		Summit White		\$0.00
GU5		Rear axle, 3.23 ratio	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colo touchscreen, AM/FM stereo	our	\$0.00
JL1	Trailer brake controller, integrated		\$350.00
K34	Cruise control, electronic	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI4	Power outlet, instrument panel, 120-volt		\$275.00
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,845.00
MQE	Transmission, 8-speed automatic, electronically controlled	Inc.	
PCV	WT Convenience Package	Inc.	
PEB	WT Value Package		\$2,060.00
Q5U	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted alumin	num	\$405.00
QDV	Tires, 265/70R17 all-terrain, blackwall		\$250.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
RGE	Safety Confidence Package		\$750.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$90.00
U2K	SiriusXM		\$115.00
UDD	Driver Information Centre, 4.2" diagonal colour display	Inc.	
UE1	OnStar and Chevrolet connected services capable		\$395.00
UEU	Forward Collision Alert	Inc.	
UF2	LED Cargo Area Lighting		\$150.00
UHY	Automatic Emergency Braking	Inc.	
UK3	Steering wheel audio controls	Inc.	
UKJ	Front Pedestrian Braking	Inc.	
VQK	LPO, Moulded splash guards, Black		\$250.00
VV4	Wi-Fi Hotspot capable	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
Z82	Trailering Package	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.



# Vehicle: [Retail] 2022 Chevrolet Silverado 1500 LTD (CK18903) 4WD Reg Cab 140" Work Truck (✓ Complete) Federal air conditioning excise tax \$100.00 Compass Inc. Chevrolet Connected Access capable Inc. SUBTOTAL \$45,053.00 Adjustments Total \$0.00

\$100.00

\$1,950.00

\$47,103.00

#### **FUEL ECONOMY**

Est City:14.4 (2021) L/100 km

Est Highway:10.6 (2021) L/100 km

Est Highway Cruising Range:999.36 km

**Total Tax** 

**Destination Charge** 

**TOTAL PRICE** 



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





# **Standard Equipment**

Mechanical	
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Durabed, pickup bed (STD)
	GVWR, 6900 lbs. (3130 kg) (Regular Cab model requires 4WD.)
	Rear axle, 3.42 ratio
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) 2.7L Turbo engine or (VYU) Snow Plow Prep Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





Exterior	
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or on 2WD models with (PQA) WT Safety Package. Available free flow on 2WD models.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Black bars and mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 2-speaker system (Requires Regular Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





Interior	
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Windows, manual (Requires Regular Cab model.)
	Door locks, manual (Requires Regular Cab model.)
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone manual, semi-automatic
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





#### **WARRANTY**

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

# **Technical Specifications**

# **Powertrain Transmission**

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

### Mileage

EnerGuide Estimate - City	14.4 (2021) L/100 km	EnerGuide Estimate - Hwy	10.6 (2021) L/100 km
Cruising Range - City	735.64 km	Cruising Range - Hwy	999.36 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





owertrain			
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	299 (2021)
hassis			
Neight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,266.45 kg	Curb Weight - Rear	811.94 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	457.23 kg	Reserve Axle Capacity - Rear	911.74 kg
As Spec'd Curb Weight	2,078.4 kg	As Spec'd Payload	1,051.44 kg
Maximum Payload Capacity	1,051.44 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,078.4 kg
Reserve Axle Capacity	1,368.96 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,129.84 kg		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,399.92 kg	Wt Distributing Hitch - Max Tongue Wt.	439.99 kg
Fifth Wheel Hitch - Max Trailer Wt.	4,354.56 kg	Maximum Trailering Capacity	4,399.92 kg
Fifth Wheel Hitch - Max Tongue Wt.	1,088.64 kg		.,000.0 <u>—</u> g
5	, 3		
ame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QDV	Rear Tire Order Code	QDV
Spare Tire Order Code	XCQ	Front Tire Size	265/70R17
Rear Tire Size	265/70R17	Spare Tire Size	265/70R17SL
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	17" x 8" in	Rear Wheel Size	17" x 8" in
Spare Wheel Size	17" x 8" in	Front Wheel Material	Aluminum



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





/heels			
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	13.59 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 m
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	106 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
mensions aterior Dimensions			
	3	Front Head Room	1,094.99 mm
terior Dimensions	3 1,131.06 mm	Front Head Room Front Shoulder Room	1,094.99 mm 1,677.92 mm
nterior Dimensions Passenger Capacity			
Passenger Capacity Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mm
Passenger Capacity Front Leg Room Front Hip Room	1,131.06 mm 1,546.86 mm	Front Shoulder Room Second Head Room	1,677.92 mm N/A
Passenger Capacity Front Leg Room Front Hip Room Second Leg Room	1,131.06 mm 1,546.86 mm N/A	Front Shoulder Room Second Head Room	1,677.92 mm N/A
Passenger Capacity Front Leg Room Front Hip Room Second Leg Room Second Hip Room	1,131.06 mm 1,546.86 mm N/A	Front Shoulder Room Second Head Room	1,677.92 mm N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.





#### **Dimensions Exterior Dimensions** Height, Overall 1,921 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A 208.79 mm Frame Width, Rear N/A Ground Clearance, Front 208.79 mm Ground Clearance, Rear **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor Cargo Box Width @ Top, Rear N/A 2,493.77 mm Cargo Box Width @ Floor Cargo Box Width @ Wheelhousings 1,286 mm 1,813.56 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Ext'd Cab Cargo Volume N/A Cargo Volume 2,523.04 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16474. Data Updated: 7-Oct-2021 12:54:00 PDT AM.