



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LTZ

MSRP:\$63,048.00

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1:Satin Steel Metallic

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6

Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK18543	[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LTZ		\$63,048.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$0.00
AAK	LPO, All-weather floor liners, 1st and 2nd rows	Inc.	
C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.	
CF5	Sunroof, power	Inc.	
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
CWM	Technology Package		\$2,750.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
G9K	Satin Steel Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1Y	Jet Black, Perforated Leather-appointed front seat trim		\$0.00
HS1	Safety Alert Seat	Inc.	
IOT	Audio System, Chevrolet Infotainment 3 Premium system with connected Navigation	Inc.	
JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K47	Air filter, heavy-duty	Inc.	
K4C	Wireless Charging	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





KSG	Adaptive Cruise Control	Inc.	
LM2	Engine, Duramax 3.0L Turbo-Diesel I6		\$1,995.00
MQB	Transmission, 10-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PCN	LTZ Convenience Package II	Inc.	
PDJ	Safety Package II	Inc.	
PDK	LTZ Premium Package		\$3,650.00
PDZ	Z71 Off-Road and Protection Package		\$1,420.00
PQB	Safety Package		\$0.00
QAE	Tires, 275/60R20SL all-terrain, blackwall	Inc.	
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
QK2	Tailgate, Multi-Flex		\$300.00
QT5	Tailgate, gate function manual with EZ Lift		\$0.00
RD2	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Polished finish		\$0.00
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$195.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
TRO	LPO, Auxiliary Trailer Camera		\$600.00
UE4	Following Distance Indicator	Inc.	
UEU	Forward Collision Alert	Inc.	
UHS	Driver Information Centre, enhanced, 8" diagonal multicolour digital display	Inc.	
UHX	Lane Keep Assist with Lane Departure Warning	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UKJ	Front Pedestrian Braking	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UV6	Multicolour 15" Diagonal Head-Up Display	Inc.	
UVN	Bed View Camera	Inc.	
UVS	HD Surround Vision with Two Trailer View Camera Provisions	Inc.	
VQK	LPO, Moulded splash guards, Black		\$250.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Silverado 1500	LTD (CK18543) 4WD Crew Cab 147" LTZ (✓ Col	mplete)
---	---	----------

	,		• •
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$925.00
Z71	Z71 Off-Road Package	Inc.	
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
	SUBTOTAL		\$75,708.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,950.00
	TOTAL PRICE		\$77,758.00

FUEL ECONOMY

Est City:10.5 L/100 km

Est Highway: 9.1 L/100 km

Est Highway Cruising Range:999.46 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





Standard Equipment

Dookogo	
Package	
	Safety Package includes (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert and (UFG) Rear Cross Traffic Alert (Includes Perimeter Lighting.)
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	LTZ Plus Package includes (PCZ) LTZ Convenience Package and (PQB) Safety Package
	LTZ Convenience Package includes (A50) bucket seats with (D07) centre console, (KQV) heated and ventilated front seats, (A48) rear sliding power window, (UG1) Universal Home Remote and (MCZ) 2 USB ports with auxiliary input (Included and only available with (PDF) LTZ Plus Package.)
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start (Standard on vehicles equipped with (MQE) 8-speed automatic transmission or (LM2) Duramax 3.0L Turbo-Diesel I6 engine. Vehicles with a V8 engine and (MQB) 10-speed automatic will have (NSS) Not Equipped with Automatic Stop/Start, which removes Automatic Stop/Start and its content. See dealer for details.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Trailer brake controller, integrated
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





Mechanical	
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Polished finish (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Grille (Chrome bars with high gloss Black mesh and Chrome inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted
	Door handles, chrome
	Tailgate and bed rail protection cap, top



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





Exterior	
Exterior	- · · · · · · ·
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	
	Audio System, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, wireless Apple CarPlay and Android Auto capable, voice recognition, in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width underseat storage, (includes child seat top tether anchor)
	Centre Console, floor-mounted with cup holders, cell phone storage, power cord management, hanging file folder capability
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





Interior	
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Window, power, rear sliding with rear defogger
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Universal Home Remote
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB ports, 2 (first row) located on instrument panel
	USB Ports (Inside Console with bucket seats), 2 also includes 1 SD card reader and auxiliary jack
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
·	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





Interior	
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, ultrasonic
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Trans Description Cont. Again N/A First Gear Ratio (:1) 4.69 Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2.15 Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A				
Trans Description Cont. Again N/A First Gear Ratio (:1) 4.69 Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2.15 Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna Mill Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2.15 Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), High Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Reverse Ratio (:1) 1.52 Reverse Ratio (:1) Trans Power Take Off N/A Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 0.69	Trans Type	10	Trans Description Cont.	Automatic
Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.52 Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Magna Mi Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.86 Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Magna Mi Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna Mi Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Final Drive Axle Ratio (:1) N/A Transfer Case Model Magna Mi Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1)	Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2.69 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Clutch Size	N/A	Trans Power Take Off	N/A
Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1) 0.69	Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Tenth Gear Ratio (:1) 0.63	Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
	Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	10.5 L/100 km	EnerGuide Estimate - Hwy	9.1 L/100 km
Cruising Range - City	866.19 km	Cruising Range - Hwy	999.46 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





wertrain			
ngine			
Engine Order Code	LM2	Engine Type	Turbocharged Diesel I6
Displacement	3.0L/183	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	277 @ 3750	SAE Net Torque @ RPM	460 @ 1500
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System	NI/A		
Total Cooling System Capacity	N/A		
hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	265
assis			
eight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.31 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	435.91 kg	Reserve Axle Capacity - Rear	827.37 kg
As Spec'd Curb Weight	2,184.08 kg	As Spec'd Payload	1,081.84 kg
Maximum Payload Capacity	1,081.84 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.08 kg
Reserve Axle Capacity	1,263.28 kg	Total Option Weight	0 kg
	0 kg	Payload Weight Rear	0 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





hassis			
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,082.4 kg	Wt Distributing Hitch - Max Tongue Wt.	408.24 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,538.08 kg	Maximum Trailering Capacity	5,987.52 kg
Fifth Wheel Hitch - Max Tongue Wt.	884.52 kg		
rame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	20" x 9" in	Rear Wheel Size	20" x 9" in
Spare Wheel Size	17" x 8" in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.





hassis			
Wheels			
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.

Page 12 19-Oct-2021





Dimensions Exterior Dimensions Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.49 mm Ground Clearance, Rear 205.49 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16569. Data Updated: 19-Oct-2021 3:41:00 PDT AM.