

## **Window Sticker**

#### **SUMMARY**

[Retail] 2022 Cadillac XT6 (6NW26) AWD 4dr Premium Luxury

MSRP:\$62,698.00

Interior: Dark Auburn, Leather Seating Surfaces with Mini-Perforated inserts

Exterior 1:Crystal White Tricoat

Exterior 2:No colour has been selected.

Engine, 3.6L V6, DI, VVT, with Automatic Stop/Start

Transmission, 9-speed automatic

0	P٦	ГΙ	0	N	2
$\mathbf{U}$	_		_	14	•

JF I	IONS			
	CODE	MODEL		MSRP
	6NW26	[Retail] 2022 Cadillac XT6 (6NW26) AWD 4dr Premium Luxury		\$62,698.00
		OPTIONS		
	1SD	Premium Luxury Preferred Equipment Group		\$0.00
	ABB	Seating, 6-passenger		\$920.00
	AR9	Seats, front bucket includes 8-way power driver seat adjuster		\$0.00
	СТТ	Hitch Guidance, dynamic single line to aid in trailer alignment for hitching	Inc.	
	CWA	Rear Camera Mirror Washer	Inc.	
	DRZ	Rear Camera Mirror, with lens cleaning feature	Inc.	
	G1W	Crystal White Tricoat		\$1,395.00
	HTW	Dark Auburn, Leather Seating Surfaces with Mini-Perforated inserts		\$0.00
	IOT	Cadillac user experience with embedded navigation, AM/FM stereo		\$1,250.00
	KW7	Alternator, 170 amps	Inc.	
	LGX	Engine, 3.6L V6, DI, VVT, with Automatic Stop/Start		\$0.00
	M3W	Transmission, 9-speed automatic		\$0.00
	PZ8	Hitch Guidance with Hitch View	Inc.	
	Q6R	Wheels, 20" (50.8 cm) 6-Split Spoke alloy with Polished/Android finish		\$0.00
	QNU	Tires, P235/55R20 all-season, H-rated, blackwall		\$0.00
	R6S	Not Equipped with Wireless Phone Charging		-\$75.00
	SFZ	LPO, Monochrome Cadillac emblems		\$260.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



UHS	Gauge cluster, 8" colour Driver Information Centre display	Inc.
UKG	Automatic Parking Assist with braking	Inc.
UKK	Rear Pedestrian Alert	Inc.
UQP	Audio system feature, Bose Performance Series 14-speaker system	Inc.
UV2	HD Surround Vision	Inc.
UV6	Head-Up Display	Inc.
V08	Cooling system, heavy-duty	Inc.
V92	Smart Towing	\$750.00
XVR	Surround Vision Recorder	Inc.
Y4N	Technology Package	\$2,705.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$69,903.00
	Adjustments Total	\$0.00
	Vehicle Tax	\$100.00
	Destination Charge	\$2,200.00
	TOTAL PRICE	\$72,203.00

### **FUEL ECONOMY**

Est City:13.1 (2021) L/100 km

Est Highway: 9.5 (2021) L/100 km

Est Highway Cruising Range:875.33 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



# **Standard Equipment**

Package	
	Comfort and Air Quality Package includes (KEM) Air Ionizer, (KU9) driver and front passenger ventilated seats and (KA6) rear outboard heated seats
	Advanced Security Package includes (N06) steering column lock, (NWM) door lock and latch shields, (UTR) self -powered Theft-Deterrent Alarm System, (UTU) inclination sensor, (UTV) vehicle interior movement sensor and (PB4) locking wheel lugs
Mechanical	
	Engine, 3.6L V6, DI, VVT, with Automatic Stop/Start (310 hp [231 kW] @ 6600 rpm, 271 lb-ft of torque [366 N-m] @ 5000 rpm) (STD)
	Transmission, 9-speed automatic (STD)
	Automatic Stop/Start, with disable
	Electronic Precision Shift
	All-wheel drive, with driver mode select
	Alternator, 155 amps
	Suspension, Ride and Handling (Upgradeable to (FE5) performance suspension when (JSE) Platinum Package is ordered.)
	Steering, Electric Power Steering assist
	Brakes, 4-wheel antilock, 4-wheel vented disc
	Driver Mode Selector
Exterior	
	Wheels, 20" (50.8 cm) 6-Split Spoke alloy with Polished/Android finish (STD) (Upgradeable to (RPW) 21" 12-Split Spoke alloy wheels with Diamond Cut/Android finish or (SLW) 20" 12-Spoke alloy wheels with Fully Polished finish.)
	Tires, P235/55R20 all-season, H-rated, blackwall
	Wheel lugs, locking
	Wheel, spare, 18" (45.7 cm) steel
	Tire, compact spare
	Sunroof, power UltraView double-sized glass roof that opens over first row, tilt-sliding with Express-Open and power sunshade
	Roof rails, Galvano
	Spoiler, rear
	Headlamps, LED
	Headlamps, automatic on/off



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Exterior	
	IntelliBeam, automatic high beam on/off (When (JSE) Platinum Package is ordered, (TQ5) IntelliBeam is replaced with (UWN) Premium headlamp system.)
	Lamp, front marker, LED
	Lamps, front park and cornering
	Lamp, rear side marker taillamp
	Glass, deep-tinted (all windows, except light-tinted glass on windshield)
	Mirrors, outside heated, power-adjustable, power-folding, driver-side auto-dimming with integrated turn signals
	Windshield, acoustic laminated, windshield and front door glass
	Wipers, front intermittent, Rainsense, with moisture detection
	Wiper, rear intermittent with washer
	Door handles, body-colour with chrome strip
	Hands-Free Liftgate, open and close, programmable memory height with Cadillac branded projection light
	Capless Fuel Fill
Entertainment	
	Cadillac user experience, AM/FM stereo with 8" diagonal colour information display, 6 USBs, personalized profiles for each driver's settings, Natural Voice Recognition, Phone Integration for Wireless Apple CarPlay/Wireless Android Auto capability for compatible phone, Connected Apps and Teen Driver (STD)
	Antenna, roof-mounted
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, Bose premium 8-speaker system (Upgradeable to (UQP) Bose Performance Series 14-speaker audio system when (IOT) Cadillac user experience with navigation is ordered.)
	Wireless Apple CarPlay/Wireless Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket includes 8-way power driver seat adjuster (STD)
	Seating, 7-passenger (STD)
	Leather Seating Surfaces with Mini-Perforated inserts



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Interior	
	Safety Alert Seat
	Seat adjuster, power driver lumbar control, 2-way
	Seat adjuster, power passenger lumbar control, 2-way
	Seats, heated driver and front passenger
	Seats, ventilated driver and front passenger
	Seats, heated rear outboard seating positions
	Floor mats, colour-keyed all rows (Deleted when (JSE) Platinum Package or (VYW) Premium carpeted floor mats, LPO is ordered. When (JSE) Platinum Package is ordered, (B37) is replaced with (BB4) Front and rear premium carpeted floor mats.)
	Steering column, power tilt and telescoping
	Steering column lock
	Steering wheel, leather-wrapped
	Steering wheel, heated, automatic
	Adaptive Remote Start
	Compass display
	Cruise control, electronic with set and resume speed
	Door lock and latch shields
	Door locks, power programmable includes lockout protection and delayed locking
	Gauge cluster, dual Driver Information Centre display includes driver personalization, warning messages and vehicle information (Upgradeable to (UHS) 8" colour Driver Information Centre display when (Y4N) Technology Package is ordered.)
	Keyless Access, passive entry
	Memory Package recalls two "presets" for power driver seat, outside mirrors and power tilt and telescoping steering column
	Sensor, cabin humidity
	Sensor, inclination
	Sensor, vehicle interior movement
	Theft-deterrent alarm system, self-powered
	Universal Home Remote includes garage door opener, 3-channel programmable
	Windows, power front express-up and down, rear express down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Interior	
	Wireless Phone Charging (Some vehicles will include (R6S) Not Equipped with Wireless Phone Charging, which removes Wireless Phone Charging and its content. See dealer for details. The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
	USB ports, 6 total full function, one type A and one type C (front console), charge-only one type A and one type C (second row) and (2) charge-only type C (third row)
	Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers (includes rear air vents)
	Air conditioning, rear
	Air filter, cabin, particulate system
	Air Ionizer
	Defogger, rear-window electric with front and side window outlets for the driver and right-front passenger
	Glovebox, lockable
	Mirror, inside rearview auto-dimming (Upgradeable to (DRZ) Rear Camera Mirror when (Y4N) Technology Package is ordered.)
	Lighting accent, doors and task lighting
	Cadillac Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Front and Rear Park Assist (Upgradeable to (UKG) Automatic Parking Assist with braking when (Y4N) Technology Package is ordered.)
	Brakes, active control
	Electric Parking Brake
	Intelligent Brake Assist
	Automatic Emergency Braking (Upgradeable to (UGN) Enhanced Automatic Emergency Braking and (UVZ) Reverse Automatic Braking when (Y66) Driver Assist Package is ordered.)
	Traction control, full-range, powertrain and brake modulated
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Airbags, dual-stage frontal and seat-mounted side-impact for driver and front passenger; knee for driver; head-curtain for all outboard seating positions with rollover protection
	Airbag, Passenger Sensing System sensor indicator inflatable restraint, front passenger/child presence detector



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Safety-Interior	
	OnStar and Cadillac connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Lane Change Alert with Side Blind Zone Alert
	Following Distance Indicator
	Forward Collision Alert
	Lane Keep Assist with Lane Departure Warning
	Front Pedestrian Braking
	Rear Cross Traffic Alert
	Door locks, rear child security
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System
	Tool kit, road emergency
	Horn, dual note tone
WARRANTY	

#### WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 4

Basic Miles/km: 80,000 Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000

# **Technical Specifications**

## **Powertrain**

#### **Transmission**

Drivetrain	All Wheel Drive	Trans Order Code	M3W
Trans Type	9	Trans Description Cont.	Automatic



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



owertrain			
Transmission  Trans Description Cont. Again	N/A	First Coor Potio (14)	4.00
Trans Description Cont. Again		First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	3.31	Third Gear Ratio (:1)	3.01
Fourth Gear Ratio (:1)	2.44	Fifth Gear Ratio (:1)	1.92
Sixth Gear Ratio (:1)	1.44	Reverse Ratio (:1)	2.96
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.49
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	1.00	Eighth Gear Ratio (:1)	0.75
Ninth Gear Ratio (:1)	0.62		
Mileage			
EnerGuide Estimate - City	13.1 (2021) L/100 km	EnerGuide Estimate - Hwy	9.5 (2021) L/ <sup>-</sup> km
Cruising Range - City	634.79 km	Cruising Range - Hwy	875.33 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A		
Engine			
Engine Order Code	LGX	Engine Type	Gas V6
Displacement	3.6L/222	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 6600	SAE Net Torque @ RPM	271 @ 5000
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	170
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	269 (2021)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Vehicle  EPA Classification Sport Utility Vehicles  Chassis  Weight Information  Base Curb Weight 2,106.52 kg Curb Weight - Front Curb Weight - Rear N/A Curb Weight Total Option Weight 0 kg  Padd Weight Hitch - Max Trailer Wt. 1,814.4 kg Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Trailer Wt. 1,814.4 kg  Wit Distributing Hitch - Max Trailer Wt. 1,814.4 kg  Wit Distributing Hitch - Max Trailer Wt. 1,814.4 kg  Suspension  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front N/A Suspension Type - Rear Compact N/A Suspension Type - Rear Compact N/A Stabilizer Bar Diameter - Rear Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Rear Stabilizer Bar Di	
EPA Classification  Sport Utility Vehicles  Chassis  Weight Information  Base Curb Weight 2,106.52 kg Curb Weight - Front Curb Weight - Rear N/A Curb Weight Total Option Weight 0 kg  Trailering  Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Dead Weight Hitch - Max Twailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Trailer Wt. 1,814.4 kg Maximum Trailering Capacity 1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Companient Stabilizer Bar Diameter - Front N/A Shock Absorber Diameter - Front N/A Stabilizer Bar Diameter - Restrict Stabilizer Bar Diameter Stabilizer Bar Diameter Stabilizer Bar Diameter Stabilizer Bar Diameter Stabilizer	
Vehicles  Weight Information  Base Curb Weight	
Base Curb Weight	
Base Curb Weight 2,106.52 kg Curb Weight - Front Curb Weight - Rear N/A Curb Weight  Total Option Weight 0 kg  Trailering  Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Dead Weight Hitch - Max Twailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Twailer Wt. 1,814.4 kg  Maximum Trailering Capacity 1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cowner of the Company of t	
Curb Weight - Rear Total Option Weight  Trailering  Dead Weight Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Trailer Wt. Maximum Trailering Capacity  Suspension  Suspension Type - Front Suspension Type - Front (Cont.) Shock Absorber Diameter - Front N/A Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Rear  Front Tire Order Code Spare Tire Order Code Rear Tire Size  Wheels  Front Wheel Size  Curb Weight And This All A kg Wt Distributing Hitch - Max Wt Distributing Hitch - Max Curb Weight And This All A kg Wt Distributing Hitch - Max Max Trailer Wt. All A kg Wt Distributing Hitch - Max This All A kg Wt Distrib	
Trailering  Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Trailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Maximum Trailering Capacity 1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cont.) Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Restrict Spare Tire Order Code Spare Tire Order Code ZCD Front Tire Size  Front Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	N/A
Trailering  Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Dead Weight Hitch - Max Trailer Wt. 1,814.4 kg Wt Distributing Hitch - Max Maximum Trailering Capacity 1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cont.) Shock Absorber Diameter - Front N/A Stabilizer Bar Diameter - Rear Diameter - Front N/A Stabilizer Bar Diameter - Rear Diameter - Rear Diameter - Rear Diameter - Rear Diameter Code Spare Tire Order Code ZCD Front Tire Size Rear Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	N/A
Dead Weight Hitch - Max Trailer Wt.  Wt Distributing Hitch - Max Trailer Wt.  Maximum Trailering Capacity  Suspension  Suspension Type - Front  Suspension Type - Front (Cont.)  Shock Absorber Diameter - Front  Stabilizer Bar Diameter - Front  Front Tire Order Code  Spare Tire Order Code  Rear Tire Order Code  Rear Tire Size  Mear Wheel Size  Dead Weight Hitch - Max Trailer Wt.  1,814.4 kg  Wt Distributing Hitch - Max  Front Type - Rear  Suspension Type - Rear  Suspension Type - Rear  N/A  Shock Absorber Diameter - Rear  Stabilizer Bar Diameter - Rear  Front Tire Order Code  Spare Tire Order Code  Spare Tire Size  P235/55R20  Spare Tire Size	
Wt Distributing Hitch - Max Trailer Wt. 1,814.4 kg  Maximum Trailering Capacity 1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cont.) Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Reserved  Fires  Front Tire Order Code QNU Rear Tire Order Code Spare Tire Order Code ZCD Front Tire Size  Rear Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	
Maximum Trailering Capacity  1,814.4 kg  Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cont.) Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Restricted  Front Tire Order Code QNU Rear Tire Order Code Spare Tire Order Code ZCD Front Tire Size Rear Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	ongue Wt. 181.44 kg
Suspension  Suspension Type - Front MacPherson Strut Suspension Type - Rear  Suspension Type - Front (Cont.) N/A Suspension Type - Rear (Cont.)  Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Reference  Front Tire Order Code QNU Rear Tire Order Code  Spare Tire Order Code ZCD Front Tire Size  Rear Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	Tongue Wt. 181.44 kg
Suspension Type - Front MacPherson Strut Suspension Type - Rear Suspension Type - Front (Cont.)  Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Stabilizer Bar Diameter - Front N/A Stabilizer Bar Diameter - Re  Front Tire Order Code QNU Rear Tire Order Code Spare Tire Order Code ZCD Front Tire Size  Rear Tire Size P235/55R20 Spare Tire Size  Wheels  Front Wheel Size 20 x -TBD- in Rear Wheel Size	
Suspension Type - Front (Cont.)  Shock Absorber Diameter - Front  N/A  Shock Absorber Diameter - Stabilizer Bar Diameter - Reserved Fires  Front Tire Order Code  Spare Tire Order Code  Rear Tire Size  Rear Tire Size  P235/55R20  Spare Tire Size  Wheels  Front Wheel Size  P20 x -TBD- in  Rear Wheel Size	
Shock Absorber Diameter - Front  Stabilizer Bar Diameter - Front  N/A  Shock Absorber Diameter - Reference  Stabilizer Bar Diameter - Reference  Front Tire Order Code  Spare Tire Order Code  Rear Tire Order Code  Rear Tire Size  P235/55R20  Spare Tire Size  Wheels  Front Wheel Size  20 x -TBD- in  Rear Wheel Size	Multi-Link
Stabilizer Bar Diameter - Front  N/A  Stabilizer Bar Diameter - Reference  Front Tire Order Code  Spare Tire Order Code  Rear Tire Order Code  Rear Tire Size  P235/55R20  Spare Tire Size  Wheels  Front Wheel Size  20 x -TBD- in  Rear Wheel Size	Cont.) w/Coil Springs
Front Tire Order Code QNU Rear Tire Order Code Spare Tire Order Code ZCD Front Tire Size Rear Tire Size P235/55R20 Spare Tire Size  Wheels Front Wheel Size 20 x -TBD- in Rear Wheel Size	- Rear N/A
Front Tire Order Code  Spare Tire Order Code  Rear Tire Order Code  Front Tire Size  Front Tire Size  P235/55R20  Spare Tire Size  Wheels  Front Wheel Size  20 x -TBD- in  Rear Wheel Size	ear N/A
Spare Tire Order Code     ZCD     Front Tire Size       Rear Tire Size     P235/55R20     Spare Tire Size       Wheels       Front Wheel Size     20 x -TBD- in     Rear Wheel Size	
Rear Tire Size  P235/55R20  Spare Tire Size  Wheels  Front Wheel Size  20 x -TBD- in  Rear Wheel Size	QNU
Wheels  Front Wheel Size  20 x -TBD- in  Rear Wheel Size	P235/55R20
Front Wheel Size 20 x -TBD- in Rear Wheel Size	Compact
Spare Wheel Size Compact mm Front Wheel Material	20 x -TBD- in
	Aluminum
Rear Wheel Material Aluminum Spare Wheel Material	Steel
Steering	
Steering Type Electric Power Steering Ratio (:1), Overall	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



nassis			
teering			
	Steering		
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.92 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	320.04 x 48.26 mm
Rear Brake Rotor Diam x Thickness	314.96 x 22.86 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	83.2 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
nterior Dimensions			
Passenger Capacity	6	Passenger Volume	N/A
Front Head Room	1,010.92 mm	Front Leg Room	1,046.48 mm
Front Shoulder Room	1,480.82 mm	Front Hip Room	1,272.54 mm
Second Head Room	993.14 mm	Second Leg Room	993.14 mm
Second Shoulder Room	1,457.96 mm	Second Hip Room	1,414.78 mm
Third Head Room	944.88 mm	Third Leg Room	749.3 mm
Third Shoulder Room	1,358.9 mm	Third Hip Room	1,003.3 mm
xterior Dimensions			
Wheelbase	2,862.58 mm	Length, Overall	5,041.9 mm
Width, Max w/o mirrors	1,963.42 mm	Height, Overall	1,775.46 mm
Track Width, Front	1,686.56 mm	Track Width, Rear	1,681.48 mm
Min Ground Clearance	168.91 mm	Rear Door Opening Height	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.



Dimensions			
Exterior Dimensions			
Rear Door Opening Width	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	N/A	Cargo Area Length @ Floor to Seat 2	N/A
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Cargo Volume to Seat 1	2,228.54 L	Cargo Volume to Seat 2	1,220.46 L
Cargo Volume to Seat 3	356.79 L		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16682. Data Updated: 1-Nov-2021 9:30:00 PDT PM.