



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom

MSRP:\$56,048.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-speed automatic

OPTIONS

CODE	MODEL		MSRP
CK20743	[Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom		\$56,048.00
	OPTIONS		
1CX	Custom Preferred Equipment Group		\$0.00
AE7	Seats, front 40/20/40 split-bench		\$0.00
BHP	Winter Grille Cover	Inc.	
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner	Inc.	
CMT	Gooseneck/5th Wheel Package		\$1,255.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming		\$550.00
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass	Inc.	
F60	Heavy Duty Front Spring/Camper Package		\$55.00
GAZ	Summit White		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
JGL	GVWR, 11,350 lbs. (5148 kg)	Inc.	
JL1	Trailer brake controller, integrated	Inc.	
K05	Engine block heater	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.



	SUBTOTAL		\$73,573.00
	Chevrolet Connected Access capable	Inc.	
	Compass	Inc.	
	Capped Fuel Fill	Inc.	
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Federal air conditioning excise tax		\$100.00
ZLA	Infotainment Package	Inc.	
Z6A	Gooseneck/5th Wheel Prep Package	Inc.	
VV4	Wi-Fi Hotspot capable	Inc.	
VQK	LPO, Moulded splash guards, Black		\$255.00
UK3	Steering wheel audio controls	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UF3	High idle switch		\$240.00
UF2	LED Cargo Area Lighting	Inc.	
UEU	Forward Collision Alert	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UDD	Driver Information Centre, 4.2" diagonal colour display	Inc.	
U2K	SiriusXM	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
SFE	LPO, Wheel locks, set of 4		\$80.00
RGE	Safety Confidence Package		\$480.00
R70	Seat, Cloth Rear with Storage Package		\$260.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QK2	Tailgate, Multi-Flex		\$685.00
PDX	Custom Value Package		\$2,385.00
PCX	Custom Convenience Package	Inc.	
MGM	Transmission, Allison 10-speed automatic	Inc.	
L5P	Engine, Duramax 6.6L Turbo-Diesel V8		\$11,195.00
KW5	Alternator, 220 amps	Inc.	
K40	Exhaust brake	Inc.	

\$73,573.00 \$73,573.00

Adjustments Total \$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





\$100.00 Vehicle Tax

\$1,950.00 **Destination Charge**

TOTAL PRICE \$75,623.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,650 lbs. (4831 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20943 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine.)
Exterior	
	Wheels, 20" (50.8 cm) machined aluminum with Grazen Metallic painted accents, 10-spoke
	Tires, LT275/65R20 all-terrain, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Exterior	
	Tire, spare LT275/70R18 all-terrain, blackwall
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss Black.)
	Bumper, rear (High gloss Black.)
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Front grille bar with "CHEVROLET" painted body colour. Includes body colour surround and Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate, standard
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)
	Tailgate, gate function manual, no EZ Lift
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Interior	
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.86	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Powertrain						
r Owei u aii i						
Transmission						
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54			
Clutch Size	N/A	Trans Power Take Off	N/A			
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6			
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72			
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00			
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.68			
Tenth Gear Ratio (:1)	0.63					
Mileage						
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A			
Cruising Range - City	N/A	Cruising Range - Hwy	N/A			
Engine						
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8			
Displacement	6.6L/403	Fuel System	Direct Injection			
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600			
Engine Oil Cooler	Yes					
Electrical						
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730			
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A			
Cooling System						
Total Cooling System Capacity	N/A					
Vehicle						
Emissions						
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Chassis Weight Information Standard Weight - Front 22.68 kg Standard Weight - Rear 30.84 kg Gross Axle Wt Rating - Front 2,721.6 kg Gross Axle Wt Rating - Rear 2,993.76 kg Curb Weight - Front 1,745.91 kg Curb Weight - Rear 1,262.82 kg Option Weight - Front 349.27 kg Option Weight - Rear 143.79 kg Reserve Axle Capacity - Front 603.74 kg Reserve Axle Capacity - Rear 1,556.3 kg As Spec'd Curb Weight 3,555.32 kg As Spec'd Payload 1,593.04 kg Maximum Payload Capacity 2,139.63 kg Gross Combined Wt Rating 12,474 kg Gross Axle Weight Rating 5,715.36 kg Curb Weight 3,008.73 kg 493.06 kg Reserve Axle Capacity 2,160.04 kg **Total Option Weight** Payload Weight Front Payload Weight Rear 0 kg 0 kg Gross Vehicle Weight Rating 5,148.36 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 8,391.6 kg Wt Distributing Hitch - Max Tongue Wt. 839.16 kg Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity 8,391.6 kg 8,391.6 kg Fifth Wheel Hitch - Max Tongue Wt. 2,097.9 kg **Frame** Frame Type Hydroformed Sect Modulus Rails Only N/A Frame RBM N/A N/A Frame Strength Frame Thickness N/A Suspension Suspension Type - Front Short/Long Arm Suspension Type - Rear Multi-Leaf Springs Spring Capacity - Front N/A Spring Capacity - Rear N/A N/A Axle Type - Front N/A Axle Type - Rear Axle Capacity - Rear Axle Capacity - Front N/A N/A Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 51.0 mm Shock Absorber Diameter - Rear 51.0 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.





Suspension			
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	QF9	Rear Tire Order Code	QF9
Spare Tire Order Code	ZYG	Front Tire Size	LT275/65R20
Rear Tire Size	LT275/65R20	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	20 x -TBD- in	Rear Wheel Size	20 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
	NI/A	Disc - Front (Yes or)	Yes
Brake ABS System (Second Line)	N/A	(,	
Brake ABS System (Second Line) Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mi
		,	355.6 x 40.64 mi
Disc - Rear (Yes or)	Yes 358.14 x 33.02	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mr
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness	Yes 358.14 x 33.02 mm	Front Brake Rotor Diam x Thickness	
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width	Yes 358.14 x 33.02 mm	Front Brake Rotor Diam x Thickness	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.

Page 10 9-Nov-2021





Dimensions				
Interior Dimensions				
Passenger Capacity	6	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm	
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm	
Second Hip Room	1,530.1 mm			
Exterior Dimensions				
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A	
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm	
Height, Overall	2,027.43 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	257.05 mm	
Ground Clearance, Rear	257.05 mm	Body Length	0 m	
Cab to Body	N/A			
O A Dimi				
Cargo Area Dimensions				
Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm	
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A	
Cargo Volume	1,968.02 L	Ext'd Cab Cargo Volume	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 16735. Data Updated: 8-Nov-2021 11:54:00 PST PM.