

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (✓)
Complete)

Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom MSRP:\$54,248.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

OPTIONS

CODE	MODEL	MSRP
CK20753	[Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom	\$54,248.00
OPTIONS		
1CX	Custom Preferred Equipment Group	\$0.00
AE7	Seats, front 40/20/40 split-bench	\$0.00
BTB	Remote vehicle starter system	Inc.
C49	Defogger, rear-window electric	Inc.
CGN	Chevytec spray-on bedliner	\$625.00
DD8	Mirror, inside rearview auto-dimming	Inc.
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass	Inc.
GAZ	Summit White	\$0.00
GT4	Rear axle, 3.73 ratio	\$0.00
H1T	Jet Black, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system	\$0.00
JGE	GVWR, 10,550 lbs. (4785 kg)	Inc.
JL1	Trailer brake controller, integrated	Inc.
K05	Engine block heater	\$195.00
K4B	Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr	\$160.00
KC9	Power outlet, bed mounted, 120-volt	Inc.
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary	\$440.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (✓
Complete)

KI4	Power outlet, instrument panel, 120-volt		\$275.00
L8T	Engine, 6.6L V8		\$0.00
MYD	Transmission, 6-speed automatic, heavy-duty		\$0.00
NZZ	Skid Plates	Inc.	
PCX	Custom Convenience Package	Inc.	
PDX	Custom Value Package		\$2,385.00
QK2	Tailgate, Multi-Flex		\$685.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
U2K	SiriusXM	Inc.	
UE1	OnStar and Chevrolet connected services capable	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UY2	Trailer wiring provisions		\$40.00
VQK	LPO, Moulded splash guards, Black		\$255.00
VV4	Wi-Fi Hotspot capable	Inc.	
VYU	Snow Plow Prep/Camper Package		\$710.00
ZLA	Infotainment Package	Inc.	
—	Federal air conditioning excise tax		\$100.00
—	Compass	Inc.	
—	Chevrolet Connected Access capable	Inc.	
SUBTOTAL			\$60,098.00
Adjustments Total			\$0.00
Vehicle Tax			\$100.00
Destination Charge			\$1,950.00
TOTAL PRICE			\$62,148.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (✔)
Complete)

Standard Equipment

Package

Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance

Mechanical

Durabed, pickup bed

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

GVWR, 10,550 lbs. (4785 kg) (STD) (Included and only available with CK20753 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CC20903 model and (L5P) Duramax 6.6L Turbo-Diesel V8 engine with 17" wheels.)

Air filter, heavy-duty

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Auto-locking rear differential

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine.)

Exterior

Wheels, 20" (50.8 cm) machined aluminum with Grazen Metallic painted accents, 10-spoke



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (✔
Complete)

Exterior

Tires, LT275/65R20 all-terrain, blackwall

Tire, spare LT275/70R18 all-terrain, blackwall

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door

Bumper, front (High gloss Black.)

Bumper, rear (High gloss Black.)

CornerStep, rear bumper

BedStep, Black integrated on forward portion of bed on driver and passenger side

Mouldings, beltline, Black

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Grille (Front grille bar with "CHEVROLET" painted body colour. Includes body colour surround and Black mesh inserts with small Gold bowtie emblem.)

Headlamps, halogen reflector with halogen Daytime Running Lamps

Taillamps with incandescent tail, stop and reverse lights

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel

Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])

Mirror caps, Black

Glass, deep-tinted

Tailgate, standard

Tailgate and bed rail protection cap, top

Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)

Tailgate, gate function manual, no EZ Lift

Door handles, Black grained

Entertainment

Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system

Bluetooth for phone connectivity to vehicle infotainment system



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (Complete) 

Interior

Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)

Cloth seat trim

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)

Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Rear Seat Reminder

Window, power front, drivers express up/down

Window, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote Keyless Entry with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

USB ports, 2 (first row) located on instrument panel

Power outlet, front auxiliary, 12-volt

Air conditioning, single-zone

Air vents, rear, heating/cooling

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom ( Complete)

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera

Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Processing-Other

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom ( Complete)

Powertrain

Transmission

Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A

Engine

Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/400	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	390	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A		
-------------------------------	-----	--	--

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
--------------------------------------	-----	-----------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom (✓
Complete)

Chassis

Weight Information

Standard Weight - Front	21.77 kg	Standard Weight - Rear	29.94 kg
Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	2,993.76 kg
Curb Weight - Front	1,729.58 kg	Curb Weight - Rear	1,239.24 kg
Option Weight - Front	19.05 kg	Option Weight - Rear	41.73 kg
Reserve Axle Capacity - Front	769.76 kg	Reserve Axle Capacity - Rear	1,682.86 kg
As Spec'd Curb Weight	3,081.3 kg	As Spec'd Payload	1,704.18 kg
Maximum Payload Capacity	1,816.67 kg	Gross Combined Wt Rating	10,886.4 kg
Gross Axle Weight Rating	5,533.92 kg	Curb Weight	2,968.81 kg
Reserve Axle Capacity	2,452.62 kg	Total Option Weight	60.78 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,785.48 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	6,577.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom ( Complete)

Chassis

Suspension

Shock Absorber Diameter - Front	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm

Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QF9
Spare Tire Order Code	ZYG
Rear Tire Size	LT275/65R20
Front Tire Capacity	N/A
Spare Tire Capacity	N/A
Revolutions/Mile @ 45 mph - Rear	N/A

Rear Tire Order Code	QF9
Front Tire Size	LT275/65R20
Spare Tire Size	LT275/70R18
Rear Tire Capacity	N/A
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	20 x -TBD- in
Spare Wheel Size	18 x -TBD- in
Rear Wheel Material	Aluminum

Rear Wheel Size	20 x -TBD- in
Front Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Wall to Wall	N/A

Steering Ratio (:1), On Centre	N/A
Turning Diameter - Curb to Curb	15.09 m

Brakes

Brake Type	Pwr
Brake ABS System (Second Line)	N/A
Disc - Rear (Yes or)	Yes
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm
Rear Drum Diam x Width	N/A

Brake ABS System	4-Wheel
Disc - Front (Yes or)	Yes
Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm
Drum - Rear (Yes or)	N/A

Fuel Tank

Fuel Tank Capacity, Approx	136 L
----------------------------	-------

Aux Fuel Tank Capacity, Approx	N/A
--------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Custom ( Complete)

Chassis

Fuel Tank

Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
--------------------	-----	------------------------	-----

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 mm
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 mm
Second Hip Room	1,530.1 mm		

Exterior Dimensions

Wheelbase	3,794.76 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,107.43 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,030.73 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	258.83 mm
Ground Clearance, Rear	258.83 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A
Cargo Volume	1,968.02 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.