



## **Window Sticker**

### **SUMMARY**

[Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LTZ

MSRP:\$67,548.00

Interior: Jet Black, Perforated leather-appointed front outboard seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-speed automatic

## **OPTIONS**

CODE	MODEL		MSRP
CK20743	[Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LTZ		\$67,548.00
	OPTIONS		
00G	Not Equipped with Heated Steering Wheel		-\$25.00
00V	Not Equipped with Heated or Ventilated Front Seats		-\$50.00
00Z	Not Equipped with Front and Rear Park Assist		-\$50.00
1LZ	LTZ Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	Inc.	
BHP	Winter Grille Cover	Inc.	
CF5	Sunroof, power on Crew Cab models		\$1,325.00
CGN	Chevytec spray-on bedliner	Inc.	
D07	Centre Console, floor-mounted	Inc.	
D75	Door handles, body-colour	Inc.	
DP6	Mirror caps, body-colour	Inc.	
F60	Heavy Duty Front Spring/Camper Package		\$55.00
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H1Y	Jet Black, Perforated leather-appointed front outboard seat trim		\$0.00
ЮТ	Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.



JGL	GVWR, 11,350 lbs. (5148 kg)	Inc.	
JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
K4C	Wireless Charging	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$440.00
KQV	Seats, ventilated driver and front passenger	Inc.	
L5P	Engine, Duramax 6.6L Turbo-Diesel V8		\$11,195.00
MCZ	USB ports, 2 (first row) located on instrument panel	Inc.	
MGM	Transmission, Allison 10-speed automatic	Inc.	
NZZ	Skid Plates	Inc.	
PCN	LTZ Convenience Package II		\$2,385.00
PCZ	LTZ Convenience Package	Inc.	
PDF	LTZ Plus Package		\$3,025.00
PQB	Safety Package	Inc.	
PTW	Wheels, 18" (45.7 cm) High Gloss Black aluminum	Inc.	
QG3	Tires, LT275/70R18, mud-terrain, blackwall;	Inc.	
QT6	Tailgate, gate function power up/down	Inc.	
RGJ	Not Equipped with Heated Second Row Outboard Seats		-\$230.00
RVS	LPO, Assist steps - 4" Black - round	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UF3	High idle switch		\$240.00
UFG	Rear Cross Traffic Alert	Inc.	
UG1	Universal Home Remote	Inc.	
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UVN	Bed View Camera	Inc.	
UVS	HD Surround Vision with Two Trailer View Camera Provisions	Inc.	
UY2	Trailering wiring provisions		\$40.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.



VB5	Bumper, front	Inc.	
VQK	LPO, Moulded splash guards, Black		\$255.00
VT5	Bumper, rear	Inc.	
WJP	Midnight Edition		\$2,325.00
Z71	Z71 Off-Road Package		\$440.00
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Suspension, Off-Road	Inc.	
	Capped Fuel Fill	Inc.	
	Mouldings, beltline, Black	Inc.	
	SUBTOTAL		\$88,998.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$1,950.00
	TOTAL PRICE		\$91,048.00

## **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





# **Standard Equipment**

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,650 lbs. (4831 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20943 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed active electronic Autotrac with push button control (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Advanced Trailering System includes checklist, trailer maintenance reminders, trailer security alerts, trailer mileage, tow/haul reminder, trailer electrical diagnostics and Trailer Tire Pressure Monitor System module (With (ZW9) pickup bed delete no provision for a trailer tire pressure monitor system will exist but all the other (U1D) features will remain.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)
	Suspension Package
	Steering, Digital Variable Steering Assist this system automatically adjusts steering based on speed, road conditions, and other inputs to reduce driver effort and fatigue
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 18" (45.7 cm) machined aluminum with Silver painted accents, 6-spoke (STD)
	Tires, LT275/70R18E all-terrain, blackwall (STD)
	Tire, spare LT275/70R18 all-terrain, blackwall (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires, (QG3) LT275/70R18 mud-terrain, blackwall tires or (QF9) LT275/65R20 all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Wheelhouse liners, rear
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, stainless steel
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Chrome front grille bar with "CHEVROLET". Includes Chrome grille inserts with small Gold bowtie emblem.)
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps
	Taillamps, LED with signature
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Fog lamps, front, LED
	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass, (driver and passenger) lower convex mirrors, turn signal indicators, puddle lamps, perimeter lighting, auxiliary lighting, power folding/extending (extends 3.31" [84.25mm])
	Mirror caps, chrome
	Glass, deep-tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





EX	αе	rı	O	r

Tailgate, gate function manual with EZ Lift includes power lock and release (Upgraded to (QT6) Power up/down tailgate when (PCZ) LTZ Convenience Package is ordered. Deleted when (ZW9) pickup bed delete is ordered. Note: When (QK2) Multi-Flex tailgate is ordered with (PCZ) LTZ Convenience Package, (QT5) EZ Lift power lock and release tailgate is retained.)

Door handles, chrome

## **Entertainment**

Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, wireless Apple CarPlay and Android Auto capable, voice recognition, in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD) (Includes (PZ8) Hitch Guidance with Hitch View.)

#### SiriusXM

SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.ca for details and limitations.)

Audio system feature, 6-speaker system

Wireless Phone Projection for Apple Carplay and Android Auto

Steering wheel audio controls

Bluetooth for phone connectivity to vehicle infotainment system

Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

## Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Not available with (PCZ) LTZ Convenience Package, (PDF) LTZ Plus Package or (PDK) LTZ Premium Package.)

Perforated leather-appointed front outboard seat trim

Seating, heated driver and front outboard passenger (Certain vehicles built on or after 11-15-2021 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without dealer retrofit, expected late Q2, 2022, see dealer for details.)

Seat adjuster, driver 10-way power including lumbar

Seat adjuster, passenger 10-way power including lumbar

Driver memory recalls driver "presets" for power driver seat and outside mirrors



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





Interior	
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width under-seat storage, (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)
	Steering wheel, leather-wrapped
	Steering wheel, heated (Vehicles built prior to 12-6-2021 include heated steering wheel. Vehicles built on or after 12-6-2021 will be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
	Steering column, manual tilt and telescoping
	Steering column, lock control, electrical
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	USB Ports (Instrument Panel with bench seat), 2 also includes 1 SD card reader (first row) (With (PCZ) LTZ Convenience Package the USB ports move inside the console and include an auxiliary jack.)
	Power outlet, front auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Power outlet, rear auxiliary, 12-volt



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





Interior	
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Deleted when (ZW9) pickup bed delete is ordered.)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance with Hitch View (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	

### rocessing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





## **WARRANTY**

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups

with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

# **Technical Specifications**

## **Powertrain**

### **Transmission**

Four Wheel Drive	Trans Order Code	MGM
10	Trans Description Cont.	Automatic
N/A	First Gear Ratio (:1)	4.54
2.86	Third Gear Ratio (:1)	2.06
1.72	Fifth Gear Ratio (:1)	1.48
1.26	Reverse Ratio (:1)	4.54
N/A	Trans Power Take Off	N/A
N/A	Transfer Case Model	Magna MP3023/4
1.00	Transfer Case Gear Ratio (:1), Low	2.69
N/A	Seventh Gear Ratio (:1)	1.00
0.85	Ninth Gear Ratio (:1)	0.68
0.63		
	10 N/A 2.86 1.72 1.26 N/A N/A 1.00 N/A 0.85	Trans Description Cont.  N/A  First Gear Ratio (:1)  2.86  Third Gear Ratio (:1)  1.72  Fifth Gear Ratio (:1)  1.26  Reverse Ratio (:1)  N/A  Trans Power Take Off  N/A  Transfer Case Model  1.00  Transfer Case Gear Ratio (:1), Low  N/A  Seventh Gear Ratio (:1)  Ninth Gear Ratio (:1)

## Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





agina			
ngine			
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	390	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System			
Total Cooling System Capacity	N/A		
	IVA		
hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
assis			
eight Information			
Standard Weight - Front	40.37 kg	Standard Weight - Rear	46.72 kg
Gross Axle Wt Rating - Front	2,721.6 kg	Gross Axle Wt Rating - Rear	2,993.76 kg
Curb Weight - Front	1,745.91 kg	Curb Weight - Rear	1,262.82 kg
Option Weight - Front	388.28 kg	Option Weight - Rear	114.31 kg
Reserve Axle Capacity - Front	547.04 kg	Reserve Axle Capacity - Rear	1,569.91 kg
As Spec'd Curb Weight	3,598.41 kg	As Spec'd Payload	1,549.95 kg
Maximum Payload Capacity	2,139.63 kg	Gross Combined Wt Rating	12,474 kg
Gross Axle Weight Rating	5,715.36 kg	Curb Weight	3,008.73 kg
Reserve Axle Capacity	2,116.95 kg	Total Option Weight	502.59 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





#### Chassis **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 8,391.6 kg Wt Distributing Hitch - Max Tongue Wt. 839.16 kg Fifth Wheel Hitch - Max Trailer Wt. 8,391.6 kg Maximum Trailering Capacity 8,391.6 kg Fifth Wheel Hitch - Max Tongue Wt. 2,097.9 kg **Frame** Frame Type Hydroformed Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Short/Long Arm Suspension Type - Rear Multi-Leaf Springs Spring Capacity - Front N/A Spring Capacity - Rear N/A N/A N/A Axle Type - Front Axle Type - Rear Axle Capacity - Front N/A N/A Axle Capacity - Rear Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 51.0 mm Shock Absorber Diameter - Rear 51.0 mm Stabilizer Bar Diameter - Front 35.05 mm Stabilizer Bar Diameter - Rear N/A **Tires** Rear Tire Order Code Front Tire Order Code QG3 QG3 ZYG Front Tire Size Spare Tire Order Code LT275/70R18 Rear Tire Size LT275/70R18 Spare Tire Size LT275/70R18 Front Tire Capacity Rear Tire Capacity N/A N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 18" x -TBD- in Rear Wheel Size 18" x -TBD- in Spare Wheel Size 18 x -TBD- in Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material Steel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





hassis			
Vheels			
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 r
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.





#### **Dimensions Exterior Dimensions** Cab to Axle Cab to End of Frame N/A 1,069.34 mm Ground to Top of Load Floor Ground to Top of Frame N/A N/A Frame Width, Rear N/A Ground Clearance, Front 257.05 mm Ground Clearance, Rear 257.05 mm Body Length 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 2,089.15 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor Cargo Box Width @ Wheelhousings 1,316.99 mm 1,813.56 mm Cargo Box (Area) Height 533.4 mm Tailgate Width N/A N/A Cargo Volume 1,968.02 L Ext'd Cab Cargo Volume



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17077. Data Updated: 22-Dec-2021 11:53:00 PST PM.