

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Window Sticker

### SUMMARY

[Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom MSRP:\$56,048.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

### OPTIONS

| CODE           | MODEL                                                                                          | MSRP        |
|----------------|------------------------------------------------------------------------------------------------|-------------|
| CK20743        | [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom                    | \$56,048.00 |
| <b>OPTIONS</b> |                                                                                                |             |
| 1CX            | Custom Preferred Equipment Group                                                               | \$0.00      |
| AE7            | Seats, front 40/20/40 split-bench                                                              | \$0.00      |
| BTV            | Remote vehicle starter system                                                                  | Inc.        |
| C49            | Defogger, rear-window electric                                                                 | Inc.        |
| CGN            | Chevytec spray-on bedliner                                                                     | Inc.        |
| CMT            | Gooseneck/5th Wheel Package                                                                    | \$1,255.00  |
| DRZ            | Rear Camera Mirror, inside rearview auto-dimming                                               | \$550.00    |
| DWI            | Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass | Inc.        |
| F60            | Heavy Duty Front Spring/Camper Package                                                         | \$55.00     |
| GAZ            | Summit White                                                                                   | \$0.00      |
| GT4            | Rear axle, 3.73 ratio                                                                          | \$0.00      |
| H1T            | Jet Black, Cloth seat trim                                                                     | \$0.00      |
| IOR            | Audio system, Chevrolet Infotainment 3 system                                                  | \$0.00      |
| JGF            | GVWR, 10,650 lbs. (4831 kg)                                                                    | Inc.        |
| JL1            | Trailer brake controller, integrated                                                           | Inc.        |
| K05            | Engine block heater                                                                            | \$195.00    |
| K4B            | Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr                                           | \$160.00    |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

|     |                                                         |      |            |
|-----|---------------------------------------------------------|------|------------|
| KHF | Alternators, dual, 220-amps primary, 170-amps auxiliary |      | \$440.00   |
| L8T | Engine, 6.6L V8                                         |      | \$0.00     |
| MYD | Transmission, 6-speed automatic, heavy-duty             |      | \$0.00     |
| PCX | Custom Convenience Package                              | Inc. |            |
| PDB | LPO, Dark Essentials Package                            |      | \$610.00   |
| PDX | Custom Value Package                                    |      | \$2,385.00 |
| QT5 | Tailgate, gate function manual with EZ Lift             | Inc. |            |
| R7O | Seat, Cloth Rear with Storage Package                   |      | \$260.00   |
| RGE | Safety Confidence Package                               |      | \$480.00   |
| RIK | LPO, Black nameplates                                   | Inc. |            |
| SB7 | LPO, Black tailgate lettering                           | Inc. |            |
| SFE | LPO, Wheel locks, set of 4                              |      | \$80.00    |
| SFZ | LPO, Black Bowtie Emblem, front                         | Inc. |            |
| U2K | SiriusXM                                                | Inc. |            |
| UDD | Driver Information Centre, 4.2" diagonal colour display | Inc. |            |
| UE1 | OnStar and Chevrolet connected services capable         | Inc. |            |
| UEU | Forward Collision Alert                                 | Inc. |            |
| UF2 | LED Cargo Area Lighting                                 | Inc. |            |
| UHY | Automatic Emergency Braking                             | Inc. |            |
| UK3 | Steering wheel audio controls                           | Inc. |            |
| VQK | LPO, Moulded splash guards, Black                       |      | \$255.00   |
| VV4 | Wi-Fi Hotspot capable                                   | Inc. |            |
| Z6A | Gooseneck/5th Wheel Prep Package                        | Inc. |            |
| ZLA | Infotainment Package                                    | Inc. |            |
| —   | Federal air conditioning excise tax                     |      | \$100.00   |
| —   | Compass                                                 | Inc. |            |
| —   | Chevrolet Connected Access capable                      | Inc. |            |

|                    |                    |
|--------------------|--------------------|
| <b>SUBTOTAL</b>    | <b>\$62,773.00</b> |
| Adjustments Total  | \$0.00             |
| Vehicle Tax        | \$100.00           |
| Destination Charge | \$1,950.00         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.



## ONTARIO MOTOR SALES

— CHEVROLET CADILLAC —

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

**TOTAL PRICE**

**\$64,823.00**

### FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Standard Equipment

### Package

Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance

### Mechanical

Durabed, pickup bed

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

GVWR, 10,650 lbs. (4831 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20943 and (L8T) 6.6L V8 gas engine with 17" wheels.)

Air filter, heavy-duty

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Auto-locking rear differential

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine.)

### Exterior

Wheels, 20" (50.8 cm) machined aluminum with Grazen Metallic painted accents, 10-spoke

Tires, LT275/65R20 all-terrain, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Exterior

|                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tire, spare LT275/70R18 all-terrain, blackwall                                                                                                                                 |
| Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door                                                                                              |
| Bumper, front (High gloss Black.)                                                                                                                                              |
| Bumper, rear (High gloss Black.)                                                                                                                                               |
| CornerStep, rear bumper                                                                                                                                                        |
| BedStep, Black integrated on forward portion of bed on driver and passenger side                                                                                               |
| Mouldings, beltline, Black                                                                                                                                                     |
| Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner                                                                                                             |
| Grille (Front grille bar with "CHEVROLET" painted body colour. Includes body colour surround and Black mesh inserts with small Gold bowtie emblem.)                            |
| Headlamps, halogen reflector with halogen Daytime Running Lamps                                                                                                                |
| Taillamps with incandescent tail, stop and reverse lights                                                                                                                      |
| Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel                                                 |
| Mirrors, outside power-adjustable vertical trailing with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) |
| Mirror caps, Black                                                                                                                                                             |
| Glass, deep-tinted                                                                                                                                                             |
| Tailgate, standard                                                                                                                                                             |
| Tailgate and bed rail protection cap, top                                                                                                                                      |
| Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCX) Custom Convenience Package is ordered.)        |
| Tailgate, gate function manual, no EZ Lift                                                                                                                                     |
| Door handles, Black grained                                                                                                                                                    |

## Entertainment

|                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD) |
| Audio system feature, 6-speaker system                                                                                                                                                                                                                                                  |
| Bluetooth for phone connectivity to vehicle infotainment system                                                                                                                                                                                                                         |

## Interior

|                                                                                              |
|----------------------------------------------------------------------------------------------|
| Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD) |
|----------------------------------------------------------------------------------------------|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Interior

Cloth seat trim

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting

Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)

Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Centre, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Rear Seat Reminder

Window, power front, drivers express up/down

Window, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote Keyless Entry with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

USB ports, 2 (first row) located on instrument panel

Power outlet, front auxiliary, 12-volt

Air conditioning, single-zone

Air vents, rear, heating/cooling

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

## Safety-Mechanical

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

## Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (✔ Complete)

### Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Rear Vision Camera

Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

### Processing-Other

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering

### WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 2500/3500 HD Pickups with a 6.6L Duramax Turbo-Diesel Engine: 5 years/160,000 km

## Technical Specifications

### Powertrain

#### Transmission

|                               |                  |                         |           |
|-------------------------------|------------------|-------------------------|-----------|
| Drivetrain                    | Four Wheel Drive | Trans Order Code        | MYD       |
| Trans Type                    | 6                | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A              | First Gear Ratio (:1)   | 4.03      |
| Second Gear Ratio (:1)        | 2.36             | Third Gear Ratio (:1)   | 1.53      |
| Fourth Gear Ratio (:1)        | 1.15             | Fifth Gear Ratio (:1)   | 0.85      |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Powertrain

### Transmission

|                                     |      |                                    |                |
|-------------------------------------|------|------------------------------------|----------------|
| Sixth Gear Ratio (:1)               | 0.67 | Reverse Ratio (:1)                 | 3.06           |
| Clutch Size                         | N/A  | Trans Power Take Off               | N/A            |
| Final Drive Axle Ratio (:1)         | N/A  | Transfer Case Model                | Magna MP1625/6 |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | 2.72           |
| Transfer Case Power Take Off        | N/A  |                                    |                |

### Mileage

|                           |     |                          |     |
|---------------------------|-----|--------------------------|-----|
| EnerGuide Estimate - City | N/A | EnerGuide Estimate - Hwy | N/A |
| Cruising Range - City     | N/A | Cruising Range - Hwy     | N/A |
| Estimated Battery Range   | N/A |                          |     |

### Engine

|                          |            |                      |                  |
|--------------------------|------------|----------------------|------------------|
| Engine Order Code        | L8T        | Engine Type          | Gas V8           |
| Displacement             | 6.6L/400   | Fuel System          | Direct Injection |
| SAE Net Horsepower @ RPM | 401 @ 5200 | SAE Net Torque @ RPM | 464 @ 4000       |
| Engine Oil Cooler        | Yes        |                      |                  |

### Electrical

|                                     |     |                                 |     |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 720 | Cold Cranking Amps @ 0° F (2nd) | 730 |
| Maximum Alternator Capacity (amps)  | 390 | Cold Cranking Amps @ 0° F (3rd) | N/A |

### Cooling System

|                               |     |  |  |
|-------------------------------|-----|--|--|
| Total Cooling System Capacity | N/A |  |  |
|-------------------------------|-----|--|--|

## Vehicle

### Emissions

|                                      |     |                       |     |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | N/A |
|--------------------------------------|-----|-----------------------|-----|

## Chassis

### Weight Information

|                         |          |                        |          |
|-------------------------|----------|------------------------|----------|
| Standard Weight - Front | 24.49 kg | Standard Weight - Rear | 31.75 kg |
|-------------------------|----------|------------------------|----------|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.



Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Chassis

### Weight Information

|                               |             |                              |             |
|-------------------------------|-------------|------------------------------|-------------|
| Gross Axle Wt Rating - Front  | 2,358.72 kg | Gross Axle Wt Rating - Rear  | 2,993.76 kg |
| Curb Weight - Front           | 1,745.91 kg | Curb Weight - Rear           | 1,262.82 kg |
| Option Weight - Front         | 20.41 kg    | Option Weight - Rear         | 83.01 kg    |
| Reserve Axle Capacity - Front | 567.91 kg   | Reserve Axle Capacity - Rear | 1,616.18 kg |
| As Spec'd Curb Weight         | 3,168.4 kg  | As Spec'd Payload            | 1,662.44 kg |
| Maximum Payload Capacity      | 1,822.11 kg | Gross Combined Wt Rating     | 10,886.4 kg |
| Gross Axle Weight Rating      | 5,352.48 kg | Curb Weight                  | 3,008.73 kg |
| Reserve Axle Capacity         | 2,184.08 kg | Total Option Weight          | 103.42 kg   |
| Payload Weight Front          | 0 kg        | Payload Weight Rear          | 0 kg        |
| Gross Vehicle Weight Rating   | 4,830.84 kg |                              |             |

### Trailer

|                                         |            |                                        |            |
|-----------------------------------------|------------|----------------------------------------|------------|
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg   | Dead Weight Hitch - Max Tongue Wt.     | 226.8 kg   |
| Wt Distributing Hitch - Max Trailer Wt. | 6,577.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 657.72 kg  |
| Fifth Wheel Hitch - Max Trailer Wt.     | N/A        | Maximum Trailering Capacity            | 8,391.6 kg |
| Fifth Wheel Hitch - Max Tongue Wt.      | N/A        |                                        |            |

### Frame

|                 |             |                         |     |
|-----------------|-------------|-------------------------|-----|
| Frame Type      | Hydroformed | Sect Modulus Rails Only | N/A |
| Frame RBM       | N/A         | Frame Strength          | N/A |
| Frame Thickness | N/A         |                         |     |

### Suspension

|                                 |                |                                |                    |
|---------------------------------|----------------|--------------------------------|--------------------|
| Suspension Type - Front         | Short/Long Arm | Suspension Type - Rear         | Multi-Leaf Springs |
| Spring Capacity - Front         | N/A            | Spring Capacity - Rear         | N/A                |
| Axle Type - Front               | N/A            | Axle Type - Rear               | N/A                |
| Axle Capacity - Front           | N/A            | Axle Capacity - Rear           | N/A                |
| Axle Ratio (:1) - Front         | 3.73           | Axle Ratio (:1) - Rear         | 3.73               |
| Shock Absorber Diameter - Front | 51.0 mm        | Shock Absorber Diameter - Rear | 51.0 mm            |
| Stabilizer Bar Diameter - Front | 35.05 mm       | Stabilizer Bar Diameter - Rear | N/A                |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Chassis

### Tires

|                                  |             |                                   |             |
|----------------------------------|-------------|-----------------------------------|-------------|
| Front Tire Order Code            | QF9         | Rear Tire Order Code              | QF9         |
| Spare Tire Order Code            | ZYG         | Front Tire Size                   | LT275/65R20 |
| Rear Tire Size                   | LT275/65R20 | Spare Tire Size                   | LT275/70R18 |
| Front Tire Capacity              | N/A         | Rear Tire Capacity                | N/A         |
| Spare Tire Capacity              | N/A         | Revolutions/Mile @ 45 mph - Front | N/A         |
| Revolutions/Mile @ 45 mph - Rear | N/A         | Revolutions/Mile @ 45 mph - Spare | N/A         |

### Wheels

|                     |               |                      |               |
|---------------------|---------------|----------------------|---------------|
| Front Wheel Size    | 20 x -TBD- in | Rear Wheel Size      | 20 x -TBD- in |
| Spare Wheel Size    | 18 x -TBD- in | Front Wheel Material | Aluminum      |
| Rear Wheel Material | Aluminum      | Spare Wheel Material | Steel         |

### Steering

|                                 |     |                                 |         |
|---------------------------------|-----|---------------------------------|---------|
| Steering Type                   | Pwr | Steering Ratio (:1), On Centre  | N/A     |
| Steering Ratio (:1), At Lock    | N/A | Turning Diameter - Curb to Curb | 16.06 m |
| Turning Diameter - Wall to Wall | N/A |                                 |         |

### Brakes

|                                   |                   |                                    |                  |
|-----------------------------------|-------------------|------------------------------------|------------------|
| Brake Type                        | Pwr               | Brake ABS System                   | 4-Wheel          |
| Brake ABS System (Second Line)    | N/A               | Disc - Front (Yes or )             | Yes              |
| Disc - Rear (Yes or )             | Yes               | Front Brake Rotor Diam x Thickness | 355.6 x 40.64 mm |
| Rear Brake Rotor Diam x Thickness | 358.14 x 33.02 mm | Drum - Rear (Yes or )              | N/A              |
| Rear Drum Diam x Width            | N/A               |                                    |                  |

### Fuel Tank

|                            |       |                                |     |
|----------------------------|-------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 136 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location         | N/A   | Aux Fuel Tank Location         | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" Custom (  Complete )

## Dimensions

### Interior Dimensions

|                    |             |                      |             |
|--------------------|-------------|----------------------|-------------|
| Passenger Capacity | 6           | Front Head Room      | 1,092.96 mm |
| Front Leg Room     | 1,131.06 mm | Front Shoulder Room  | 1,676.91 mm |
| Front Hip Room     | 1,553.97 mm | Second Head Room     | 1,019.05 mm |
| Second Leg Room    | 1,102.36 mm | Second Shoulder Room | 1,658.62 mm |
| Second Hip Room    | 1,530.1 mm  |                      |             |

### Exterior Dimensions

|                             |             |                                 |             |
|-----------------------------|-------------|---------------------------------|-------------|
| Wheelbase                   | 4,037.08 mm | Length, Overall w/o rear bumper | N/A         |
| Length, Overall             | 6,348.73 mm | Width, Max w/o mirrors          | 2,078.99 mm |
| Height, Overall             | 2,027.43 mm | Overhang, Front                 | N/A         |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab     | N/A         |
| Cab to Axle                 | 1,069.34 mm | Cab to End of Frame             | N/A         |
| Ground to Top of Load Floor | N/A         | Ground to Top of Frame          | N/A         |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 257.05 mm   |
| Ground Clearance, Rear      | 257.05 mm   | Body Length                     | 0 m         |
| Cab to Body                 | N/A         |                                 |             |

### Cargo Area Dimensions

|                          |             |                                 |             |
|--------------------------|-------------|---------------------------------|-------------|
| Cargo Box Length @ Floor | 2,089.15 mm | Cargo Box Width @ Top, Rear     | N/A         |
| Cargo Box Width @ Floor  | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,316.99 mm |
| Cargo Box (Area) Height  | 533.4 mm    | Tailgate Width                  | N/A         |
| Cargo Volume             | 1,968.02 L  | Ext'd Cab Cargo Volume          | N/A         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 17262. Data Updated: 17-Jan-2022 11:32:00 PST PM.