



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LT

MSRP:\$51,548.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Silver Ice Metallic

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6

Transmission, 10-speed automatic, electronically controlled

OPTIONS

• •	10110			
	CODE	MODEL		MSRP
	CK18543	[Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LT		\$51,548.00
		OPTIONS		
	00G	Not Equipped with Heated Steering Wheel		-\$25.00
	00V	Not Equipped with Heated or Ventilated Front Seats, see dealer for details		-\$50.00
	1LT	LT Preferred Equipment Group		\$0.00
	AZ3	Seats, front 40/20/40 split-bench		\$0.00
	BTV	Remote vehicle starter system		\$0.00
	C49	Defogger, rear-window electric		\$0.00
	C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.	
	GAN	Silver Ice Metallic		\$0.00
	GU5	Rear axle, 3.23 ratio	Inc.	
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOR	Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo		\$0.00
	K05	Engine block heater	Inc.	
	LM2	Engine, Duramax 3.0L Turbo-Diesel I6		\$3,580.00
	MQB	Transmission, 10-speed automatic, electronically controlled	Inc.	
	PDB	LPO, Dark Essentials Package		\$565.00
	QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.



Wheels, 22" transit steel wheels for LPO 22" wheels and tires		\$0.00
LPO, Black nameplates	Inc.	
LPO, Black tailgate lettering	Inc.	
LPO, 22" (55.9 cm) Bright chrome wheels		\$4,395.00
LPO, Black Bowtie Emblem, front	Inc.	
LPO, Underseat storage		\$350.00
LPO, Moulded splash guards, Black		\$250.00
LPO, Assist steps - 4" chromed round		\$925.00
Tires, 275/50R22SL all-season, blackwall		\$0.00
Federal air conditioning excise tax		\$100.00
Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
SUBTOTAL		\$61,538.00
Adjustments Total		\$0.00
Vehicle Tax		\$100.00
Destination Charge		\$1,950.00
TOTAL PRICE		\$63,588.00

FUEL ECONOMY

Est City:10.5 L/100 km

Est Highway: 9.1 L/100 km

Est Highway Cruising Range:999.46 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.



Package

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 LTD (CK18543) 4WD Crew Cab 147" LT (✓ Complete)



Standard Equipment

	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	True North Edition
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel and (N37) manual tilt/telescoping steering column (Vehicles built prior to 11-15-2021 not equipped with (RG4) Fleet LT Base Content Package Delete include heated driver and front outboard passenger seats. Certain vehicles built on or after 11-15-2021 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. Vehicles built prior to 12-6-2021 not equipped with (RG4) Fleet LT Base Content Package Delete include heated steering wheel. Vehicles built on or after 12-6-2021 will be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle. Includes (USS) 2 charge-only USB ports for second row, (C49) rear-window defogger, (KPA) auxiliary power outlet, (AVJ) Keyless Open and Start, (BTV) Remote Start, (UTJ) content theft alarm, (AZ3) front 40/20/40 split-bench with under-seat storage and (UF2) bed LED cargo area lighting. Deleted when (RG4) Fleet LT Base Content Package Delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque [471 Nm] @ 1500 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine.)
	Rear axle, 3.42 ratio (Included with (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.

Page 3 7-Feb-2022



Mechanical	
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models only.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Chrome bars with high gloss Black mesh inserts.)
	Headlamps, LED reflector with LED signature Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes Perimeter Lighting.)
	Mirror caps, chrome (Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	

Audio System, Chevrolet Infotainment 3 System, 8" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, wired Apple CarPlay and Android Auto capable (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





Entertainment	
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated (Vehicles built prior to 12-6-2021 include heated steering wheel. Vehicles built on or after 12-6-2021 will be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





Interior	
IIILEIIOI	Windows a superior development of the superior development
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Power outlet, rear auxiliary, 12-volt
	USB ports, dual, charge-only (2nd row)
	Air conditioning, dual-zone automatic climate control (Vehicles built prior to 11-1-2021 will include (00D) Not Equipped with Climate Control Knob Digital Temperature Display, which removes the digital temperatures displayed on the Climate Control Knobs.)
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob. to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a

3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Transmission

Powertrain

Drivetrain	Four Wheel Drive	Trans Order Code	MQB
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.



	4		
(\	Com	plete

owertrain			
<i>l</i> lileage			
EnerGuide Estimate - City	10.5 L/100 km	EnerGuide Estimate - Hwy	9.1 L/100
Cruising Range - City	866.19 km	Cruising Range - Hwy	999.46 km
Estimated Battery Range	N/A		
Engine			
Engine Order Code	LM2	Engine Type	Turbochar Diesel I6
Displacement	3.0L/183	Fuel System	Direct Inje
SAE Net Horsepower @ RPM	277 @ 3750	SAE Net Torque @ RPM	460 @ 150
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	265
hassis			
Veight Information			
Standard Weight - Front	16.78 kg	Standard Weight - Rear	22.68 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68
Curb Weight - Front	1,287.77 kg	Curb Weight - Rear	896.77 kg
Option Weight - Front	118.39 kg	Option Weight - Rear	82.1 kg
Reserve Axle Capacity - Front	300.74 kg	Reserve Axle Capacity - Rear	722.13 kg
As Spec'd Curb Weight	2,424.49 kg	As Spec'd Payload	841.43 kg
Maximum Payload Capacity	1,081.38 kg	Gross Combined Wt Rating	6,804 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





nassis				
Veight Information				
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,184.54 kg	
Reserve Axle Capacity	1,022.87 kg	Total Option Weight	200.49 kg	
Payload Weight Front	0 kg	Payload Weight Rear	0 kg	
Gross Vehicle Weight Rating	3,265.92 kg			
railering				
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg	
Wt Distributing Hitch - Max Trailer Wt.	4,082.4 kg	Wt Distributing Hitch - Max Tongue Wt.	408.24 kg	
Fifth Wheel Hitch - Max Trailer Wt.	3,538.08 kg	Maximum Trailering Capacity	5,034.96 kg	
Fifth Wheel Hitch - Max Tongue Wt.	884.52 kg			
rame				
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A	
Frame RBM	N/A	Frame Strength	N/A	
Frame Thickness	N/A			
Suspension				
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle	
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg	
Axle Type - Front	N/A	Axle Type - Rear	N/A	
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg	
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23	
Shock Absorber Diameter - Front	50.0 mm	Shock Absorber Diameter - Rear	50.0 mm	
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A	
ïres				
Front Tire Order Code	XCE	Rear Tire Order Code	XCE	
Spare Tire Order Code	QAQ	Front Tire Size	275/50R22SL	
Rear Tire Size	275/50R22SL	Spare Tire Size	255/80R17SL	
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg	
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





Front Wheel Size 22" x -TBD- in Rear Wheel Size Spare Wheel Size 17" x 8" in Front Wheel Material Rear Wheel Material Aluminum Spare Wheel Material Pare Wheel Material Spare Wheel Material Spare Wheel Material Spare Wheel Material Spare Wheel Material Pare Wheel Material Spare Wheel Material Spare Wheel Material Spare Wheel Material Spare Wheel Material Turning Dian to Curb Whee	
Front Wheel Size 22" x -TBD- in Rear Wheel Size Spare Wheel Size 17" x 8" in Front Wheel Material Rear Wheel Material Aluminum Spare Wheel Material Steering Steering Type Electric Rack & Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Turning Diameter - Wall to Wall N/A Takes Brake Type Pwr Brake ABS System Brake ABS System (Second Line) N/A Disc - Front (Yes or) Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location Terring Dimensions terrior Dimensions Front Head Room	
Front Wheel Size 22" x -TBD- in Rear Wheel Size Spare Wheel Size 17" x 8" in Front Wheel Material Rear Wheel Material Aluminum Spare Wheel Material Turning Dian to the particular of t	N/A
Spare Wheel Size 17" x 8" in Front Wheel Material Rear Wheel Material Aluminum Spare Wheel Material teering Steering Type Electric Rack & Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Turning Diameter - Wall to Wall N/A rakes Brake Type Pwr Brake ABS System Brake ABS System (Second Line) N/A Disc - Front (Yes or) Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A uel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location mensions terrior Dimensions Passenger Capacity 6 Front Head Room	
Rear Wheel Material Aluminum Spare Wheel Material teering Steering Type Electric Rack & Pinion Steering Ratio (:1), On Centre Pinion Turning Diameter - Curb to Curb Turning Diameter - Wall to Wall N/A Parakes Brake Type Brake ABS System Brake ABS System (Second Line) Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width N/A Puel Tank Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location Mensions Reser Dimensions Passenger Capacity 6 Front Head Room	22" x -TBD- ir
Steering Type Electric Rack & Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb Turning Diameter - Wall to Wall N/A Takes Brake Type Brake ABS System (Second Line) Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width N/A Turning Diameter - Curb to Curb N/A Disc - Front (Yes or) Front Brake ABS System Drum - Rear (Yes or) Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb N/A Disc - Front (Yes or) Thickness Front Brake ABS System Drum - Rear (Yes or) Turning Diameter - Curb to Curb Abs System Disc - Front (Yes or) Thickness Assume ABS System Disc - Front Brake Rotor Diam x Thickness Aux Fuel Tank Capacity, Approx Fuel Tank Capacity, Approx Aux Fuel Tank Location Turning Diameter - Curb to Curb Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location Turning Diameter - Curb to Curb Turnin	Aluminum
Steering Type Electric Rack & Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb Diameter - Curb to Curb N/A Disc - Rear ABS System Disc - Front (Yes or) Front Brake ABS System Drum - Rear (Yes or) Turning Diameter - Curb to Curb Turning	N/A
Pinion Steering Ratio (:1), At Lock Turning Diameter - Wall to Wall N/A Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb N/A Turning Diameter - Curb to Curb Turning Diameter - Curb to Curb N/A Frakes Brake ABS System Brake ABS System Disc - Front (Yes or) Pesser Front Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location Mensions Aux Fuel Tank Location Front Head Room	
Turning Diameter - Wall to Wall N/A rakes Brake Type	N/A
Brake Type Pwr Brake ABS System Brake ABS System (Second Line) N/A Disc - Front (Yes or) Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A Luel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location Mensions Aux Fuel Tank Location Front Head Room	14.3 m
Brake Type Pwr Brake ABS System Brake ABS System (Second Line) N/A Disc - Front (Yes or) Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location mensions terior Dimensions Passenger Capacity 6 Front Head Room	
Brake ABS System (Second Line) Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width N/A Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location Mensions Passenger Capacity 6 Front Head Room	
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness 345.44 x 20.07 pmm Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location mensions Aux Fuel Tank Location Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx Aux Fuel Tank Capacity, Approx Front Head Room	4-Wheel
Rear Brake Rotor Diam x Thickness 345.44 x 20.07 mm Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location mensions Aux Fuel Tank Location Front Head Room	Yes
Rear Drum Diam x Width N/A Well Tank Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location Mensions Merrior Dimensions Passenger Capacity 6 Front Head Room	342.9 x 29.97
Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location Mensions Aux Fuel Tank Location Front Head Room	N/A
Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location mensions terior Dimensions Passenger Capacity 6 Front Head Room	
Fuel Tank Location N/A Aux Fuel Tank Location mensions Iterior Dimensions Passenger Capacity 6 Front Head Room	
mensions Interior Dimensions Passenger Capacity 6 Front Head Room	N/A
Passenger Capacity 6 Front Head Room	N/A
	1,092.96 mm
Front Leg Room 1,131.06 mm Front Shoulder Room	1,676.91 mm
Front Hip Room 1,553.97 mm Second Head Room	1,019.05 mm
Second Leg Room 1,102.36 mm Second Shoulder Room	1,655.06 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.





Dimensions

Interior	I)ime	ทรเกทร

Second Hip Room 1,530.1 mm

Exterior Dimensions

Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,885.18 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.49 mm
Ground Clearance, Rear	205.49 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 17428. Data Updated: 7-Feb-2022 12:48:00 PST AM.