


Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2

MSRP:\$75,248.00

Interior:Jet Black/Graystone, Perforated Leather seating surfaces

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 6.2L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

| CODE | MODEL | MSRP |
|----------------|--|-------------|
| CK10543 | [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 | \$75,248.00 |
| OPTIONS | | |
| 00G | Not Equipped with Heated Steering Wheel, see dealer for details | -\$25.00 |
| 00Y | Not Equipped with Rear Park Assist, see dealer for details | -\$50.00 |
| 3LT | ZR2 Preferred Equipment Group | \$0.00 |
| A50 | Seats, front bucket | \$0.00 |
| CF5 | Sunroof, power | \$1,325.00 |
| CWM | Technology Package | \$2,355.00 |
| DRZ | Rear Camera Mirror, inside rearview auto-dimming | Inc. |
| G7C | Red Hot | \$0.00 |
| GU5 | Rear axle, 3.23 ratio | \$0.00 |
| H37 | Jet Black/Graystone, Perforated Leather seating surfaces | \$0.00 |
| IOK | Audio system, Chevrolet Infotainment 3 Premium system | \$0.00 |
| KSG | Adaptive Cruise Control | Inc. |
| L87 | Engine, 6.2L EcoTec3 V8 | \$0.00 |
| MHS | Transmission, 10-speed automatic with Electronic Transmission Range Selector | \$0.00 |
| N38 | Steering column, power tilt and telescoping | Inc. |
| QFL | Tires, LT275/70R18 blackwall Goodyear Wrangler Territory MT | \$0.00 |
| QK2 | Tailgate, Multi-Flex | \$525.00 |




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.



ONTARIO MOTOR SALES

CHEVROLET CADILLAC

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

| | | |
|-------|---|----------|
| RCW | Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) aluminum machined face | \$0.00 |
| RVS | LPO, Assist steps - 4" Black - round | \$935.00 |
| UV6 | Multicolour 15" Diagonal Head-Up Display | Inc. |
| _____ | Federal air conditioning excise tax | \$100.00 |

| | |
|--------------------|--------------------|
| SUBTOTAL | \$80,313.00 |
| Adjustments Total | \$0.00 |
| Vehicle Tax | \$100.00 |
| Destination Charge | \$1,950.00 |
| TOTAL PRICE | \$82,363.00 |

FUEL ECONOMY


Est City:16.7 L/100 km

Est Highway:14.1 L/100 km

Est Highway Cruising Range:170.12 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Standard Equipment

Package

Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance

Mechanical

Durabed, pickup bed

Engine, 6.2L EcoTec3 V8 (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 Nm] @ 4100 rpm); featuring Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency

Transmission, 10-speed automatic with Electronic Transmission Range Selector (ETRS), electronically controlled with overdrive, tow-haul mode and steering column paddle shifters. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)

GVWR, 7100 lbs. (3221 kg)

Rear axle, 3.23 ratio

Automatic Stop/Start

Push Button Start

Shifter, Electronic Transmission Range Selector includes steering column paddle shifters

Hill Descent Control

Transfer case, two-speed electronic Autotrac with push button control (4WD models only) (Includes Terrain Mode.)

Differential, driver-selectable full-locking front

Differential, driver-selectable full-locking rear

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Air filter, heavy-duty

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 170 amps

Trailer brake controller, integrated

Skid Plates


Frame, fully-boxed, hydroformed front section

ZR2 Suspension Package, High-Performance lifted suspension with Multimatic DSSV dampers

Steering, Electric Power Steering (EPS) assist, rack-and-pinion



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Mechanical

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, dual with polished outlets (Exhaust ends high under rear bumper with no exposed exhaust tips.)

Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) aluminum machined face with Black Painted spokes and Oxide Gold painted outer ring accents

Tires, LT275/70R18 blackwall Goodyear Wrangler Territory MT (STD)

Tire, spare LT275/70R18 all-terrain, blackwall

Wheel, 18" aluminum spare

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front (High gloss Black.)

Bumper, rear (High gloss Black.)

CornerStep, rear bumper

Recovery hooks, performance Red

Chevytec spray-on bedliner, Black with Chevrolet logo (does not include spray-on liner on tailgate due to Black composite inner panel)

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Wheelhouse liners, rear

Black Bowtie, (front grille)

Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps and White tracer animation (Includes Black bezel.)

IntelliBeam, automatic high beam on/off

Fog lamps, front, LED

Lighting, perimeter

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)

LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob


Taillamps, LED with signature, animation and incandescent reverse lights

Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory

Mirror caps, painted (High gloss Black. Not available with (DQS) trailering mirrors.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Exterior

Glass, deep-tinted

Wipers, front rain-sensing

Door handles, body-colour (High gloss Black.)

Tailgate and bed rail protection cap, top

Tailgate, standard

Tailgate, gate function manual with EZ Lift includes power lock and release

Entertainment

Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)

SiriusXM

SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)

Bose Sound System, premium 7-speaker system with Richbass woofer

Wireless Phone Projection for Apple CarPlay and Android Auto

Bluetooth for phone, connectivity to vehicle infotainment system

Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Interior

Seats, front bucket with centre console (STD) (Includes (EPH) Electronic Transmission Range Selector (console mounted).)

Seat trim, Perforated leather seating surfaces

Seat adjuster, driver 10-way power including lumbar

Seat adjuster, passenger 10-way power including lumbar

Seating, heated driver and front outboard passenger


Seats, ventilated driver and front passenger

Driver memory recalls driver "presets" for power driver seat and outside mirrors

Seats, heated second row outboard seats



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Interior

Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width underseat storage, (includes child seat top tether anchor) (Rear seat features leather seating surfaces.)

Centre Console, floor-mounted with cup holders, Wireless Charging, power cord management, hanging file folder capability; includes removable storage tray (Includes (EPH) Electronic Transmission Range Selector (console mounted).)

Floor covering, colour-keyed carpeting

LPO, All-weather floor liners 1st and 2nd rows on Crew Cab and Double Cab, (includes Chevrolet Bowtie logo), [Replaces factory floor mats]

Steering wheel, leather-wrapped

Steering wheel, heated (Certain vehicles may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)

Steering wheel audio controls

Steering column, manual tilt and telescoping

Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display

Exterior Temperature Display located in radio display

Compass located in instrument cluster

Rear Seat Reminder

Window, power front, drivers express up/down

Window, power front, passenger express up/down

Windows, power rear, express down

Window, power, rear sliding with rear defogger

Door locks, power

Remote vehicle starter system

Keyless Open and Start

Universal Home Remote

Cruise control, electronic with set and resume speed, steering wheel-mounted

Theft-deterrent system, unauthorized entry


Wireless Charging (Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)

Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)

USB Ports, 2, Charge/Data ports located on the instrument panel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Interior

USB Ports, 2, Charge/Data ports located inside centre console

USB Ports, rear, dual, charge-only

Power outlet, bed mounted, 120-volt (400 watts shared with (K14) instrument panel mounted power outlet)

Air conditioning, dual-zone automatic climate control

Air vents, rear, heating/cooling

Defogger, rear-window electric

Mirror, inside rearview auto-dimming

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)

Safety-Mechanical

Automatic Emergency Braking

Front Pedestrian Braking

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Interior

Rear Cross Traffic Braking

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

Rear Park Assist, Ultrasonic (Certain vehicles may be forced to include (00Y) Not Equipped with Rear Park Assist, which removes Rear Park Assist. See dealer for details or the window label for the features on a specific vehicle.)

HD Surround Vision

Bed View Camera camera in the CHMSL to show a view of the cargo bed, includes Two Trailer Camera Provisions (Requires (PCM) Convenience Package II and (PQB) Safety Package.)

Trailer Camera Provisions

Trailer App


Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Hitch Guidance with hitch view

Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Safety-Interior

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Trailer Side Blind Zone Alert

Rear Pedestrian Alert

Safety Alert Seat

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L

Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and 1500 LD Pickups with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications


Powertrain

Transmission

| | | | |
|------------|------------------|-------------------------|--------------------------------|
| Drivetrain | Four Wheel Drive | Trans Order Code | MHS |
| Trans Type | 10 | Trans Description Cont. | Automatic w/Paddle Shifters |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Powertrain

Transmission

| | | | |
|-------------------------------------|------|------------------------------------|----------------|
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.69 |
| Second Gear Ratio (:1) | 2.98 | Third Gear Ratio (:1) | 2.15 |
| Fourth Gear Ratio (:1) | 1.8 | Fifth Gear Ratio (:1) | 1.52 |
| Sixth Gear Ratio (:1) | 1.28 | Reverse Ratio (:1) | 4.86 |
| Clutch Size | N/A | Trans Power Take Off | N/A |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | Magna MP3023/4 |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | 2.69 |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 1.00 |
| Eighth Gear Ratio (:1) | 0.85 | Ninth Gear Ratio (:1) | 0.69 |
| Tenth Gear Ratio (:1) | 0.63 | | |

Mileage

| | | | |
|---------------------------|---------------|--------------------------|---------------|
| EnerGuide Estimate - City | 16.7 L/100 km | EnerGuide Estimate - Hwy | 14.1 L/100 km |
| Cruising Range - City | 143.63 km | Cruising Range - Hwy | 170.12 km |
| Estimated Battery Range | N/A | | |

Engine

| | | | |
|--------------------------|------------|----------------------|------------------|
| Engine Order Code | L87 | Engine Type | Gas V8 |
| Displacement | 6.2L/376 | Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 420 @ 5600 | SAE Net Torque @ RPM | 460 @ 4100 |
| Engine Oil Cooler | N/A | | |

Electrical


| | | | |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 730 | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps) | 170 | Cold Cranking Amps @ 0° F (3rd) | N/A |

Cooling System

| | |
|-------------------------------|-----|
| Total Cooling System Capacity | N/A |
|-------------------------------|-----|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Vehicle

Emissions

| | | | |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 366 |
|--------------------------------------|-----|-----------------------|-----|

Chassis

Weight Information

| | | | |
|-------------------------------|-------------|------------------------------|-------------|
| Standard Weight - Front | 0 kg | Standard Weight - Rear | 0 kg |
| Gross Axle Wt Rating - Front | N/A | Gross Axle Wt Rating - Rear | N/A |
| Curb Weight - Front | 1,290.49 kg | Curb Weight - Rear | 898.58 kg |
| Option Weight - Front | 0 kg | Option Weight - Rear | 0 kg |
| Reserve Axle Capacity - Front | N/A | Reserve Axle Capacity - Rear | N/A |
| As Spec'd Curb Weight | 2,189.07 kg | As Spec'd Payload | 1,031.49 kg |
| Maximum Payload Capacity | 1,031.49 kg | Gross Combined Wt Rating | 6,804 kg |
| Gross Axle Weight Rating | N/A | Curb Weight | 2,189.07 kg |
| Reserve Axle Capacity | N/A | Total Option Weight | 0 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 3,220.56 kg | | |

Trailer

| | | | |
|---|-------------|--|-------------|
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 4,037.04 kg | Wt Distributing Hitch - Max Tongue Wt. | 403.7 kg |
| Fifth Wheel Hitch - Max Trailer Wt. | 2,903.04 kg | Maximum Trailering Capacity | 4,037.04 kg |
| Fifth Wheel Hitch - Max Tongue Wt. | 725.76 kg | | |

Frame


| | | | |
|-----------------|------------|-------------------------|-----|
| Frame Type | Box Ladder | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |

Suspension

| | | | |
|-------------------------|-------------|------------------------|------------|
| Suspension Type - Front | Independent | Suspension Type - Rear | Solid Axle |
| Spring Capacity - Front | N/A | Spring Capacity - Rear | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Chassis

Suspension

| | | | |
|---------------------------------|----------|--------------------------------|------|
| Axle Type - Front | N/A | Axle Type - Rear | N/A |
| Axle Capacity - Front | N/A | Axle Capacity - Rear | N/A |
| Axle Ratio (:1) - Front | 3.23 | Axle Ratio (:1) - Rear | 3.23 |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| Stabilizer Bar Diameter - Front | 33.02 mm | Stabilizer Bar Diameter - Rear | N/A |

Tires

| | | | |
|----------------------------------|-------------|-----------------------------------|-------------|
| Front Tire Order Code | QFL | Rear Tire Order Code | QFL |
| Spare Tire Order Code | RHF | Front Tire Size | LT275/70R18 |
| Rear Tire Size | LT275/70R18 | Spare Tire Size | LT275/70R18 |
| Front Tire Capacity | N/A | Rear Tire Capacity | N/A |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |

Wheels

| | | | |
|---------------------|---------------|----------------------|-------------|
| Front Wheel Size | 18 x 8.5 in | Rear Wheel Size | 18 x 8.5 in |
| Spare Wheel Size | 18 x -TBD- in | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Aluminum |

Steering


| | | | |
|---------------------------------|------------------------|---------------------------------|---------|
| Steering Type | Electric Rack & Pinion | Steering Ratio (:1), On Centre | N/A |
| Steering Ratio (:1), At Lock | N/A | Turning Diameter - Curb to Curb | 14.36 m |
| Turning Diameter - Wall to Wall | N/A | | |

Brakes

| | | | |
|-----------------------------------|-------------------|------------------------------------|------------------|
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 342.9 x 29.97 mm |
| Rear Brake Rotor Diam x Thickness | 345.44 x 20.07 mm | Drum - Rear (Yes or) | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" ZR2 ( Complete)

Chassis

Brakes

| | |
|------------------------|-----|
| Rear Drum Diam x Width | N/A |
|------------------------|-----|

Fuel Tank

| | | | |
|----------------------------|------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 24 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |

Dimensions

Interior Dimensions

| | | | |
|--------------------|-------------|----------------------|-------------|
| Passenger Capacity | 5 | Front Head Room | 1,092.96 mm |
| Front Leg Room | 1,131.06 mm | Front Shoulder Room | 1,638.81 mm |
| Front Hip Room | 1,543.81 mm | Second Head Room | 1,019.05 mm |
| Second Leg Room | 1,102.36 mm | Second Shoulder Room | 1,625.6 mm |
| Second Hip Room | 1,504.95 mm | | |

Exterior Dimensions

| | | | |
|-----------------------------|-------------|---------------------------------|------------|
| Wheelbase | 3,747.26 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,911.85 mm | Width, Max w/o mirrors | 2,063.5 mm |
| Height, Overall | 1,997.96 mm | Overhang, Front | N/A |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | N/A | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | N/A | Ground to Top of Frame | N/A |
| Frame Width, Rear | N/A | Ground Clearance, Front | 284.99 mm |
| Ground Clearance, Rear | 284.99 mm | Body Length | 0 m |
| Cab to Body | N/A | | |

Cargo Area Dimensions

| | | | |
|--------------------------|-------------|---------------------------------|----------|
| Cargo Box Length @ Floor | 1,775.97 mm | Cargo Box Width @ Top, Rear | N/A |
| Cargo Box Width @ Floor | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height | 568.96 mm | Tailgate Width | N/A |
| Cargo Volume | 1,781.13 L | Ext'd Cab Cargo Volume | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17691. Data Updated: 15-Mar-2022 12:54:00 PDT AM.