



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" RST

MSRP:\$59,948.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Dark Ash Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew 147" RST	Cab	\$59,948.00
	OPTIONS		
00V	Not Equipped with Heated Front Seats, see dealer for detail		-\$50.00
1SP	RST Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$715.00
AAK	LPO, All-weather floor liners, 1st and 2nd rows	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
C5Y	GVWR, 7100 lbs. (3221 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
D07	Centre Console, floor-mounted	Inc.	
EPH	Shifter, Electronic Transmission Range Selector	Inc.	
G6M	Dark Ash Metallic		\$495.00
GU5	Rear axle, 3.23 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
JHD	Hill Descent Control	Inc.	
K47	Air filter, heavy-duty	Inc.	
K4C	Wireless Charging	Inc.	
L84	Engine, 5.3L EcoTec3 V8		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



	TOTAL PRICE		\$66,413.00
	Destination Charge		\$2,095.00
	Vehicle Tax		\$100.00
	Adjustments Total		\$0.00
	SUBTOTAL		\$64,218.00
_	Federal air conditioning excise tax		\$100.00
Z71	Z71 Off-Road Package	Inc.	
YK9	Not Equipped with Dynamic Fuel Management, see dealer for details		-\$50.00
WPQ	Protection Package	Inc.	
UBC	USB Ports, 2, Charge/Data ports located inside centre console	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
RD5	Wheels, 20" x 9" (50.8 cm x 22.9 cm) High gloss Black painted aluminum		\$595.00
R7O	Seat, Cloth Rear with Storage Package		\$260.00
R7N	Not Equipped with Steering Column Lock, see dealer for details		-\$50.00
QK2	Tailgate, Multi-Flex		\$525.00
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
QAE	Tires, 275/60R20SL all-terrain, blackwall		\$0.00
PDZ	Z71 Off-Road and Protection Package		\$1,750.00
NZZ	Skid Plates	Inc.	
NQH	Transfer case, two-speed	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
MHS	Transmission, 10-speed automatic with Electronic Transmission Range Selector		\$0.00

FUEL ECONOMY

Est City:16.8 L/100 km

Est Highway:12.4 L/100 km

Est Highway Cruising Range:733.47 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	True North Edition
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel, (N37) manual tilt/telescoping steering column, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (UBI) 2 charge-only USB ports for second row, (C49) rear-window defogger, (AVJ) Keyless Open and Start, (BTV) Remote Start and (UTJ) content theft alarm (Upgradeable to (A50) bucket seats and includes (D07) centre console. Vehicles built prior to 3-14-2022 and after 4-24-2022 include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD) (Certain vehicles may be forced to include (YK9) Not Equipped with Dynamic Fuel Management. See dealer for details. Base engine on C*10*43 Crew Cab models.)
	Transmission, 10-speed automatic, electronically controlled with overdrive and tow-haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L84) 5.3L EcoTec3 V8 engine and (AZ3) bench seat.)
	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine, (L87) 6.2L EcoTec3 V8 engine or (LM2) Duramax 3.0L Turbo-Diesel I6 engine.)
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Push Button Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Included and only available with V8 engines.)
	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Page 3 13-Jul-2022



Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 engine. Not available with (NHT) Max Trailering Package, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (L3 2.7L Turbo engine.) Frame, fully-boxed, hydroformed front section Suspension Package, Standard Steering, Electric Power Steering (EPS) assist, rack-and-pinion Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake linning wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18* x 8.5* (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17* x 8* (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sid steering wheel (LED) LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
engine. Not available with (NHT) Max Trailering Package, (LM2) Duramax 3.0L Turbo-Diesel I6 engine or (LS 2.7L Turbo engine.) Frame, fully-boxed, hydroformed front section Suspension Package, Standard Steering, Electric Power Steering (EPS) assist, rack-and-pinion Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18* x 8.5* (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17* x 8* (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sids steering wheel (LED)
Suspension Package, Standard Steering, Electric Power Steering (EPS) assist, rack-and-pinion Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Steering, Electric Power Steering (EPS) assist, rack-and-pinion Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sids steering wheel (LED)
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sidsteering wheel (LED)
Brake lining wear indicator Capless Fuel Fill Exhaust, single outlet Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sids steering wheel (LED)
Capless Fuel Fill Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Exterior Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Tires, 265/65R18SL all-season, blackwall (STD) Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Tire, spare 265/70R17SL all-season, blackwall (STD) Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sidesteering wheel (LED)
Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left sides steering wheel (LED)
Bumper, front (Body-colour.) Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Bumper, rear (Body-colour.) CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
CornerStep, rear bumper Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Recovery hooks, front, frame-mounted, Black Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Black Bowtie, (front grille) Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
IntelliBeam, automatic high beam on/off Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Fog lamps, front, LED Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side steering wheel (LED)
steering wheel (LED)
LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
Taillamps, LED with signature, animation and incandescent reverse lights
Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes (U12) Perimeter Lighting.)
Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



Exterior	
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger (Vehicles built prior to 3-14-2022 and after 4-24-2022 will include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without later dealer retrofit to enable functionality. See dealer for details.)
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



√	Complete
----------	----------

Interior	
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, leather-wrapped
	Steering wheel, heated (Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, rear, dual, charge-only
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)





WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

Tran	amia	sion
Hall	211112	21011

Four Wheel Drive	Trans Order Code	MHS
10	Trans Description Cont.	Automatic w/Paddle Shifters
N/A	First Gear Ratio (:1)	4.69
2.98	Third Gear Ratio (:1)	2.15
1.8	Fifth Gear Ratio (:1)	1.52
1.28	Reverse Ratio (:1)	4.86
N/A	Trans Power Take Off	N/A
N/A	Transfer Case Model	Magna MP3023/4
1.00	Transfer Case Gear Ratio (:1), Low	2.69
N/A	Seventh Gear Ratio (:1)	1.00
0.85	Ninth Gear Ratio (:1)	0.69
0.63		
	10 N/A 2.98 1.8 1.28 N/A N/A 1.00 N/A 0.85	Trans Description Cont. N/A First Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.28 Reverse Ratio (:1) N/A Trans Power Take Off N/A Transfer Case Model 1.00 Transfer Case Gear Ratio (:1), Low N/A Seventh Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1)

Mileage

EnerGuide Estimate - City	16.8 L/100 km	EnerGuide Estimate - Hwy	12.4 L/100 km
Cruising Range - City	541.37 km	Cruising Range - Hwy	733.47 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



owertrain			
Mileage			
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Inj
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	347
hassis			
Weight Information			
Standard Weight - Front	62.6 kg	Standard Weight - Rear	26.31 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58 k
Option Weight - Front	29.48 kg	Option Weight - Rear	78.93 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	2,386.39 kg	As Spec'd Payload	834.17 k
Maximum Payload Capacity	1,031.49 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	N/A	Curb Weight	2,189.07



Reserve Axle Capacity

Payload Weight Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Total Option Weight

Payload Weight Rear

108.41 kg

0 kg

13-Jul-2022 Page 9

N/A

0 kg



(V	Complete
١		O 0p.o.co

Chassis

Gross Vehicle Weight Rating 3,220.56 kg

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,900.96 kg	Maximum Trailering Capacity	5,987.52 kg
Fifth Wheel Hitch - Max Tongue Wt.	975.24 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QAQ	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



Chassis			
Wheels			
Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.



Dimensions			
Exterior Dimensions			
Length, Overall	5,889.75 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.