

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Window Sticker

### SUMMARY

[Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck

MSRP:\$32,048.00

Interior:Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

### OPTIONS

| CODE           | MODEL                                                                | MSRP        |
|----------------|----------------------------------------------------------------------|-------------|
| 12M53          | [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck | \$32,048.00 |
| <b>OPTIONS</b> |                                                                      |             |
| 4WT            | Work Truck Preferred Equipment Group                                 | \$0.00      |
| 5GD            | Tow/Haul Mode                                                        | Inc.        |
| A91            | Tailgate, remote locking                                             | Inc.        |
| AR7            | Seats, front bucket                                                  | \$0.00      |
| ATG            | Remote Keyless Entry, extended range                                 | Inc.        |
| C4F            | GVWR, 5900 lbs. (2676 kg)                                            | Inc.        |
| CTT            | Hitch Guidance                                                       | Inc.        |
| G80            | Differential, automatic locking rear                                 | \$410.00    |
| GAZ            | Summit White                                                         | \$0.00      |
| GU6            | Rear axle, 3.42 ratio                                                | Inc.        |
| H2R            | Jet Black/Dark Ash, Cloth seat trim                                  | \$0.00      |
| IOR            | Audio system, Chevrolet Infotainment 3 System                        | \$0.00      |
| K34            | Cruise control, electronic, automatic                                | Inc.        |
| LGZ            | Engine, 3.6L DI DOHC V6 VVT                                          | \$1,650.00  |
| M5T            | Transmission, 8-speed automatic                                      | \$0.00      |
| PCN            | WT Convenience Package                                               | \$625.00    |
| PPA            | Tailgate, EZ-Lift and Lower                                          | Inc.        |
| QHR            | Tires, 255/65R17 all-season, blackwall                               | \$0.00      |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

|                    |                                                                  |      |                    |
|--------------------|------------------------------------------------------------------|------|--------------------|
| RAP                | Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel |      | \$0.00             |
| RM7                | Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel                  | Inc. |                    |
| UTJ                | Theft-deterrent system, unauthorized entry                       | Inc. |                    |
| Z82                | Trailer Package, heavy-duty                                      |      | \$295.00           |
| ZAO                | Tire, spare 255/65R17 all-season, blackwall                      |      | \$0.00             |
| —                  | Federal air conditioning excise tax                              |      | \$100.00           |
| <b>SUBTOTAL</b>    |                                                                  |      | <b>\$35,028.00</b> |
| Adjustments Total  |                                                                  |      | \$0.00             |
| Vehicle Tax        |                                                                  |      | \$100.00           |
| Destination Charge |                                                                  |      | \$2,095.00         |
| <b>TOTAL PRICE</b> |                                                                  |      | <b>\$37,223.00</b> |

#### FUEL ECONOMY

Est City:14.0 L/100 km

Est Highway:9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Standard Equipment

### Mechanical

Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab models.)

Transmission, 6-speed automatic, HMD, 6L50 (STD) (Included and only available with (LCV) 2.5L I4 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)

Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab models.)

GVWR, 5600 lbs. (2540 kg) (STD) (Standard on Extended Cab models with (LCV) 2.5L I4 engine only.)

Transfer case, electric, 2-speed

Four wheel drive

Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)

Recovery hooks, front

Frame, fully-boxed

Pickup box

Steering, Electric Power Steering (EPS) assist

Brakes, 4-wheel antilock, 4-wheel disc

### Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel (STD)

Tires, 255/65R17 all-season, blackwall (STD)

Tire, spare 255/65R17 all-season, blackwall (STD)

Wheel, spare, 17" x 8" (43.2 cm x 20.3 cm) gloss-Black aluminum (STD) (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab models.)

Bumper, rear chrome

CornerStep, rear bumper

Mouldings, Black beltline

Headlamps, halogen with automatic exterior lamp control

Cargo box light, back of cab

Mirrors, outside manual-folding, Black

Door handles, Black

Tailgate, locking,

Tailgate handle, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Entertainment

Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system,

SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at [www.siriusxm.ca](http://www.siriusxm.ca) for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)

## Interior

Seats, front bucket (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way power with manual recline

Seat adjuster, passenger 2-way manual fore/aft with manual recline

Seats, dual rear with underseat storage (Extended Cab models only.)

Console, floor, front compartment, custom

Floor covering, colour-keyed carpeting

Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Steering wheel, urethane

Steering column, tilt, manual

Speedometer, miles/kilometres

Display, driver instrument information enhanced, one colour

Windows, power with driver Express-Up and Down

Door locks, power

Theft-deterrent system, immobilization

USB data ports, 2 includes auxiliary input jack, located on the front console

Air conditioning, single-zone manual climate control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Interior

Handles, door release, front and rear, Jet Black

Mirror, inside rearview manual day/night,

Visors, driver and front passenger with passenger vanity mirror

Lighting, interior, centre dome

## Safety-Mechanical

StabiliTrak, stability control system

Traction control, electronic

## Safety-Exterior

Daytime Running Lamps

## Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

## WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

## Technical Specifications



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Powertrain

### Transmission

|                                     |                  |                                    |               |
|-------------------------------------|------------------|------------------------------------|---------------|
| Drivetrain                          | Four Wheel Drive | Trans Order Code                   | M5T           |
| Trans Type                          | 8                | Trans Description Cont.            | Automatic     |
| Trans Description Cont. Again       | N/A              | First Gear Ratio (:1)              | 4.62          |
| Second Gear Ratio (:1)              | 3.04             | Third Gear Ratio (:1)              | 2.07          |
| Fourth Gear Ratio (:1)              | 1.66             | Fifth Gear Ratio (:1)              | 1.26          |
| Sixth Gear Ratio (:1)               | 1.00             | Reverse Ratio (:1)                 | 3.93          |
| Clutch Size                         | N/A              | Trans Power Take Off               | N/A           |
| Final Drive Axle Ratio (:1)         | N/A              | Transfer Case Model                | Magna MP1622G |
| Transfer Case Gear Ratio (:1), High | 1.00             | Transfer Case Gear Ratio (:1), Low | 2.72          |
| Transfer Case Power Take Off        | N/A              | Seventh Gear Ratio (:1)            | 0.85          |
| Eighth Gear Ratio (:1)              | 0.66             |                                    |               |

### Mileage

|                           |               |                          |              |
|---------------------------|---------------|--------------------------|--------------|
| EnerGuide Estimate - City | 14.0 L/100 km | EnerGuide Estimate - Hwy | 9.9 L/100 km |
| Cruising Range - City     | 563.98 km     | Cruising Range - Hwy     | 797.55 km    |
| Estimated Battery Range   | N/A           |                          |              |

### Engine

|                          |            |                      |                  |
|--------------------------|------------|----------------------|------------------|
| Engine Order Code        | LGZ        | Engine Type          | Gas V6           |
| Displacement             | 3.6L/-TBD- | Fuel System          | Direct Injection |
| SAE Net Horsepower @ RPM | 308 @ 6800 | SAE Net Torque @ RPM | 275 @ 4000       |
| Engine Oil Cooler        | N/A        |                      |                  |

### Electrical

|                                     |     |                                 |     |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | N/A | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps)  | N/A | Cold Cranking Amps @ 0° F (3rd) | N/A |

### Cooling System

|                               |     |
|-------------------------------|-----|
| Total Cooling System Capacity | N/A |
|-------------------------------|-----|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Vehicle

### Emissions

|                                      |     |                       |     |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 283 |
|--------------------------------------|-----|-----------------------|-----|

## Chassis

### Weight Information

|                               |             |                              |             |
|-------------------------------|-------------|------------------------------|-------------|
| Standard Weight - Front       | 87.54 kg    | Standard Weight - Rear       | 23.59 kg    |
| Gross Axle Wt Rating - Front  | 1,451.52 kg | Gross Axle Wt Rating - Rear  | 1,587.6 kg  |
| Curb Weight - Front           | 968.44 kg   | Curb Weight - Rear           | 793.35 kg   |
| Option Weight - Front         | 57.61 kg    | Option Weight - Rear         | 9.07 kg     |
| Reserve Axle Capacity - Front | 337.93 kg   | Reserve Axle Capacity - Rear | 761.59 kg   |
| As Spec'd Curb Weight         | 1,939.59 kg | As Spec'd Payload            | 736.65 kg   |
| Maximum Payload Capacity      | 914.46 kg   | Gross Combined Wt Rating     | 5,443.2 kg  |
| Gross Axle Weight Rating      | 3,039.12 kg | Curb Weight                  | 1,761.78 kg |
| Reserve Axle Capacity         | 1,099.53 kg | Total Option Weight          | 66.68 kg    |
| Payload Weight Front          | 0 kg        | Payload Weight Rear          | 0 kg        |
| Gross Vehicle Weight Rating   | 2,676.24 kg |                              |             |

### Trailer

|                                         |            |                                        |             |
|-----------------------------------------|------------|----------------------------------------|-------------|
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg   | Dead Weight Hitch - Max Tongue Wt.     | 226.8 kg    |
| Wt Distributing Hitch - Max Trailer Wt. | 3,175.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 317.52 kg   |
| Fifth Wheel Hitch - Max Trailer Wt.     | N/A        | Maximum Trailering Capacity            | 3,492.72 kg |
| Fifth Wheel Hitch - Max Tongue Wt.      | N/A        |                                        |             |

### Frame

|                 |     |                         |     |
|-----------------|-----|-------------------------|-----|
| Frame Type      | N/A | Sect Modulus Rails Only | N/A |
| Frame RBM       | N/A | Frame Strength          | N/A |
| Frame Thickness | N/A |                         |     |

### Suspension

|                         |             |                        |                                    |
|-------------------------|-------------|------------------------|------------------------------------|
| Suspension Type - Front | Independent | Suspension Type - Rear | Semi-Elliptic, 2-Stage, Multi-Leaf |
| Spring Capacity - Front | 1,451.52 kg | Spring Capacity - Rear | 1,587.6 kg                         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Chassis

### Suspension

|                                 |             |                                |               |
|---------------------------------|-------------|--------------------------------|---------------|
| Axle Type - Front               | Independent | Axle Type - Rear               | Semi-Floating |
| Axle Capacity - Front           | 1,451.52 kg | Axle Capacity - Rear           | 1,587.6 kg    |
| Axle Ratio (:1) - Front         | 3.42        | Axle Ratio (:1) - Rear         | 3.42          |
| Shock Absorber Diameter - Front | N/A         | Shock Absorber Diameter - Rear | N/A           |
| Stabilizer Bar Diameter - Front | N/A         | Stabilizer Bar Diameter - Rear | N/A           |

### Tires

|                                  |             |                                   |            |
|----------------------------------|-------------|-----------------------------------|------------|
| Front Tire Order Code            | QHR         | Rear Tire Order Code              | QHR        |
| Spare Tire Order Code            | ZAO         | Front Tire Size                   | 255/65R17  |
| Rear Tire Size                   | 255/65R17   | Spare Tire Size                   | 255/65R17  |
| Front Tire Capacity              | 1,451.52 kg | Rear Tire Capacity                | 1,587.6 kg |
| Spare Tire Capacity              | N/A         | Revolutions/Mile @ 45 mph - Front | N/A        |
| Revolutions/Mile @ 45 mph - Rear | N/A         | Revolutions/Mile @ 45 mph - Spare | N/A        |

### Wheels

|                     |           |                      |           |
|---------------------|-----------|----------------------|-----------|
| Front Wheel Size    | 17 x 8 in | Rear Wheel Size      | 17 x 8 in |
| Spare Wheel Size    | 17 x 8 in | Front Wheel Material | Steel     |
| Rear Wheel Material | Steel     | Spare Wheel Material | Steel     |

### Steering

|                                 |     |                                 |         |
|---------------------------------|-----|---------------------------------|---------|
| Steering Type                   | Pwr | Steering Ratio (:1), On Centre  | N/A     |
| Steering Ratio (:1), At Lock    | N/A | Turning Diameter - Curb to Curb | 12.59 m |
| Turning Diameter - Wall to Wall | N/A |                                 |         |

### Brakes

|                                   |     |                                    |         |
|-----------------------------------|-----|------------------------------------|---------|
| Brake Type                        | Pwr | Brake ABS System                   | 4-Wheel |
| Brake ABS System (Second Line)    | N/A | Disc - Front (Yes or )             | Yes     |
| Disc - Rear (Yes or )             | Yes | Front Brake Rotor Diam x Thickness | N/A     |
| Rear Brake Rotor Diam x Thickness | N/A | Drum - Rear (Yes or )              | N/A     |
| Rear Drum Diam x Width            | N/A |                                    |         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M53) 4WD Ext Cab 128" Work Truck (  Complete )

## Chassis

### Fuel Tank

|                            |      |                                |     |
|----------------------------|------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 79 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location         | N/A  | Aux Fuel Tank Location         | N/A |

## Dimensions

### Interior Dimensions

|                    |             |                      |             |
|--------------------|-------------|----------------------|-------------|
| Passenger Capacity | 4           | Front Head Room      | 1,051.56 mm |
| Front Leg Room     | 1,143 mm    | Front Shoulder Room  | 1,460.5 mm  |
| Front Hip Room     | 1,397 mm    | Second Head Room     | 932.18 mm   |
| Second Leg Room    | 726.44 mm   | Second Shoulder Room | 1,455.42 mm |
| Second Hip Room    | 1,325.88 mm |                      |             |

### Exterior Dimensions

|                             |             |                                 |             |
|-----------------------------|-------------|---------------------------------|-------------|
| Wheelbase                   | 3,258.82 mm | Length, Overall w/o rear bumper | N/A         |
| Length, Overall             | 5,402.58 mm | Width, Max w/o mirrors          | 1,887.22 mm |
| Height, Overall             | 1,785.62 mm | Overhang, Front                 | 937.26 mm   |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab     | N/A         |
| Cab to Axle                 | 919.48 mm   | Cab to End of Frame             | N/A         |
| Ground to Top of Load Floor | 868.68 mm   | Ground to Top of Frame          | N/A         |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 210.82 mm   |
| Ground Clearance, Rear      | 210.82 mm   | Body Length                     | 0 m         |
| Cab to Body                 | N/A         |                                 |             |

### Cargo Area Dimensions

|                          |             |                                 |             |
|--------------------------|-------------|---------------------------------|-------------|
| Cargo Box Length @ Floor | 1,879.6 mm  | Cargo Box Width @ Top, Rear     | N/A         |
| Cargo Box Width @ Floor  | 1,468.12 mm | Cargo Box Width @ Wheelhousings | 1,127.76 mm |
| Cargo Box (Area) Height  | N/A         | Tailgate Width                  | N/A         |
| Cargo Volume             | 1,413.01 L  | Ext'd Cab Cargo Volume          | N/A         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 18633. Data Updated: 12-Jul-2022 6:55:00 PDT PM.