



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Colorado (12N53) 4WD Ext Cab 128" LT

MSRP:\$35,348.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

JE HONS			
CODE	MODEL		MSRP
12N53	[Retail] 2022 Chevrolet Colorado (12N53) 4WD Ext Cab 128" LT		\$35,348.00
	OPTIONS		
00V	Not Equipped with Heated Front Seats, see dealer for details		-\$50.00
4LT	LT Preferred Equipment Group		\$0.00
5GD	Tow/Haul Mode	Inc.	
A28	Window, rear-sliding, manual	Inc.	
AAK	LPO, All-weather floor liner		\$320.00
AL9	Seat adjuster, power driver lumbar control	Inc.	
AR7	Seats, front bucket		\$0.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
C4F	GVWR, 5900 lbs. (2676 kg)	Inc.	
CGN	Bedliner, spray-on, Black		\$550.00
CTT	Hitch Guidance	Inc.	
DG6	Mirrors, outside heated power-adjustable, body-colour, manual-folding	Inc.	
E25	LPO, Assist steps, chrome , 5" rectangular		\$1,000.00
G80	Differential, automatic locking rear		\$410.00
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H0U	Jet Black, Cloth seat trim		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.



\$0		Audio system, Chevrolet Infotainment 3 System	IOR
\$635		Seats, heated driver and front passenger	KA1
\$1,650		Engine, 3.6L DI DOHC V6 VVT	LGZ
\$0		Transmission, 8-speed automatic	M5T
\$760		LT Convenience Package	PCM
	Inc.	Tires, 265/60R18 all-season, blackwall	QIA
\$1,150	ast	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic aluminum	RCV
	Inc.	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel	RM7
\$80		LPO, Wheel locks	SFE
\$205		LPO, Black Bowtie Emblem Package	SG1
	Inc.	Fog lamps, front	T3U
	Inc.	Steering wheel, heated	UVD
\$245		LPO, Front and rear splash guards	VQK
\$295		Trailering Package, heavy-duty	Z82
\$0		Tire, spare 255/65R17 all-season, blackwall	ZAO
\$100		Federal air conditioning excise tax	
\$42,598		SUBTOTAL	
\$0		Adjustments Total	
\$100		Vehicle Tax	
\$2,095		Destination Charge	
\$44,793		TOTAL PRICE	

FUEL ECONOMY

Est City:14.0 L/100 km
Est Highway:9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Standard Equipment

Mechanical	
	Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab models.)
	Transmission, 6-speed automatic, HMD, 6L50 (STD) (Included and only available with (LCV) 2.5L I4 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab models.)
	GVWR, 5600 lbs. (2540 kg) (STD) (Standard on Extended Cab models with (LCV) 2.5L I4 engine only.)
	Transfer case, electric, 2-speed AutoTrac
	Four wheel drive
	Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)
	Recovery hooks, front
	Frame, fully-boxed
	Pickup box
	Steering, Electric Power Steering (EPS) assist
	Brakes, 4-wheel antilock, 4-wheel disc
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Blade Silver Metallic cast aluminum (STD)
	Tires, 255/65R17 all-season, blackwall (STD)
	Tire, spare 255/65R17 all-season, blackwall (STD)
	Wheel, spare, 17" \times 8" (43.2 cm \times 20.3 cm) gloss-Black aluminum (STD) (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab models.)
	Bumper, rear body-colour (Deleted when (01U) Special Paint is ordered.)
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	Cargo box light, back of cab
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Mirror, spotter, located in corner of driver-side outside mirror
	Door handles, body-colour
	Tailgate, EZ-Lift and Lower
	Tailgate, remote locking (locks and unlocks with key fob)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Exterior	
	Tailgate handle, Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 System 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system,
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Microphones, Driver side and Passenger side
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way power
	Seat adjuster, passenger 2-way manual fore/aft with manual recline
	Seats, dual rear with underseat storage (Extended Cab models only.)
	Console, floor, front compartment, custom
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Floor mats, carpeted rear (Deleted when (B38) full-length Black vinyl floor covering is ordered. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)
	Steering wheel, leather-wrapped
	Steering column, tilt and telescopic
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Display, driver instrument information enhanced, one colour
	Windows, power with driver Express-Up and Down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.



Interior	
	Cruise control, electronic, automatic
	Door locks, power
	Remote Keyless Entry, extended range
	Theft-deterrent system, immobilization
	Theft-deterrent system, unauthorized entry
	USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOU) 8" diagonal Chevrolet Infotainment System with Navigation.)
	USB charging-only ports, 2, located on the rear of the centre console
	Air conditioning, single-zone manual climate control
	Handles, door release, front and rear, chrome
	Mirror, inside rearview auto-dimming
	Console, overhead
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, centre dome (Extended Cab models only.)
	Lighting, interior, dual reading
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system
	Traction control, electronic
Safety-Exterior	
	Daytime Running Lamps
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Safety-Interior

Tire Pressure Monitoring System (does not apply to spare tire)

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

WARRANTY

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_				
Tra	ns	mis	SSÍO	วท

Drivetrain	Four Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3025G
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

Mileage

EnerGuide Estimate - City	14.0 L/100 km	EnerGuide Estimate - Hwy	9.9 L/100 km
Cruising Range - City	563.98 km	Cruising Range - Hwy	797.55 km
Estimated Battery Range	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.



Powertrain			
Mileage			
Engine			
Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
	IV/A		
ehicle en			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	283
hassis			
Weight Information			
Standard Weight - Front	93.44 kg	Standard Weight - Rear	25.4 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	1,001.55 kg	Curb Weight - Rear	744.36 kg
Option Weight - Front	80.74 kg	Option Weight - Rear	45.36 kg
Reserve Axle Capacity - Front	275.79 kg	Reserve Axle Capacity - Rear	772.48 kg
As Spec'd Curb Weight	1,990.85 kg	As Spec'd Payload	685.39 kg
Maximum Payload Capacity	930.33 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,745.91 kg
Reserve Axle Capacity	1,048.27 kg	Total Option Weight	126.1 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.



(V Complete	(V	Complete)
--------------	---	---	----------	---

Chassis	
---------	--

Weig	ht I	nto	rmat	ion
weig	nt i	nto	rmat	ion

Gross Vehicle Weight Rating 2,676.24 kg

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,175.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2- Stage, Multi-Leaf
Spring Capacity - Front	1,451.52 kg	Spring Capacity - Rear	1,587.6 kg
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZAO	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	255/65R17
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity	1,587.6 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.



assis			
Vheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	4	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	932.18 mm
Second Leg Room	726.44 mm	Second Shoulder Room	1,455.42 mm
Second Hip Room	1,325.88 mm		



Wheelbase

Length, Overall

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.

Length, Overall w/o rear bumper

Width, Max w/o mirrors

N/A

1,887.22 mm

28-Jul-2022 Page 9

3,258.82 mm

5,402.58 mm



Cargo Volume

Vehicle: [Retail] 2022 Chevrolet Colorado (12N53) 4WD Ext Cab 128" LT (✓ Complete)

1,413.01 L

Dimensions			
Exterior Dimensions			
Height, Overall	1,785.62 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	919.48 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	868.68 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	210.82 mm
Ground Clearance, Rear	210.82 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,879.6 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A

Ext'd Cab Cargo Volume

N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.