



Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss

MSRP:W/A

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom Trail Boss	W/A	
	OPTIONS		
2CX	Custom Trail Boss Preferred Equipment Group	W/A	
AAK	LPO, All-weather floor liners, 1st and 2nd rows	W/A	
AZ3	Seats, front 40/20/40 split-bench	W/A	
B1J	Wheelhouse liners, rear	W/A	
C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
CGN	Chevytec spray-on bedliner, Black	W/A	
GAZ	Summit White	W/A	
GU5	Rear axle, 3.23 ratio	Inc.	
H0U	Jet Black, Cloth seat trim	W/A	
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo	W/A	
JL1	Trailer brake controller, integrated	W/A	
KC4	Cooling, external engine oil cooler	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps	Inc.	
L84	Engine, 5.3L EcoTec3 V8	W/A	
MHT	Transmission, 10-speed automatic, electronically controlled	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





PDB	LPO, Dark Essentials Package	W/A	
QK2	Tailgate, Multi-Flex	W/A	
R3O	Tires, LT275/65R18C blackwall Goodyear Wrangler DuraTrac MT	W/A	
R7N	Not Equipped with Steering Column Lock, see dealer for details	W/A	
R70	Seat, Cloth Rear with Storage Package	W/A	
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum	W/A	
RIK	LPO, Black nameplates	Inc.	
SFE	LPO, Wheel locks, set of 4	W/A	
VQK	LPO, Moulded splash guards, Black	W/A	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
	Federal air conditioning excise tax	W/A	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Vehicle Tax		\$100.00
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

FUEL ECONOMY

Est City:16.6 (2022) L/100 km

Est Highway:14.0 (2022) L/100 km

Est Highway Cruising Range:649.64 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Push Button Start
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Air filter, heavy-duty
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine or (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air filter and Z71 hard badge
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.

Page 3 28-Jul-2022





Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C blackwall Goodyear Wrangler DuraTrac MT (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss Black.)
	Bumper, rear (High gloss Black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	

Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, wired Apple CarPlay and Android Auto capable (STD)

SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at thencurrent rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Entertainment	
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Remote vehicle starter system
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Interior	
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, rear, dual, charge-only (Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, single-zone manual
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





nsmission			
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
lileage			
EnerGuide Estimate - City	16.6 (2022) L/100 km	EnerGuide Estimate - Hwy	14.0 (2022) km
Cruising Range - City	547.89 km	Cruising Range - Hwy	649.64 km
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Inject
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	361 (2022)
hassis			
Neight Information			
Standard Weight - Front	36.29 kg	Standard Weight - Rear	42.64 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A



disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





Chassis Weight Information Curb Weight - Front 1,290.49 kg Curb Weight - Rear 898.58 kg Option Weight - Front 63.05 kg Option Weight - Rear 66.68 kg Reserve Axle Capacity - Front N/A Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight As Spec'd Payload 2,397.73 kg 822.83 kg Maximum Payload Capacity 1,031.49 kg **Gross Combined Wt Rating** 6,804 kg Gross Axle Weight Rating N/A Curb Weight 2,189.07 kg Reserve Axle Capacity N/A **Total Option Weight** 129.73 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,220.56 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 4,127.76 kg 412.78 kg Fifth Wheel Hitch - Max Trailer Wt. 3,220.56 kg Maximum Trailering Capacity 4,127.76 kg Fifth Wheel Hitch - Max Tongue Wt. 805.14 kg **Frame** Frame Type Box Ladder Sect Modulus Rails Only N/A Frame RBM N/A N/A Frame Strength Frame Thickness N/A Suspension Suspension Type - Front Independent Suspension Type - Rear Solid Axle N/A Spring Capacity - Front N/A Spring Capacity - Rear Axle Type - Front N/A Axle Type - Rear N/A N/A N/A Axle Capacity - Front Axle Capacity - Rear Axle Ratio (:1) - Front 3.23 Axle Ratio (:1) - Rear 3.23 Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Rear N/A



Stabilizer Bar Diameter - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.

Stabilizer Bar Diameter - Rear

N/A

28-Jul-2022 Page 9

33.02 mm





hassis			
ires			
Front Tire Order Code	R3O	Rear Tire Order Code	R3O
Spare Tire Order Code	XCQ	Front Tire Size	LT275/65R18C
Rear Tire Size	LT275/65R18C	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.36 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mr
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.





mensions			
terior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
xterior Dimensions			
Wheelbase	3,747.26 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,914.9 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,990.09 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	276.35 mm
Ground Clearance, Rear	276.35 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18761. Data Updated: 27-Jul-2022 7:02:00 PDT PM.