



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Blazer (1NS26) AWD 4dr RS

MSRP:\$46,998.00

Interior: Jet Black, Perforated Leather-Appointed seat trim

Exterior 1:Red Hot

Exterior 2:Black two-tone roof

Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT)

Transmission, 9-speed automatic, electronically-controlled

OPTIONS

 0.10			
CODE	MODEL		MSRP
1NS26	[Retail] 2022 Chevrolet Blazer (1NS26) AWD 4dr RS		\$46,998.00
	OPTIONS		
00G	Not Equipped with Heated Steering Wheel		-\$25.00
00R	Not Equipped with Heated Rear Outboard Seats, see dealer for details		\$0.00
00V	Not Equipped with Driver and Front Passenger Heated or Ventilated Seats		-\$50.00
00Y	Not Equipped with Rear Park Assist		-\$50.00
1RS	RS Preferred Equipment Group		\$0.00
41T	Black two-tone roof		\$650.00
AAB	Memory settings	Inc.	
AR9	Seats, front buckets		\$0.00
C3U	Sunroof, power Panoramic, tilt-sliding with power sunshade		\$1,685.00
FXC	Axle, 3.49 final drive ratio		\$0.00
G7C	Red Hot		\$0.00
H1Y	Jet Black, Perforated Leather-Appointed seat trim		\$0.00
IOU	Audio system, Chevrolet Infotainment 3 Plus system		\$0.00
KA6	Seats, heated, rear outboard seating positions	Inc.	
KU9	Seats, ventilated driver and front passenger	Inc.	
LGX	Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT)		\$0.00
M3V	Transmission, 9-speed automatic, electronically-controlled		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Blazer (1NS26) AWD 4dr I	RS (✓ Complete)
---	-------------------

N38	Steering column, power tilt and telescoping	Inc.	
PDG	LPO, Cargo Package		\$295.00
R0V	Tires, P265/45R21 all-season blackwall	Inc.	
RQM	Wheels, 21" (53.3 cm) Gloss Black aluminum		\$1,195.00
SPZ	LPO, Black lug nut and wheel lock kit		\$360.00
UQA	Audio system feature, Bose premium 8-speaker system	Inc.	
VRS	LPO, Cargo shade, retractable	Inc.	
W2D	LPO, Cargo net, vertical	Inc.	
ZL8	Convenience Plus Package		\$1,895.00
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$52,953.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$55,048.00

FUEL ECONOMY

Est City:12.6 L/100 km

Est Highway: 9.2 L/100 km

Est Highway Cruising Range:890.72 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Standard Equipment

Package Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Rethancal Mechanical Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) and Active Fuel Management with Stop/Start (308 hp 1229 kW) @ 6600 rpm, 270 lb-ft of torque [366 N-m] @ 5000 rpm) (STD) Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD) Axle, 3.49 final drive ratio Axle, 3.49 final drive ratio Engine control, stop/start system override All-wheel drive (included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch Guidance Hitch Guidance Alternator, 170 amps GWWR, 6001 lbs. (2722 kg) GWWR, 6001 lbs. (2722 kg) EywR, 6001 lbs. (2722 kg) EywR, 6001 lbs. (2722 kg) Capless fuel fill Erakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Electronic parking brake Esterior Exterior Wheels, 20* (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18* (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall	otandara Equipmont		
Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam headlamps Mechanical Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) and Active Fuel Management with Stop/Start (308 hp [229 kW] @ 6600 rpm, 270 lb-ft of torque [366 N-m] @ 5000 rpm) (STD) Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD) Axle, 3.49 final drive ratio Engine control, stop/start system override All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall	Package		
Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) and Active Fuel Management with Stop/Start (308 hp [229 kW] @ 6600 rpm, 270 lb-ft of torque [366 N-m] @ 5000 rpm) (STD) Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD) Axle, 3.49 final drive ratio Engine control, stop/start system override All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20° (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18° (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision	
(308 hp [229 kW] @ 6600 rpm, 270 lb-ft of torque [366 N-m] @ 5000 rpm) (STD) Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD) Axle, 3.49 final drive ratio Engine control, stop/start system override All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall	Mechanical		
Axle, 3.49 final drive ratio Engine control, stop/start system override All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall			
Engine control, stop/start system override All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD)	
All-wheel drive (Included and only available with AWD models.) Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Axle, 3.49 final drive ratio	
Advanced All-Wheel Drive System, twin clutch Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20* (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18* (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Engine control, stop/start system override	
Cooling system, heavy-duty Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		All-wheel drive (Included and only available with AWD models.)	
Alternator, 170 amps Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Advanced All-Wheel Drive System, twin clutch	
Hitch Guidance Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Cooling system, heavy-duty	
Hitch View Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Alternator, 170 amps	
Trailering equipment includes (CTT) Hitch Guidance (Also includes (PZ8) Hitch View and (V08) heavy-duty cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Hitch Guidance	
cooling.) GVWR, 6001 lbs. (2722 kg) Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Hitch View	
Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall			
Brakes, 4-wheel antilock, 4-wheel disc Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		GVWR, 6001 lbs. (2722 kg)	
Electronic parking brake Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Suspension, Ride and Handling	
Tool kit, road emergency Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Brakes, 4-wheel antilock, 4-wheel disc	
Capless fuel fill Exhaust, dual-outlet with rectangular bright tips Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Electronic parking brake	
Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Tool kit, road emergency	
Exterior Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Capless fuel fill	
Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD) Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Exhaust, dual-outlet with rectangular bright tips	
Tires, P235/55R20 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall	Exterior		
Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall		Wheels, 20" (50.8 cm) Dark Android machined-face aluminum (STD)	
Tire, compact spare, T135/70R18, blackwall		Tires, P235/55R20 all-season blackwall (STD)	
		Wheel, spare, 18" (45.7 cm) steel	
Roof rails, Black		Tire, compact spare, T135/70R18, blackwall	
		Roof rails, Black	
		Roof rails, Black	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Exterior	
	Mouldings, lower bodyside (Painted High Gloss Black with Black Ice insert.)
	Antenna, body-colour
	Grille, RS signature High-Gloss Black hexagonal design with Black Ice header bar, Black bowtie emblem and RS badging.
	Headlamps, IntelliBeam (Included and only available with (BN2) Chevrolet Safety Assist.)
	Headlamp control, automatic on and off with automatic delay
	Taillamps, LED
	Mirrors, outside heated power-adjustable, manual-folding and driver-side auto-dimming, body-colour with integrated turn signal indicators
	Mirror caps, body-colour
	Glass, deep-tinted, rear windows and liftgate
	Wipers, front variable-speed, intermittent with washers
	Wiper, rear intermittent with washer
	Bowties, Black, front and rear (Deleted when (R88) Black illuminated front bowtie emblem, LPO is ordered.)
	Liftgate, rear power programmable, hands free with emblem projection
	Door handles, body-colour
intertainment	
	Audio system, Chevrolet Infotainment 3 Plus system with connected Navigation, 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)
	Audio system feature, 6-speaker system,
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the fu 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject change. GM connected vehicle services vary by vehicle model and require active service plan, working electric system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.

2-Aug-2022 Page 4

Active Noise Cancellation



Interior	
	Seats, front buckets (STD)
	Seat trim, Perforated Leather-Appointed
	Seating, 5-passenger
	Seats, heated driver and front passenger (Vehicles built prior to November 15, 2021 and on or after February 21, 2022 through March 13, 2022 include driver and front passenger heated seats. Certain vehicles built between November 15, 2021 and February 20, 2022 and after March 13, 2022, will be forced to include (00V) Not Equipped with Driver and Front Passenger Heated Seats, which removes driver and front passenger heated seats. Feature will not function on certain models without later dealer retrofit. See dealer for details or the window label for the features on a specific vehicle.)
	Seat adjuster, driver 8-way power
	Seat adjuster, front passenger 6-way power
	Head restraints, front, 2-way adjustable, up/down
	Head restraints, rear outboard 2-way adjustable, up/down
	Power outlet, 120-volt located on rear of front centre console
	USB data ports, 2, one type-A and one type-C located within the instrument panel
	USB data ports, 2, one type-A and one type-C includes SD Card Reader, auxiliary input jack, located within front centre storage bin
	USB charging-only ports 2, one type-A and one type-C, located on rear of centre console
	Floor mats, carpeted front and rear
	Steering wheel, leather-wrapped 3-spoke
	Steering wheel, heated (Vehicles built prior to November 22, 2021 include heated steering wheel. Certain vehicles built on or after November 22, 2021, will be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
	Steering column, manual tilt and telescoping
	Driver Information Centre, 8" diagonal multi-colour enhanced reconfigurable
	Compass, digital
	Windows, power with driver Express-Up/Down and front passenger and rear seat passengers Express-Down
	Door locks, power programmable with lockout protection
	Keyless Open and Start includes extended range Remote Keyless Entry
	Remote Start
	Universal Home Remote includes garage door opener, programmable
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, electrical, unauthorized entry
	· · · · · · · · · · · · · · · · · · ·



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Interior	
	Air conditioning, dual-zone automatic climate control with individual climate settings for driver and right-front passenger
	Defogger, rear-window electric
	Air filtration system
	Air vents, rear console
	Glovebox, lockable electronic
	Cup holders 2 in front centre console and 2 in rear centre armrest
	Mirror, inside rearview auto-dimming
	Visors, driver and front passenger illuminated vanity mirrors covered
	Assist handles, front passenger and rear outboard with coat hooks on rear passenger assist handles
	Lighting, interior with front reading lamps, overhead courtesy lamp, dual rear-quarter panel area dome lamps, True White backlit switches, True White pin spot lighting in the bin forward of the shifter and front footwells, LE glove box lighting and backlit USB ports
	Lighting, interior, ambient with pin spot lighting in the map pocket area, True White light pipes on the passenge side of the instrument panel and below the front door remote handles and LED lighting between the centre console cupholders
	Umbrella holders, driver and front passenger doors
Safety-Mechanical	
	Front Pedestrian Braking (Included and only available with (BN2) Chevrolet Safety Assist.)
	StabiliTrak, stability control system with traction control
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Airbags, frontal and seat-mounted for driver and front passenger knee for driver, and head-curtain for front and rear outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Rear Park Assist with audible warning (Vehicles built prior to December 20, 2021 include Rear Park Assist. Certain vehicles built on or after December 20, 2021, will be forced to include (00Y) Not Equipped with Rear Park Assist, which removes Boar Park Assist.



specific vehicle.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.

Park Assist, which removes Rear Park Assist. See dealer for details or the window label for the features on a



Vehicle: [Retail] 2022 Chevrolet Blazer (1NS26) AWD 4dr RS)

(V Complete

Safety-Interior	
	Rear Cross Traffic Alert
	Lane Change Alert with Side Blind Zone Alert
	Lane Keep Assist with Lane Departure Warning (Included and only available with (BN2) Chevrolet Safety Assist.)
	Following Distance Indicator (Included and only available with (BN2) Chevrolet Safety Assist.)
	Automatic Emergency Braking (Included and only available with (BN2) Chevrolet Safety Assist.)
	Forward Collision Alert (Included and only available with (BN2) Chevrolet Safety Assist.)
	Rear seat reminder
	Seat belts, 3-point, all positions includes front seat belt pretensioners
	Door locks, rear child security
	LATCH system (Lower Anchors and Tethers for CHildren), for child safety seats
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitor (Does not apply to spare tire.)
	Tire Fill Alert provides audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure
	Horn, dual-note
WADDANTY	

WARRANTY

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain All Wheel Drive Trans Order Code M₃V



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Vehicle: [Retail] 2022 Chevrolet Blazer (1NS26) AWD 4dr RS

4		
(<	Complete)

Powertrain Transmission 9 Trans Type Trans Description Cont. Automatic Trans Description Cont. Again 4.69 N/A First Gear Ratio (:1) Second Gear Ratio (:1) 3.31 Third Gear Ratio (:1) 3.01 Fourth Gear Ratio (:1) 2.44 Fifth Gear Ratio (:1) 1.92 Sixth Gear Ratio (:1) 1.44 Reverse Ratio (:1) 2.96 Clutch Size N/A Final Drive Axle Ratio (:1) 3.49 Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Seventh Gear Ratio (:1) 1.00 Eighth Gear Ratio (:1) 0.75 Ninth Gear Ratio (:1) 0.62 Mileage EnerGuide Estimate - City 12.6 L/100 km EnerGuide Estimate - Hwy 9.2 L/100 km Cruising Range - City 650.37 km Cruising Range - Hwy 890.72 km EnerGuide Estimate Equivalent -N/A EnerGuide Estimate Equivalent - Hwy N/A Combined EnerGuide Estimate Equivalent - City **Estimated Battery Range** N/A N/A **Engine** LGX Gas V6 **Engine Order Code Engine Type** Displacement 3.6L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 308 @ 6700 SAE Net Torque @ RPM 270 @ 5000 **Electrical** Cold Cranking Amps @ 0° F (Primary) N/A Maximum Alternator Capacity (amps) 170 **Cooling System Total Cooling System Capacity** N/A Vehicle **Emissions** Kg/yr of CO2 Emissions @ 20K km/year G/km Of CO2 Emissions 259 N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Vehicle			
Vehicle			
EPA Classification	Sport Utility Vehicles		
Chassis			
Weight Information			
Base Curb Weight	1,948.21 kg	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,041.2 kg	Dead Weight Hitch - Max Tongue Wt.	204.12 kg
Wt Distributing Hitch - Max Trailer Wt.	2,041.2 kg	Wt Distributing Hitch - Max Tongue Wt.	204.12 kg
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Five-Link Independent
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	R0V	Rear Tire Order Code	R0V
Spare Tire Order Code	ZCD	Front Tire Size	P265/45R21
Rear Tire Size	P265/45R21	Spare Tire Size	T135/70R18
Wheels			
Front Wheel Size	21 x -TBD- in	Rear Wheel Size	21 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Steering Type	Chassis					
Effort Power	Steering					
Brakes Brake Type Brake ABS System (Second Line) Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width N/A Disc - Rear (Yes or) Rear Drum Diam x Width N/A Drum - Rear (Yes or) Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Fuel Tank Capacity, Approx Basenger Capacity Font Head Room Front Head Room Second Head Room Second Head Room Second Shoulder Room 1,412.24 mm Second Head Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Exterior Dimensions Wheelbase A,862.58 mm Length, Overall A,861.56 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A N/A N/A N/A N/A N/A A-Wheel Brake ABS System 4-Wheel A-Wheel A	Steering Type		Steering Ratio (:1), Overall	N/A		
Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 321.06 x -TBD-mm Rear Brake Rotor Diam x Thickness 314.96 x -TBD-mm Drum - Rear (Yes or) N/A Fuel Tank N/A N/A N/A Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3.052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Length, Overall 4,861.56 mm Wheelbase 2,862.58 mm Length, Overall 1,701.8 mm Track Width, Front 1,686.56 mm <td>Lock to Lock Turns (Steering)</td> <td>N/A</td> <td>Turning Diameter - Curb to Curb</td> <td>11.8 m</td>	Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.8 m		
Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 321.06 x -TBD-mmm Rear Brake Rotor Diam x Thickness 314.96 x -TBD-mmm Drum - Rear (Yes or) N/A Fuel Tank Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Length, Overall 4,861.56 mm Wheelbase 2,862.58 mm Length, Overall 1,701.8 mm Track Width, Front 1,686.56 mm T	Turning Diameter - Wall to Wall	N/A				
Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 321.06 x -TBD-mm Rear Brake Rotor Diam x Thickness 314.96 x -TBD-mm N/A Rear Drum Diam x Width N/A N/A Fuel Tank Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Length, Overall 4,861.56 mm Wheelbase 2,862.58 mm Length, Overall 1,701.8 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm	Brakes					
Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 321.06 x -TBD-mm	Brake Type	Pwr	Brake ABS System	4-Wheel		
mm Rear Brake Rotor Diam x Thickness 314.96 x -TBD-mm Drum - Rear (Yes or) N/A Fuel Tank Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes		
mm Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness			
Fuel Tank Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Rear Brake Rotor Diam x Thickness		Drum - Rear (Yes or)	N/A		
Fuel Tank Capacity, Approx 82 L Aux Fuel Tank Capacity, Approx N/A Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Rear Drum Diam x Width	N/A				
Dimensions Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Fuel Tank					
Interior Dimensions Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Fuel Tank Capacity, Approx	82 L	Aux Fuel Tank Capacity, Approx	N/A		
Passenger Capacity 5 Passenger Volume 3,052.56 L Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Dimensions					
Front Head Room 965.2 mm Front Leg Room 1,041.4 mm Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Interior Dimensions					
Front Shoulder Room 1,501.14 mm Front Hip Room 1,412.24 mm Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Passenger Capacity	5	Passenger Volume	3,052.56 L		
Second Head Room 934.72 mm Second Leg Room 1,005.84 mm Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Front Head Room	965.2 mm	Front Leg Room	1,041.4 mm		
Second Shoulder Room 1,488.44 mm Second Hip Room 1,376.68 mm Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Front Shoulder Room	1,501.14 mm	Front Hip Room	1,412.24 mm		
Exterior Dimensions Wheelbase 2,862.58 mm Length, Overall 4,861.56 mm Width, Max w/o mirrors 1,948.18 mm Height, Overall 1,701.8 mm Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Second Head Room	934.72 mm	Second Leg Room	1,005.84 mm		
Wheelbase2,862.58 mmLength, Overall4,861.56 mmWidth, Max w/o mirrors1,948.18 mmHeight, Overall1,701.8 mmTrack Width, Front1,686.56 mmTrack Width, Rear1,681.48 mmMin Ground Clearance187.96 mmRear Door Opening HeightN/A	Second Shoulder Room	1,488.44 mm	Second Hip Room	1,376.68 mm		
Width, Max w/o mirrors1,948.18 mmHeight, Overall1,701.8 mmTrack Width, Front1,686.56 mmTrack Width, Rear1,681.48 mmMin Ground Clearance187.96 mmRear Door Opening HeightN/A	Exterior Dimensions					
Track Width, Front 1,686.56 mm Track Width, Rear 1,681.48 mm Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Wheelbase	2,862.58 mm	Length, Overall	4,861.56 mm		
Min Ground Clearance 187.96 mm Rear Door Opening Height N/A	Width, Max w/o mirrors	1,948.18 mm	Height, Overall	1,701.8 mm		
	Track Width, Front	1,686.56 mm	Track Width, Rear	1,681.48 mm		
Rear Door Opening Width N/A Liftover Height N/A	Min Ground Clearance	187.96 mm	Rear Door Opening Height	N/A		
1 0	Rear Door Opening Width	N/A	Liftover Height	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.



Dimensions Cargo Area Dimensions Cargo Area Length @ Floor to Seat 1 N/A Cargo Area Length @ Floor to Seat 2 N/A Cargo Area Length @ Floor to Seat 3 N/A Cargo Area Width @ Beltline N/A Cargo Box Width @ Wheelhousings N/A Cargo Box (Area) Height N/A Cargo Volume to Seat 1 1,817.94 L Cargo Volume to Seat 2 863.67 L Cargo Volume to Seat 3 N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18801. Data Updated: 2-Aug-2022 12:41:00 PDT AM.