



Window Sticker

SUMMARY

[Retail] 2023 Cadillac Escalade (6K10706) 4WD 4dr Luxury

MSRP:\$95,298.00

Interior: Jet Black, Inteluxe Seats

Exterior 1:Black Raven

Exterior 2:No colour has been selected.

Engine, 6.2L V8 with Dynamic Fuel Management

Transmission, 10-speed automatic

OPTIONS

OPT	IONS		
	CODE	MODEL	MSRP
	6K10706	[Retail] 2023 Cadillac Escalade (6K10706) 4WD 4dr Luxury	\$95,298.00
		OPTIONS	
	1SA	Luxury Preferred Equipment Group	\$0.00
	A50	Seats, front bucket	\$0.00
	ATN	Seats, second row bucket, power release	\$0.00
	C6G	GVWR, 7600 lbs. (3447 kg)	\$0.00
	GBA	Black Raven	\$0.00
	GU5	Rear axle, 3.23 ratio	\$0.00
	HXR	Jet Black, Inteluxe Seats	\$0.00
	IOV	OLED Infotainment experience with navigation	\$0.00
	L87	Engine, 6.2L V8 with Dynamic Fuel Management	\$0.00
	MHS	Transmission, 10-speed automatic	\$0.00
	R9M	3 years of OnStar & Connected Services Plan.	\$0.00
	SML	Wheels, 22" (55.9 cm) 14-Spoke alloy with Bright Silver finish	\$0.00
		Federal air conditioning excise tax	\$100.00
		SUBTOTAL	\$95,298.00
		Adjustments Total	\$0.00
		Vehicle Tax	\$100.00
		Destination Charge	\$2,300.00
		TOTAL PRICE	\$97,698.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.





FUEL ECONOMY

Est City:16.6 (Est) L/100 km

Est Highway:13.1 (Est) L/100 km

Est Highway Cruising Range:693.42 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



Standard Equipment

Mechanical	
	Engine, 6.2L V8 with Dynamic Fuel Management Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313.2 kW] @ 5600 rpm, 460 lb-ft of torque [623.7 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting (STD) (Standard with (L87) 6.2L V8 engine only.)
	Rear axle, 3.23 ratio
	GVWR, 7600 lbs. (3447 kg) (STD)
	Keyless Start, push-button
	Air cleaner, high-capacity
	Engine air filtration monitor
	Automatic Stop/Start
	Engine control, stop/start system disable button
	Electronic Precision Shift
	Tow/Haul mode selector
	Transfer case, active, single-speed, push-button controls does not include neutral. Cannot be dinghy towed.
	Differential, mechanical limited-slip
	Drivetrain, 4WD selectable
	Cooling, external engine oil cooler (Deleted when (LM2) 3.0L Turbo Diesel engine is ordered.)
	Cooling, external transmission oil cooler, heavy-duty air-to-oil
	Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits and 7-way sealed connector
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Suspension, Premium Smooth Ride
	Steering, Electronic Power Steering (EPS)
	Brake, automatic vehicle hold
	Brake lining wear indicator
	Brake rotors, Duralife
	Brakes, 4-wheel antilock, 4-wheel disc
	Electric Parking Brake
	Locking fuel door
	Capless Fuel Fill



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



Mechanical	
	Exhaust, dual with polished outlets
Exterior	
	Wheels, 22" (55.9 cm) 14-Spoke alloy with Bright Silver finish (STD)
	Tires, 275/50R22SL all-season, blackwall
	Tire, spare 265/70R17SL all-season, blackwall
	Spare tire lock, hoist shaft
	Luggage rack, roof-mounted, Chrome
	Assist steps, running board
	Mouldings, Galvano bodyside
	Active Aero Shutters, front (Deleted when (LM2) 3.0L Turbo Diesel engine is ordered.)
	Headlamp control, automatic levelling system
	Headlamps, automatic on/off
	Headlamps, LED
	IntelliBeam, automatic high beam on/off
	Tail lamps, LED illumination
	Mirrors, outside heated power-adjustable power-folding, body-colour, driver-side auto-dimming, integrated turn signal indicators and puddle lighting
	Glass, acoustic, laminated windshield
	Glass, deep-tinted
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent
	Door handles, Galvano accents
	Door handles, illuminating
	Hands-Free Liftgate open and close, programmable memory height, with Cadillac branded projection light
Entertainment	

Entertainment

OLED Infotainment experience with navigation AM/FM/SiriusXM with 360L with 16.9" diagonal colour information display (displays and controls navigation, music and all features and functions of the vehicle), personalized profiles for each driver's settings, Natural Voice Recognition, Phone Integration for Wireless Apple CarPlay/Wireless Android Auto capability for compatible phone, Connected Apps and Teen Driver (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



(🗸	Complete)
-----	----------	---

Entertainment	
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	HD Radio
	Audio system feature, AKG Studio 19-speaker system
	Bluetooth for phone, connectivity to vehicle infotainment system (Go to cadillactotalconnect.ca to find out which phones are compatible with the vehicle.)
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Wireless Apple CarPlay/Wireless Android Auto
	Cadillac OLED Display includes 7.2" diagonal Control Panel, 14.2" diagonal Cluster Display and 16.9" diagonal Infotainment Screen
Interior	
	Seats, front bucket (Includes 12-way driver and front passenger adjustments. Beginning with start of production, vehicles will be forced to include (R6S) Not Equipped with 4-Way Driver and Front Passenger Power Lumbar, which removes 4-way driver and front passenger power lumbar. Vehicles will be equipped with 2-way driver and front passenger power lumbar. See dealer for details.) (STD)
	Seats, second row bucket, power release (May substitute (ATT) second row 60/40 split-folding bench seats.) (STD)
	Seat trim, Inteluxe
	Seats, heated driver and front passenger
	Seats, heated second row outboard seats
	Seat adjuster, driver 8-way power
	Seat adjuster, front passenger 8-way power
	Seat adjuster, driver 2-way power lumbar Beginning with start of production, vehicles will be forced to include (R6S) Not Equipped with 4-Way Driver and Front Passenger Power Lumbar, which removes 4-way driver and front passenger power lumbar. Vehicles will be equipped with 2-way driver and front passenger power lumbar. See dealer for details or the window label for the features on a specific vehicle.
	Seat adjuster, front passenger 2-way power lumbar Beginning with start of production, vehicles will be forced to include (R6S) Not Equipped with 4-Way Driver and Front Passenger Power Lumbar, which removes 4-way driver and front passenger power lumbar. Vehicles will be equipped with 2-way driver and front passenger power lumbar. See dealer for details or the window label for the features on a specific vehicle.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.

power lumbar. See dealer for details or the window label for the features on a specific vehicle.



Interior	
	Memory settings includes two "presets" for driver seat adjuster, outside mirrors and power tilt/telescoping steering column
	Seats, third row 60/40 split-bench, power-folding
	Console, floor with covered storage, large and small storage bins, dual cup holders, electronic climate controls and second row heated seat controls. Also includes auxiliary power outlet, USB A/C ports and 110-volt outlet
	Floor covering, colour-keyed carpeting
	Floor mats, colour-keyed carpeted first and second row, removable (Deleted when (VYW) Premium carpeted floor mats, LPO is ordered.)
	Steering column lock, electrical
	Steering column, power tilt and telescoping
	Steering wheel, heated, automatic
	Steering wheel, wrapped with mounted audio and cruise controls
	Steering wheel controls, audio, phone, cruise control Conversation Enhancement, gap distance and heated steering wheel
	Augmented Reality live image of what is in front of the vehicle displayed on the 14.2" diagonal Cluster Display. When a navigational route is active, the system will overlay directional information on the live image being displayed
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Adaptive Remote Start
	Universal Home Remote includes garage door opener, programmable
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, unauthorized entry, engine immobilizer
	Wireless Phone Charging located in the console just in front of the console bin lid (The system wirelessly charges one compatible mobile device. Some phones have built-in wireless charging technology and others require a special adaptor/back cover. To check for phone or other device compatibility, see cadillactotalconnect.ca or consult your carrier.)
	Power outlet, 110-volt
	Power outlet, front auxiliary, 12-volt, located in front console (Standard with (D07) Floor console with covered storage only.)
	Climate control, tri-zone automatic, with individual climate settings for driver, right-front passenger and rear passengers (includes rear air vents)
	Air conditioning, rear
	Defogger, rear-window
	Air filter, pollutant, odour and fine dust



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



Interior	
	Mirror, inside rearview auto-dimming
	Console, overhead
	Ambient lighting, interior selectable for instrument panel, doors, footwell, map pocket and door pull cups
Safety-Mechanical	
	Brake Assist designed to assist the driver in stopping or decreasing vehicle speed
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, vehicle stability enhancement system with Rollover Mitigation, includes disable switch
Safety-Interior	
	Airbags, Frontal for driver and front passenger; Seat-mounted side-impact for driver and front passenger; Driver inboard seat-mounted side-impact; Roof-rail mounted head-curtain for outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Cadillac connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Cadillac Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
	Front and Rear Park Assist
	Brakes, Hill Start-Assist/Hill hold
	HD Surround Vision
	Surround Vision Recorder
	Rear Pedestrian Alert
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Safety Alert Seat
	Seat belt indicator, 2nd row
	Seat belt indicator, 3rd row
	Seat belts, 3-point, all positions, includes front seat belt pretensioners
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu
	Door locks, rear child security
	Rear Seat Reminder



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Fill Alert provides visual and audible alerts outside the vehicle when inflating an under inflated tire to the recommended tire pressure

Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 4

Basic Miles/km: 80,000 Drivetrain Years: 6

Drivetrain Miles/km: 110,000 Corrosion Years (Rust-Through): 6

Corrosion Years: 4

Corrosion Miles/km (Rust-Through): Unlimited

Corrosion Miles/km: 80,000 Roadside Assistance Years: 6

Roadside Assistance Miles/km: 110,000

Maintenance Years: 4

Maintenance Miles/km: 80,000

Technical Specifications

Powertrain Transmission

Trans Type 10 Trans Description Cont. A Trans Description Cont. Again N/A First Gear Ratio (:1) N/A Second Gear Ratio (:1) N/A Third Gear Ratio (:1) N/A Fourth Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Sixth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)				
Trans Description Cont. Again N/A First Gear Ratio (:1) N/A Third Gear Ratio (:1) N/A Third Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Reverse Ratio (:1) N/A Trans Power Take Off N/A Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N/A Seventh Gear Ratio (:1) N/A Seventh Gear Ratio (:1) N/A Seventh Gear Ratio (:1)	MHS	Trans Order Code	Four Wheel Drive	Drivetrain
Second Gear Ratio (:1) N/A Third Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Sixth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Clutch Size N/A Trans Power Take Off N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N/A Seventh Gear Ratio (:1) N/A Seventh Gear Ratio (:1)	Automatic	Trans Description Cont.	10	Trans Type
Fourth Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Clutch Size N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) N/A Seventh Gear Ratio (:1)	N/A	First Gear Ratio (:1)	N/A	Trans Description Cont. Again
Sixth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Clutch Size N/A Trans Power Take Off N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), High N/A Seventh Gear Ratio (:1) N/A	N/A	Third Gear Ratio (:1)	N/A	Second Gear Ratio (:1)
Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model N Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A	Fourth Gear Ratio (:1)
Final Drive Axle Ratio (:1) N/A Transfer Case Model N Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A	Sixth Gear Ratio (:1)
Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low N Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) N	N/A	Trans Power Take Off	N/A	Clutch Size
Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) N	N/A	Transfer Case Model	N/A	Final Drive Axle Ratio (:1)
	N/A	Transfer Case Gear Ratio (:1), Low	1.00	Transfer Case Gear Ratio (:1), High
Eighth Gear Ratio (:1) N/A Ninth Gear Ratio (:1) N	N/A	Seventh Gear Ratio (:1)	N/A	Transfer Case Power Take Off
	N/A	Ninth Gear Ratio (:1)	N/A	Eighth Gear Ratio (:1)
Tenth Gear Ratio (:1) N/A			N/A	Tenth Gear Ratio (:1)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



(<	Complete)
-----	----------	---

Powertrain			
Mileage			
EnerGuide Estimate - City	16.6 (Est) L/100 km	EnerGuide Estimate - Hwy	13.1 (Est) L/100 km
Cruising Range - City	547.21 km	Cruising Range - Hwy	693.42 km
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L87	Engine Type	Gas V8
Displacement	6.2L/375	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	420 @ 5600	SAE Net Torque @ RPM	460 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	352 (Est)
Vehicle			
Rear Door Type	Liftgate		
Chassis			
Weight Information			

Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,678.32 kg	Gross Axle Wt Rating - Rear	1,950.48 kg
Curb Weight - Front	1,293.67 kg	Curb Weight - Rear	1,225.17 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	384.65 kg	Reserve Axle Capacity - Rear	725.31 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



(V Complete

hassis			
Weight Information			
As Spec'd Curb Weight	2,518.84 kg	As Spec'd Payload	928.52 kg
Maximum Payload Capacity	928.52 kg	Gross Combined Wt Rating	N/A
Gross Axle Weight Rating	3,628.8 kg	Curb Weight	2,518.84 kg
Reserve Axle Capacity	1,109.96 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,447.36 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,402 kg	Wt Distributing Hitch - Max Tongue Wt.	340.2 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,402 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
- rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Independent Mu -Link
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Fires			
Front Tire Order Code	XCG	Rear Tire Order Code	XCG
Spare Tire Order Code	XCQ	Front Tire Size	275/50R22SL



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



(<	Complete)
-----	----------	---

es			
Rear Tire Size	275/50R22SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	22 x -TBD- in	Rear Wheel Size	22 x -TBD- in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.1 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
uel Tank Fuel Tank Capacity, Approx	90.9 L	Aux Fuel Tank Capacity, Approx	N/A
	90.9 L N/A	Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location	N/A N/A
Fuel Tank Capacity, Approx			
Fuel Tank Capacity, Approx Fuel Tank Location			
Fuel Tank Capacity, Approx Fuel Tank Location mensions			
Fuel Tank Capacity, Approx Fuel Tank Location mensions tterior Dimensions	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



mensions			
nterior Dimensions			
Second Leg Room	1,059.18 mm	Second Shoulder Room	1,640.84 mm
Second Hip Room	1,554.48 mm	Third Head Room	970.28 mm
Third Leg Room	886.46 mm	Third Shoulder Room	1,592.58 mm
Third Hip Room	1,254.76 mm		
exterior Dimensions			
Wheelbase	3,070.86 mm	Length, Overall w/rear bumper	N/A
Length, Overall	5,382.26 mm	Width, Max w/o mirrors	2,059.94 mm
Height, Overall	1,948.18 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0 m
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	N/A
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	3,426.34 L
Cargo Volume to Seat 2	2,064.3 L	Cargo Volume to Seat 3	722.08 L
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.



(<	Complete)
-----	----------	---

Exterior Doors Side Door Type Swing-Out



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18909. Data Updated: 14-Aug-2022 7:01:00 PDT PM.