



Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ

MSRP:W/A

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1:Iridescent Pearl Tricoat

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LTZ	W/A	
	OPTIONS		
1LZ	LTZ Preferred Equipment Group	W/A	
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket	W/A	
BRS	Assist steps, power-retractable	W/A	
C5Y	GVWR, 7100 lbs. (3221 kg)	W/A	
CF5	Sunroof, power	W/A	
CGN	Chevytec spray-on bedliner, Black	W/A	
CWM	Technology Package	W/A	
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
G1W	Iridescent Pearl Tricoat	W/A	
GU5	Rear axle, 3.23 ratio	W/A	
H1Y	Jet Black, Perforated Leather-appointed front seat trim	W/A	
IOK	Audio system, Chevrolet Infotainment 3 Premium system	W/A	
KA6	Seats, heated second row outboard seats	Inc.	
KSG	Adaptive Cruise Control	Inc.	
L84	Engine, 5.3L EcoTec3 V8	W/A	
MHS	Transmission, 10-speed automatic with Electronic Transmission Range Selector	W/A	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



PCN	LTZ Convenience Package II	W/A	
PDB	LPO, Dark Essentials Package	W/A	
QAQ	Tire, spare 255/80R17SL all-season, blackwall	Inc.	
R7N	Not Equipped with Steering Column Lock, see dealer for details	W/A	
RBR	Wheels, 22" transit steel wheels for LPO 22" wheels and tires	W/A	
RIK	LPO, Black nameplates	Inc.	
SB7	LPO, Black tailgate lettering	Inc.	
SFZ	LPO, Black Bowtie Emblem, front	Inc.	
SGM	LPO, 22" (55.9 cm) High Gloss Black wheels	W/A	
UG1	Universal Home Remote	Inc.	
UV6	Multicolour 15" Diagonal Head-Up Display	Inc.	
UVN	Bed View Camera	Inc.	
VQK	LPO, Moulded splash guards, Black	W/A	
XCE	Tires, 275/50R22SL all-season, blackwall	W/A	
	Federal air conditioning excise tax	W/A	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Vehicle Tax		\$100.00
	Destination Charge	W/A	
	TOTAL PRICE	W/A	
FUEL ECONOMY			

FUEL ECONOMY

Est City:15.3 (2022) L/100 km

Est Highway:12.3 (2022) L/100 km

Est Highway Cruising Range:739.43 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.





Standard Equipment

Package	
	Safety Package includes (UV2) HD Surround Vision, (TRG) Trailer Camera Provisions, (UKV) Trailer Side Blind Zone Alert, (UFB) Rear Cross Traffic Braking, (UKK) Rear Pedestrian Protection and (U12) Perimeter Lighting (Certain vehicles built prior to 7-11-22 may be forced to include (00Z) Not Equipped with Front and Rear Park Assist, which removes Front and Rear Park Assist. See dealer for details or the window label for the features on a specific vehicle. Vehicles built on or after 7-11-22 will include (UD5) Front and Rear Park assist. Includes (UD5) Front and Rear Park Assist and (HS1) Safety Alert Seat.)
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	LTZ Plus Package includes (PCZ) LTZ Convenience Package and (PQB) Safety Package
	LTZ Convenience Package includes (A50) bucket seats with (D07) centre console, (K4C) Wireless Charging, (KQV) heated and ventilated front seats, (N38) Power Tilt/Telescoping steering column, (UQA) Bose Premium Sound System and (UBC) 2 USB ports with auxiliary input (Included and only available with (PDF) LTZ Plus Package.)
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 10-speed automatic with Electronic Transmission Range Selector (ETRS), electronically controlled with overdrive, tow-haul mode and steering column paddle shifters. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Push Button Start
	Shifter, Electronic Transmission Range Selector includes steering column paddle shifters
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.





Mechanical	
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section
	Suspension Package, High Capacity
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Sterling Silver painted Aluminum (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps and White tracer animation
	IntelliBeam, automatic high beam on/off
	Fog lamps, front, LED
	Lighting, perimeter
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature, animation and incandescent reverse lights



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



4	_	
V	Comp	olete

Exterior	
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted
	Wipers, front rain-sensing
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Bose Sound System, premium 7-speaker system with Richbass woofer
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD) (Includes (EPH) Electronic Transmission Range Selector (console mounted).)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



Interior	
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width underseat storage, (includes child seat top tether anchor)
	Centre Console, floor-mounted with cup holders, Wireless Charging, power cord management, hanging file folder capability; includes removable storage tray (Includes (EPH) Electronic Transmission Range Selector (console mounted).)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, power tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Wireless Charging (Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, 2, Charge/Data ports located inside centre console



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



	4		
(\	Complete	

Interior	
	USB Ports, rear, dual, charge-only
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Interior	
	Rear Cross Traffic Braking
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, ultrasonic (Certain vehicles built prior to 7-11-22 may be forced to include (00Z) Not Equipped with Front and Rear Park Assist, which removes Front and Rear Park Assist. See dealer for details or the window label for the features on a specific vehicle. Vehicles built on or after 7-11-22 will include (UD5) Front and Rear Park assist.)
	HD Surround Vision
	Trailer Camera Provisions
	Trailering App
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



Complete

Safety-Interior	
	Forward Collision Alert
	Trailer Side Blind Zone Alert
	Rear Pedestrian Alert
	Safety Alert Seat
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
WARRANTY	

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHS
Trans Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



wertrain			
ansmission			
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
leage			
EnerGuide Estimate - City	15.3 (2022) L/100 km	EnerGuide Estimate - Hwy	12.3 (2022) L/1 km
Cruising Range - City	594.44 km	Cruising Range - Hwy	739.43 km
Estimated Battery Range	N/A		
gine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A



Total Cooling System Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.

18-Aug-2022 Page 9

N/A



(V	Complete
1	~	Complete

/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	327 (2022)
Chassis			
Weight Information			
Standard Weight - Front	85.73 kg	Standard Weight - Rear	49.44 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58 kg
Option Weight - Front	56.7 kg	Option Weight - Rear	65.32 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	2,446.26 kg	As Spec'd Payload	774.3 kg
Maximum Payload Capacity	1,031.49 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	N/A	Curb Weight	2,189.07 kg
Reserve Axle Capacity	N/A	Total Option Weight	122.02 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,900.96 kg	Maximum Trailering Capacity	5,987.52 kg
Fifth Wheel Hitch - Max Tongue Wt.	975.24 kg		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



	4	
1	V	Complete
١		Complete

Chassis Suspension N/A N/A Axle Type - Front Axle Type - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear Axle Ratio (:1) - Front 3.23 Axle Ratio (:1) - Rear 3.23 Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Rear N/A Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code XCE Rear Tire Order Code **XCE** Spare Tire Order Code QAQ Front Tire Size 275/50R22SL Rear Tire Size 275/50R22SL Spare Tire Size 255/80R17SL Front Tire Capacity N/A Rear Tire Capacity N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 22 x 9 in Rear Wheel Size 22 x 9 in Spare Wheel Size 17 x 8 in Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material Steel Steering N/A Steering Type Electric Rack & Steering Ratio (:1), On Centre Pinion Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 14.3 m Turning Diameter - Wall to Wall N/A **Brakes** Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) 342.9 x 29.97 mm Yes Rear Brake Rotor Diam x Thickness 345.44 x 20.07 Drum - Rear (Yes or) N/A mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.



	4	
1	V	Complete
١		Complete

Rear Drum Diam x Width N/A Fuel Tank Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Mensions Mensions Mensions Mensions Passenger Capacity 5 Front Head Room 1,092,96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676,91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Length @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width & Width Real N/A Cargo Box Width @ Floor 1,813.56 mm Tailgate Width N/A				
Rear Drum Diam x Width N/A Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Length @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box Width @ Floor 1,813.56 mm Tailgate Width N/A	hassis			
Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A Fuel Tank Location N/A Aux Fuel Tank Location N/A Imensions Interior Dimensions Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Length @ Floor 1,813.56 mm Tailgate Width @ Wheelhousings 1,286 mm	Brakes			
Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A	Rear Drum Diam x Width	N/A		
Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A				
Fuel Tank Location N/A				
Passenger Capacity 5				
Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Ground to Top of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Eargo Area Dimensions Cargo Box Length © Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Passenger Capacity 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm 1,655.06 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A	imensions			
Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Second Shoulder Room 1,655.06 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width	nterior Dimensions			
Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Leg Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Passenger Capacity	5	Front Head Room	1,092.96 mm
Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Eargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Second Hip Room 1,530.1 mm Exterior Dimensions Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Cab to Axle N/A Ground to Top of Load Floor N/A Frame Width, Rear N/A Ground Clearance, Rear 205.23 mm Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width N/A	Second Hip Room	1,530.1 mm		
Wheelbase 3,744.72 mm Length, Overall w/o rear bumper N/A Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Cab to Axle N/A Ground to Top of Load Floor N/A Frame Width, Rear N/A Ground Clearance, Rear 205.23 mm Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width N/A				
Length, Overall 5,889.75 mm Width, Max w/o mirrors 2,063.5 mm Height, Overall 1,917.95 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Cargo Box Length © Floor 1,775.97 mm Cargo Box Width © Top, Rear N/A Cargo Box Width © Floor 1,813.56 mm Cargo Box Width © Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A				
Height, Overall 1,917.95 mm Overhang, Front N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Ground to Top of Load Floor N/A Ground Clearance, Rear Cab to Body N/A Cargo Box Length @ Floor 1,813.56 mm Cargo Box (Area) Height N/A Front Bumper to Back of Cab N/A Front Bumper to Back of Cab N/A Cab to End of Frame N/A Ground to Top of Frame N/A Ground to Top of Frame N/A Ground Clearance, Front 205.23 mm Body Length O m Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width N/A				
Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Cab to Body N/A Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Length, Overall	5,889.75 mm	Width, Max w/o mirrors	2,063.5 mm
Cab to Axle N/A Ground to Top of Load Floor N/A Frame Width, Rear N/A Ground Clearance, Front Cab to Body Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box (Area) Height N/A Cab to End of Frame N/A Ground to Top of Frame N/A Ground Clearance, Front 205.23 mm Body Length O m Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width N/A	Height, Overall	1,917.95 mm	Overhang, Front	N/A
Ground to Top of Load Floor N/A Ground to Top of Frame N/A Ground Clearance, Front Ground Clearance, Rear Cab to Body Cargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings Tailgate Width N/A	Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Frame Width, Rear N/A Ground Clearance, Front 205.23 mm Ground Clearance, Rear 205.23 mm Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box (Area) Height 568.96 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Wheelhousings 1,286 mm Tailgate Width N/A	Cab to Axle	N/A	Cab to End of Frame	N/A
Ground Clearance, Rear 205.23 mm Body Length 0 m Cab to Body N/A Cargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Cargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Cargo Area Dimensions Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Cab to Body	N/A		
Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A	Cargo Area Dimensions			
Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A		1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box (Area) Height 568.96 mm Tailgate Width N/A				
	Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 18936. Data Updated: 17-Aug-2022 7:01:00 PDT PM.