


Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Window Sticker

### SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT

MSRP:\$60,103.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8


Transmission, 10-speed automatic with Electronic Transmission Range Selector

### OPTIONS

| CODE           | MODEL   | MSRP        |
|----------------|---|-------------|
| CK10743        | [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT | \$60,103.00 |
| <b>OPTIONS</b> |   |             |
| 00V            | Not Equipped with Heated Front Seats, see dealer for detail           | -\$50.00    |
| 1LT            | LT Preferred Equipment Group  | \$0.00      |
| A50            | Seats, front bucket   | \$715.00    |
| AAK            | LPO, All-weather floor liners, 1st and 2nd rows                       | Inc.        |
| B1J            | Wheelhouse liners, rear   | Inc.        |
| B59            | Remote Start Package  | \$0.00      |
| BTB            | Remote vehicle starter system   | Inc.        |
| C49            | Defogger, rear-window electric  | Inc.        |
| C5Y            | GVWR, 7100 lbs. (3221 kg)   | Inc.        |
| CGN            | Chevytec spray-on bedliner, Black with Chevrolet logo                 | Inc.        |
| D07            | Centre Console, floor-mounted   | Inc.        |
| EPH            | Shifter, Electronic Transmission Range Selector                       | Inc.        |
| GAZ            | Summit White  | \$0.00      |
| GU5            | Rear axle, 3.23 ratio   | Inc.        |
| H0U            | Jet Black, Cloth seat trim  | \$0.00      |
| IOK            | Audio system, Chevrolet Infotainment 3 Premium system                 | \$0.00      |
| JHD            | Hill Descent Control  | Inc.        |
| JL1            | Trailer brake controller, integrated                                  | \$350.00    |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

|     |  |      |            |
|-----|--|------|------------|
| K47 | Air filter, heavy-duty   | Inc. |            |
| K4C | Wireless Charging  | Inc. |            |
| KC4 | Cooling, external engine oil cooler  | Inc. |            |
| KNP | Cooling, auxiliary external transmission oil cooler                          | Inc. |            |
| KW7 | Alternator, 170 amps   |      | \$0.00     |
| L84 | Engine, 5.3L EcoTec3 V8  |      | \$2,075.00 |
| MHS | Transmission, 10-speed automatic with Electronic Transmission Range Selector |      | \$0.00     |
| N10 | Exhaust, dual with polished outlets  | Inc. |            |
| NQH | Transfer case, two-speed   | Inc. |            |
| NZZ | Skid Plates  | Inc. |            |
| PDZ | Z71 Off-Road and Protection Package  |      | \$2,110.00 |
| R7N | Not Equipped with Steering Column Lock, see dealer for details               |      | -\$50.00   |
| R7O | Seat, Cloth Rear with Storage Package  |      | \$260.00   |
| RCV | Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum        | Inc. |            |
| SFE | LPO, Wheel locks, set of 4   |      | \$80.00    |
| SFZ | LPO, Black Bowtie Emblem, front  |      | \$140.00   |
| UBC | USB Ports, 2, Charge/Data ports located inside centre console                | Inc. |            |
| UTJ | Theft-deterrent system, unauthorized entry                                   | Inc. |            |
| VXH | LPO, Assist steps, chromed tubular, 6" rectangular                           |      | \$935.00   |
| WPQ | Protection Package   | Inc. |            |
| XCK | Tires, 265/65R18SL all-terrain, blackwall                                    | Inc. |            |
| XCQ | Tire, spare 265/70R17SL all-season, blackwall                                | Inc. |            |
| YK9 | Not Equipped with Dynamic Fuel Management, see dealer for details            |      | -\$50.00   |
| Z71 | Z71 Off-Road Package   | Inc. |            |
| —   | Federal air conditioning excise tax  |      | \$100.00   |

|                    |                    |
|--------------------|--------------------|
| <b>SUBTOTAL</b>    | <b>\$66,618.00</b> |
| Adjustments Total  | \$0.00             |
| Vehicle Tax        | \$100.00           |
| Destination Charge | \$2,095.00         |
| <b>TOTAL PRICE</b> | <b>\$68,813.00</b> |




This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.



## ONTARIO MOTOR SALES

— CHEVROLET CADILLAC —

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

### FUEL ECONOMY


Est City:16.8 L/100 km

Est Highway:12.4 L/100 km

Est Highway Cruising Range:733.47 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Standard Equipment

### Package

Trailer Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance

True North Edition

Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel, (N37) manual tilt/telescoping steering column, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (UBI) 2 charge-only USB ports for second row, (C49) rear-window defogger, (AVJ) Keyless Open and Start, (BTV) Remote Start and (UTJ) content theft alarm (Upgradeable to (A50) bucket seats and includes (D07) centre console. Vehicles built prior to 3-14-2022 and after 4-24-2022 include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)

### Mechanical

Durabed, pickup bed

Engine, 2.7L Turbo High-output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)

Rear axle, 3.42 ratio (Included with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailing Package.)

GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)

Automatic Stop/Start

Push Button Start

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Auto-locking rear differential

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailing Package.)


Frame, fully-boxed, hydroformed front section

Suspension Package, Standard

Steering, Electric Power Steering (EPS) assist, rack-and-pinion



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Mechanical

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

## Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)

Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, aluminum spare

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumper, front chrome

Bumper, rear chrome

CornerStep, rear bumper

Recovery hooks, front, frame-mounted, Black (Included with 4WD models only.)

Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner

Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation

IntelliBeam, automatic high beam on/off

Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)

LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob

Taillamps, with incandescent tail, stop and reverse lights

Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes (U12) Perimeter Lighting.)

Mirror caps, chrome (Not available with (DPO) trailering mirrors.)

Glass, deep-tinted

Door handles, body-colour

Tailgate and bed rail protection cap, top


Tailgate, standard

Tailgate, gate function manual with EZ Lift includes power lock and release

Hood Insulator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Entertainment

Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)

SiriusXM

SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at [www.siriusxm.ca](http://www.siriusxm.ca) for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See [onstar.com/ca](http://onstar.com/ca) for details and limitations.)

Audio system feature, 6-speaker system,

Wireless Phone Projection for Apple CarPlay and Android Auto

Bluetooth for phone, connectivity to vehicle infotainment system

Wi-Fi Hotspot capable (Terms and limitations apply. See [onstar.ca](http://onstar.ca) or dealer for details.)

## Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

Remote Start Package includes (BTV) Remote Start, (UTJ) content theft alarm and (C49) rear-window defogger (Included with (PCL) Convenience Package.)

Seat trim, Cloth

Seat adjuster, driver 10-way power including lumbar

Seat adjuster, passenger 4-way manual

Seating, heated driver and front outboard passenger (Vehicles built prior to 3-14-2022 and after 4-24-2022 will include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without later dealer retrofit to enable functionality. See dealer for details.)

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Floor covering, colour-keyed carpeting


Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)

Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)

Steering wheel, leather-wrapped



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Interior

Steering wheel, heated (Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)

Steering wheel audio controls

Steering column, manual tilt and telescoping

Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display

Exterior Temperature Display located in radio display

Compass located in instrument cluster

Rear Seat Reminder

Window, power front, drivers express up/down

Window, power front, passenger express down

Windows, power rear, express down

Door locks, power

Remote vehicle starter system

Keyless Open and Start

Cruise control, electronic with set and resume speed, steering wheel-mounted

Theft-deterrent system, unauthorized entry

Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)

USB Ports, 2, Charge/Data ports located on the instrument panel

USB Ports, rear, dual, charge-only (Deleted when (RG4) Fleet LT Base Content Package Delete is ordered.)

Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)

Air conditioning, dual-zone automatic climate control

Air vents, rear, heating/cooling

Defogger, rear-window electric

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)


## Safety-Mechanical

Automatic Emergency Braking

Front Pedestrian Braking



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

### Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

### Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

### Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

HD Rear Vision Camera

Hitch Guidance dynamic single line to aid in trailer alignment for hitching

Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver


Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.



Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

## Technical Specifications

### Powertrain

#### Transmission


|                                     |                  |                                    |                             |
|-------------------------------------|------------------|------------------------------------|-----------------------------|
| Drivetrain                          | Four Wheel Drive | Trans Order Code                   | MHS                         |
| Trans Type                          | 10               | Trans Description Cont.            | Automatic w/Paddle Shifters |
| Trans Description Cont. Again       | N/A              | First Gear Ratio (:1)              | 4.69                        |
| Second Gear Ratio (:1)              | 2.98             | Third Gear Ratio (:1)              | 2.15                        |
| Fourth Gear Ratio (:1)              | 1.8              | Fifth Gear Ratio (:1)              | 1.52                        |
| Sixth Gear Ratio (:1)               | 1.28             | Reverse Ratio (:1)                 | 4.86                        |
| Clutch Size                         | N/A              | Trans Power Take Off               | N/A                         |
| Final Drive Axle Ratio (:1)         | N/A              | Transfer Case Model                | Magna MP3023/4              |
| Transfer Case Gear Ratio (:1), High | 1.00             | Transfer Case Gear Ratio (:1), Low | 2.69                        |
| Transfer Case Power Take Off        | N/A              | Seventh Gear Ratio (:1)            | 1.00                        |
| Eighth Gear Ratio (:1)              | 0.85             | Ninth Gear Ratio (:1)              | 0.69                        |
| Tenth Gear Ratio (:1)               | 0.63             |                                    |                             |

#### Mileage

|                           |               |                          |               |
|---------------------------|---------------|--------------------------|---------------|
| EnerGuide Estimate - City | 16.8 L/100 km | EnerGuide Estimate - Hwy | 12.4 L/100 km |
| Cruising Range - City     | 541.37 km     | Cruising Range - Hwy     | 733.47 km     |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Powertrain

### Mileage

|                         |     |
|-------------------------|-----|
| Estimated Battery Range | N/A |
|-------------------------|-----|

### Engine

|                          |            |                      |                  |
|--------------------------|------------|----------------------|------------------|
| Engine Order Code        | L84        | Engine Type          | Gas V8           |
| Displacement             | 5.3L/325   | Fuel System          | Direct Injection |
| SAE Net Horsepower @ RPM | 355 @ 5600 | SAE Net Torque @ RPM | 383 @ 4100       |
| Engine Oil Cooler        | N/A        |                      |                  |

### Electrical

|                                     |     |                                 |     |
|-------------------------------------|-----|---------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 730 | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps)  | 170 | Cold Cranking Amps @ 0° F (3rd) | N/A |

### Cooling System

|                               |     |
|-------------------------------|-----|
| Total Cooling System Capacity | N/A |
|-------------------------------|-----|

## Vehicle

### Emissions

|                                      |     |                       |     |
|--------------------------------------|-----|-----------------------|-----|
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 347 |
|--------------------------------------|-----|-----------------------|-----|


## Chassis

### Weight Information

|                               |             |                              |             |
|-------------------------------|-------------|------------------------------|-------------|
| Standard Weight - Front       | 11.34 kg    | Standard Weight - Rear       | 17.69 kg    |
| Gross Axle Wt Rating - Front  | N/A         | Gross Axle Wt Rating - Rear  | N/A         |
| Curb Weight - Front           | 1,327.69 kg | Curb Weight - Rear           | 887.24 kg   |
| Option Weight - Front         | 82.56 kg    | Option Weight - Rear         | 48.99 kg    |
| Reserve Axle Capacity - Front | N/A         | Reserve Axle Capacity - Rear | N/A         |
| As Spec'd Curb Weight         | 2,375.5 kg  | As Spec'd Payload            | 845.06 kg   |
| Maximum Payload Capacity      | 1,005.63 kg | Gross Combined Wt Rating     | 6,804 kg    |
| Gross Axle Weight Rating      | N/A         | Curb Weight                  | 2,214.93 kg |
| Reserve Axle Capacity         | N/A         | Total Option Weight          | 131.54 kg   |
| Payload Weight Front          | 0 kg        | Payload Weight Rear          | 0 kg        |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Chassis

### Weight Information

|                             |             |
|-----------------------------|-------------|
| Gross Vehicle Weight Rating | 3,220.56 kg |
|-----------------------------|-------------|

### Trailerling

|   |             |  |             |
|---|-------------|--|-------------|
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg    | Dead Weight Hitch - Max Tongue Wt.     | 226.8 kg    |
| Wt Distributing Hitch - Max Trailer Wt. | 4,173.12 kg | Wt Distributing Hitch - Max Tongue Wt. | 417.31 kg   |
| Fifth Wheel Hitch - Max Trailer Wt.     | 3,810.24 kg | Maximum Trailerling Capacity           | 5,851.44 kg |
| Fifth Wheel Hitch - Max Tongue Wt.      | 952.56 kg   |  |             |

### Frame

|                 |            |                         |     |
|-----------------|------------|-------------------------|-----|
| Frame Type      | Box Ladder | Sect Modulus Rails Only | N/A |
| Frame RBM       | N/A        | Frame Strength          | N/A |
| Frame Thickness | N/A        |                         |     |

### Suspension


|                                 |             |                                |            |
|---------------------------------|-------------|--------------------------------|------------|
| Suspension Type - Front         | Independent | Suspension Type - Rear         | Solid Axle |
| Spring Capacity - Front         | N/A         | Spring Capacity - Rear         | N/A        |
| Axle Type - Front               | N/A         | Axle Type - Rear               | N/A        |
| Axle Capacity - Front           | N/A         | Axle Capacity - Rear           | N/A        |
| Axle Ratio (:1) - Front         | 3.23        | Axle Ratio (:1) - Rear         | 3.23       |
| Shock Absorber Diameter - Front | N/A         | Shock Absorber Diameter - Rear | N/A        |
| Stabilizer Bar Diameter - Front | 33.02 mm    | Stabilizer Bar Diameter - Rear | N/A        |

### Tires

|                                  |             |                                   |             |
|----------------------------------|-------------|-----------------------------------|-------------|
| Front Tire Order Code            | XCK         | Rear Tire Order Code              | XCK         |
| Spare Tire Order Code            | XCQ         | Front Tire Size                   | 265/65R18SL |
| Rear Tire Size                   | 265/65R18SL | Spare Tire Size                   | 265/70R17SL |
| Front Tire Capacity              | N/A         | Rear Tire Capacity                | N/A         |
| Spare Tire Capacity              | N/A         | Revolutions/Mile @ 45 mph - Front | N/A         |
| Revolutions/Mile @ 45 mph - Rear | N/A         | Revolutions/Mile @ 45 mph - Spare | N/A         |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Chassis

### Wheels

|                     |             |                      |             |
|---------------------|-------------|----------------------|-------------|
| Front Wheel Size    | 18 x 8.5 in | Rear Wheel Size      | 18 x 8.5 in |
| Spare Wheel Size    | 17 x 8 in   | Front Wheel Material | Aluminum    |
| Rear Wheel Material | Aluminum    | Spare Wheel Material | Aluminum    |

### Steering

|                                 |                        |                                 |         |
|---------------------------------|------------------------|---------------------------------|---------|
| Steering Type                   | Electric Rack & Pinion | Steering Ratio (:1), On Centre  | N/A     |
| Steering Ratio (:1), At Lock    | N/A                    | Turning Diameter - Curb to Curb | 15.09 m |
| Turning Diameter - Wall to Wall | N/A                    |                                 |         |

### Brakes

|                                   |                   |                                    |                  |
|-----------------------------------|-------------------|------------------------------------|------------------|
| Brake Type                        | Pwr               | Brake ABS System                   | 4-Wheel          |
| Brake ABS System (Second Line)    | N/A               | Disc - Front (Yes or )             | Yes              |
| Disc - Rear (Yes or )             | Yes               | Front Brake Rotor Diam x Thickness | 342.9 x 29.97 mm |
| Rear Brake Rotor Diam x Thickness | 345.44 x 20.07 mm | Drum - Rear (Yes or )              | N/A              |
| Rear Drum Diam x Width            | N/A               |                                    |                  |

### Fuel Tank

|                            |      |                                |     |
|----------------------------|------|--------------------------------|-----|
| Fuel Tank Capacity, Approx | 91 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location         | N/A  | Aux Fuel Tank Location         | N/A |

## Dimensions

### Interior Dimensions


|                    |             |                      |             |
|--------------------|-------------|----------------------|-------------|
| Passenger Capacity | 5           | Front Head Room      | 1,092.96 mm |
| Front Leg Room     | 1,131.06 mm | Front Shoulder Room  | 1,676.91 mm |
| Front Hip Room     | 1,553.97 mm | Second Head Room     | 1,019.05 mm |
| Second Leg Room    | 1,102.36 mm | Second Shoulder Room | 1,655.06 mm |
| Second Hip Room    | 1,530.1 mm  |                      |             |

### Exterior Dimensions

|           |             |                                 |     |
|-----------|-------------|---------------------------------|-----|
| Wheelbase | 3,986.53 mm | Length, Overall w/o rear bumper | N/A |
|-----------|-------------|---------------------------------|-----|



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LT (  Complete )

## Dimensions

### Exterior Dimensions

|                             |             |                             |            |
|-----------------------------|-------------|-----------------------------|------------|
| Length, Overall             | 6,131.81 mm | Width, Max w/o mirrors      | 2,063.5 mm |
| Height, Overall             | 1,915.16 mm | Overhang, Front             | N/A        |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab | N/A        |
| Cab to Axle                 | N/A         | Cab to End of Frame         | N/A        |
| Ground to Top of Load Floor | N/A         | Ground to Top of Frame      | N/A        |
| Frame Width, Rear           | N/A         | Ground Clearance, Front     | 201.93 mm  |
| Ground Clearance, Rear      | 201.93 mm   | Body Length                 | 0 m        |
| Cab to Body                 | N/A         |                             |            |

### Cargo Area Dimensions

|                          |             |                                 |          |
|--------------------------|-------------|---------------------------------|----------|
| Cargo Box Length @ Floor | 2,017.78 mm | Cargo Box Width @ Top, Rear     | N/A      |
| Cargo Box Width @ Floor  | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height  | 568.96 mm   | Tailgate Width                  | N/A      |
| Cargo Volume             | 2,030.32 L  | Ext'd Cab Cargo Volume          | N/A      |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.  
Data Version: 19034. Data Updated: 29-Aug-2022 6:51:00 PDT PM.