

Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT

MSRP:\$59,803.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

, ,	10110			
	CODE	MODEL		MSRP
	CK10543	[Retail] 2022 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" LT		\$59,803.00
		OPTIONS		
	00V	Not Equipped with Heated Front Seats, see dealer for detail		-\$50.00
	1LT	LT Preferred Equipment Group		\$0.00
	A50	Seats, front bucket		\$715.00
	AAK	LPO, All-weather floor liners, 1st and 2nd rows	Inc.	
	B1J	Wheelhouse liners, rear	Inc.	
	B59	Remote Start Package		\$0.00
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	C5Y	GVWR, 7100 lbs. (3221 kg)	Inc.	
	CGN	Chevytec spray-on bedliner, Black with Chevrolet logo	Inc.	
	D07	Centre Console, floor-mounted	Inc.	
	EPH	Shifter, Electronic Transmission Range Selector	Inc.	
	GBA	Black		\$0.00
	GU5	Rear axle, 3.23 ratio	Inc.	
	H0U	Jet Black, Cloth seat trim		\$0.00
	IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
	JHD	Hill Descent Control	Inc.	
	JL1	Trailer brake controller, integrated		\$350.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



K47	Air filter, heavy-duty	Inc.	
K4C	Wireless Charging	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KI4	Power outlet, instrument panel, 120-volt		\$0.00
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$2,075.00
MHS	Transmission, 10-speed automatic with Electronic Transmission Range Selector		\$0.00
N10	Exhaust, dual with polished outlets	Inc.	
NQH	Transfer case, two-speed	Inc.	
NZZ	Skid Plates	Inc.	
PDZ	Z71 Off-Road and Protection Package		\$2,110.00
QK2	Tailgate, Multi-Flex		\$525.00
R7N	Not Equipped with Steering Column Lock, see dealer for details		-\$50.00
R70	Seat, Cloth Rear with Storage Package		\$260.00
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
SFE	LPO, Wheel locks, set of 4		\$80.00
SFZ	LPO, Black Bowtie Emblem, front		\$255.00
UBC	USB Ports, 2, Charge/Data ports located inside centre console	Inc.	
UF2	LED Cargo Area Lighting		\$0.00
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VXH	LPO, Assist steps, chromed tubular, 6" rectangular		\$935.00
WPQ	Protection Package	Inc.	
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
YK9	Not Equipped with Dynamic Fuel Management, see dealer for details		-\$50.00
Z71	Z71 Off-Road Package	Inc.	
	Federal air conditioning excise tax		\$100.00

SUBTOTAL \$66,958.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



Adjustments Total \$0.00

Vehicle Tax \$100.00

Destination Charge \$2,095.00

TOTAL PRICE \$69,153.00

FUEL ECONOMY

Est City:16.8 L/100 km

Est Highway:12.4 L/100 km

Est Highway Cruising Range:733.47 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	True North Edition
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (NP5) leather-wrapped steering wheel, (KI3) heated steering wheel, (N37) manual tilt/telescoping steering column, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (UBI) 2 charge-only USB ports for second row, (C49) rear-window defogger, (AVJ) Keyless Open and Start, (BTV) Remote Start and (UTJ) content theft alarm (Upgradeable to (A50) bucket seats and includes (D07) centre console. Vehicles built prior to 3-14-2022 and after 4-24-2022 include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio (Included with (L3B) 2.7L Turbo engine or (L84) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Automatic Stop/Start
	Push Button Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LM2) Duramax 3.0L Turbo-Diesel I6 engine, (VYU) Snow Plow Prep Package or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



(Complete)
(~	Complete	,

Mechanical	
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Bright Silver painted aluminum (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, aluminum spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models only.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes (U12) Perimeter Lighting.)
	Mirror caps, chrome (Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
	Hood Insulator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



(✓ Complete

Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Remote Start Package includes (BTV) Remote Start, (UTJ) content theft alarm and (C49) rear-window defogger (Included with (PCL) Convenience Package.)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger (Vehicles built prior to 3-14-2022 and after 4-24-2022 will include heated driver and front outboard passenger seats. Certain vehicles built on or after 3-14-2022 through 4-24-2022 will be forced to include (00V) Not Equipped with Heated or Ventilated Front Seats, which removes heated front seats. See dealer for details or the window label for the features on a specific vehicle. Feature will not function on certain models without later dealer retrofit to enable functionality. See dealer for details.)
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, leather-wrapped



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



(🗸	Complete	
(•	Complete	ı

Interior	
	Steering wheel, heated (Certain vehicles built prior to 3-28-2022 may be forced to include (00G) Not Equipped with Heated Steering Wheel, which removes the heated steering wheel. See dealer for details or the window label for the features on a specific vehicle.)
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, rear, dual, charge-only (Deleted when (RG4) Fleet LT Base Content Package Delete is ordered.)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.





Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.

Page 8 1-Sep-2022





WARRANTY

Warranty Note: <<< Preliminary 2022 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

l r	วท	cr	nic	Sic	n
	aıı	J.	ınə	SIU	

Trans Type 10 Trans Description Cont. A W Trans Description Cont. Again N/A First Gear Ratio (:1) Second Gear Ratio (:1) Fourth Gear Ratio (:1) Sixth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) Clutch Size N/A Trans Power Take Off N/A Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Transfer Case Ratio (:1) 1.00				
Trans Description Cont. Again N/A First Gear Ratio (:1) 4. Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2. Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1. Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	vetrain	Four Wheel Drive	Trans Order Code	MHS
Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 5 Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.28 Reverse Ratio (:1) Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Transfer Case Gear Ratio (:1), High Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.00 Transfer Case Model M/A Seventh Gear Ratio (:1), Low 2.00 1.00 Transfer Case Gear Ratio (:1), Low 2.00 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	ns Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	ns Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	cond Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	urth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	th Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	tch Size	N/A	Trans Power Take Off	N/A
Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	al Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
	nsfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1)	nsfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
	hth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1) 0.63	nth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	16.8 L/100 km	EnerGuide Estimate - Hwy	12.4 L/100 km
Cruising Range - City	541.37 km	Cruising Range - Hwy	733.47 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



(Complete
	Complete

2,189.07 kg

156.95 kg

0 kg

owertrain			
Mileage			
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct I
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	347
hassis			
Veight Information	11 24 kg	Ctondard Weight Door	47.60 k
Standard Weight - Front	11.34 kg	Standard Weight - Rear	17.69 k
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58
Option Weight - Front	78.02 kg	Option Weight - Rear	78.93 k
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	2,375.05 kg	As Spec'd Payload	845.51
Maximum Payload Capacity	1,031.49 kg	Gross Combined Wt Rating	6,804



Gross Axle Weight Rating

Reserve Axle Capacity

Payload Weight Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.

Curb Weight

Total Option Weight

Payload Weight Rear

1-Sep-2022 Page 10

N/A

N/A

0 kg



assis			
eight Information			
Gross Vehicle Weight Rating	3,220.56 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,173.12 kg	Wt Distributing Hitch - Max Tongue Wt.	417.31 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,900.96 kg	Maximum Trailering Capacity	5,851.44 kg
Fifth Wheel Hitch - Max Tongue Wt.	975.24 kg		
ame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
spension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A



Revolutions/Mile @ 45 mph - Rear

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.

Revolutions/Mile @ 45 mph - Spare

N/A

1-Sep-2022 Page 11

N/A



Chassis			
Wheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Aluminum
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.



(Complete)
------------	---

Dimensions Exterior Dimensions Length, Overall Width, Max w/o mirrors 5,889.75 mm 2,063.5 mm Height, Overall Overhang, Front N/A 1,917.95 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A 205.23 mm Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear 205.23 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 1,775.97 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A N/A Cargo Volume 1,781.13 L Ext'd Cab Cargo Volume



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19053. Data Updated: 31-Aug-2022 6:57:00 PDT PM.