



Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck

MSRP:\$34,948.00

Interior: Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

| 0 1 1 | 10113 | | | |
|--------------|-------|---|------|-------------|
| | CODE | MODEL | | MSRP |
| | 12M43 | [Retail] 2022 Chevrolet Colorado (12M43) 4WD Crew Cab 128" Work Truck | | \$34,948.00 |
| | | OPTIONS | | |
| | 4WT | Work Truck Preferred Equipment Group | | \$0.00 |
| | 9B7 | Mirror, spotter, located in corner of driver-side outside mirror | Inc. | |
| | A91 | Tailgate, remote locking | Inc. | |
| | AAK | LPO, All-weather floor liner | | \$320.00 |
| | AR7 | Seats, front bucket | | \$0.00 |
| | ATG | Remote Keyless Entry, extended range | Inc. | |
| | C5J | GVWR, 6000 lbs. (2722 kg) | Inc. | |
| | CGN | Bedliner, spray-on, Black | | \$550.00 |
| | D75 | Door handles, body-colour | Inc. | |
| | DL6 | Mirrors, outside power-adjustable, body-colour, manual-folding | Inc. | |
| | G80 | Differential, automatic locking rear | | \$410.00 |
| | GAZ | Summit White | | \$0.00 |
| | GU6 | Rear axle, 3.42 ratio | Inc. | |
| | H2R | Jet Black/Dark Ash, Cloth seat trim | | \$0.00 |
| | IOR | Audio system, Chevrolet Infotainment 3 System | | \$0.00 |
| | K34 | Cruise control, electronic, automatic | Inc. | |
| | LGZ | Engine, 3.6L DI DOHC V6 VVT | | \$0.00 |
| | M5T | Transmission, 8-speed automatic | | \$0.00 |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| WT Convenience Package | | \$625.00 |
|---|--|--|
| Tailgate, EZ-Lift and Lower | Inc. | |
| Tires, 265/60R18 all-season, blackwall | Inc. | |
| Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum | Inc. | |
| LPO, Assist steps, Black, 5" rectangular | | \$900.00 |
| LPO, Wheel locks | | \$80.00 |
| LPO, Black Bowtie Emblem Package | | \$205.00 |
| Theft-deterrent system, unauthorized entry | Inc. | |
| LPO, Front and rear splash guards | | \$245.00 |
| Bumper, rear body-colour | Inc. | |
| Custom Special Edition | | \$1,310.00 |
| Trailering Package, heavy-duty | | \$295.00 |
| Federal air conditioning excise tax | | \$100.00 |
| SUBTOTAL | | \$39,888.00 |
| Adjustments Total | | \$0.00 |
| Vehicle Tax | | \$100.00 |
| Destination Charge | | \$2,095.00 |
| | | |
| | Tailgate, EZ-Lift and Lower Tires, 265/60R18 all-season, blackwall Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum LPO, Assist steps, Black, 5" rectangular LPO, Wheel locks LPO, Black Bowtie Emblem Package Theft-deterrent system, unauthorized entry LPO, Front and rear splash guards Bumper, rear body-colour Custom Special Edition Trailering Package, heavy-duty Federal air conditioning excise tax SUBTOTAL Adjustments Total Vehicle Tax | Tailgate, EZ-Lift and Lower Tires, 265/60R18 all-season, blackwall Inc. Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum LPO, Assist steps, Black, 5" rectangular LPO, Wheel locks LPO, Black Bowtie Emblem Package Theft-deterrent system, unauthorized entry LPO, Front and rear splash guards Bumper, rear body-colour Custom Special Edition Trailering Package, heavy-duty Federal air conditioning excise tax SUBTOTAL Adjustments Total Vehicle Tax |

FUEL ECONOMY

Est City:14.0 L/100 km

Est Highway: 9.9 L/100 km

Est Highway Cruising Range:797.55 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



Standard Equipment

| • • | |
|------------|---|
| Mechanical | |
| | Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) (Standard on Crew Cab models.) |
| | Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.) |
| | Rear axle, 3.42 ratio (Requires (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.) |
| | GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.) |
| | Transfer case, electric, 2-speed |
| | Four wheel drive |
| | Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.) |
| | Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.) |
| | Tow/Haul Mode (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine. Standard on Crew Cab Long Box.) |
| | Recovery hooks, front |
| | Frame, fully-boxed |
| | Pickup box |
| | Steering, Electric Power Steering (EPS) assist |
| | Brakes, 4-wheel antilock, 4-wheel disc |
| Exterior | |
| | Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel (STD) |
| | Tires, 255/65R17 all-season, blackwall (STD) |
| | Tire, spare 255/65R17 all-season, blackwall |
| | Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel (Included and only available with (LGZ) 3.6L DI DOHC V6 engine or (LWN) 2.8L Duramax Turbo-Diesel engine.) |
| | Bumper, rear chrome |
| | CornerStep, rear bumper |
| | Mouldings, Black beltline |
| | Headlamps, halogen with automatic exterior lamp control |
| | Cargo box light, back of cab |
| | Mirrors, outside manual-folding, Black |
| | Door handles, Black |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.





| Exterior | |
|---------------|---|
| | Tailgate, locking, |
| | Tailgate handle, Black |
| Entertainment | |
| | Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD) |
| | Audio system feature, 6-speaker system, |
| | SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.) |
| Interior | |
| | Seats, front bucket (STD) |
| | Seat trim, Vinyl |
| | Seat adjuster, driver 4-way power with manual recline |
| | Seat adjuster, passenger 2-way manual fore/aft with manual recline |
| | Seat, rear folding bench (Crew Cab models only.) |
| | Console, floor, front compartment, custom |
| | Floor covering, colour-keyed carpeting |
| | Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.) |
| | Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.) |
| | Steering wheel, urethane |
| | Steering column, tilt, manual |
| | Speedometer, miles/kilometres |
| | Display, driver instrument information enhanced, one colour |
| | Windows, power with driver Express-Up and Down |
| | Door locks, power |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| (| V | Complete |
|-----|----------|----------|
| - (| V | Complete |

| Interior | |
|-------------------|---|
| | Theft-deterrent system, immobilization |
| | USB data ports, 2 includes auxiliary input jack, located on the front console |
| | Air conditioning, single-zone manual climate control |
| | Handles, door release, front and rear, Jet Black |
| | Mirror, inside rearview manual day/night, |
| | Visors, driver and front passenger with passenger vanity mirror |
| | Lighting, interior, centre dome |
| Safety-Mechanical | |
| | StabiliTrak, stability control system |
| | Traction control, electronic |
| Safety-Exterior | |
| | Daytime Running Lamps |
| Safety-Interior | |
| | Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag |
| | Rear Vision Camera |
| | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
| | Tire Pressure Monitoring System (does not apply to spare tire) |
| | Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.





WARRANTY

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

| _ | | | |
|------|-----|-----|------|
| I ra | nsr | ทเร | sion |

| Drivetrain | Four Wheel Drive | Trans Order Code | M5T |
|-------------------------------------|------------------|------------------------------------|---------------|
| Trans Type | 8 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.62 |
| Second Gear Ratio (:1) | 3.04 | Third Gear Ratio (:1) | 2.07 |
| Fourth Gear Ratio (:1) | 1.66 | Fifth Gear Ratio (:1) | 1.26 |
| Sixth Gear Ratio (:1) | 1.00 | Reverse Ratio (:1) | 3.93 |
| Clutch Size | N/A | Trans Power Take Off | N/A |
| Final Drive Axle Ratio (:1) | N/A | Transfer Case Model | Magna MP1622G |
| Transfer Case Gear Ratio (:1), High | 1.00 | Transfer Case Gear Ratio (:1), Low | 2.72 |
| Transfer Case Power Take Off | N/A | Seventh Gear Ratio (:1) | 0.85 |
| Eighth Gear Ratio (:1) | 0.66 | | |

Mileage

| EnerGuide Estimate - City | 14.0 L/100 km | EnerGuide Estimate - Hwy | 9.9 L/100 km |
|---------------------------|---------------|--------------------------|--------------|
| Cruising Range - City | 563.98 km | Cruising Range - Hwy | 797.55 km |
| Estimated Battery Range | N/A | | |

Engine

| Engine Order Code | LGZ | Engine Type | Gas V6 |
|-------------------|------------|-------------|------------------|
| Displacement | 3.6L/-TBD- | Fuel System | Direct Injection |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| Powertrain | | | |
|---|-------------|--|-------------|
| Engine | | | |
| SAE Net Horsepower @ RPM | 308 @ 6800 | SAE Net Torque @ RPM | 275 @ 4000 |
| Engine Oil Cooler | N/A | | |
| Electrical | | | |
| Cold Cranking Amps @ 0° F (Primary) | N/A | Cold Cranking Amps @ 0° F (2nd) | N/A |
| Maximum Alternator Capacity (amps) | N/A | Cold Cranking Amps @ 0° F (3rd) | N/A |
| Cooling System | | | |
| Total Cooling System Capacity | N/A | | |
| ehicle | | | |
| Emissions | | | |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 283 |
| hassis | | | |
| Weight Information | | | |
| Standard Weight - Front | 152.86 kg | Standard Weight - Rear | 34.93 kg |
| Gross Axle Wt Rating - Front | 1,451.52 kg | Gross Axle Wt Rating - Rear | 1,587.6 kg |
| Curb Weight - Front | 997.01 kg | Curb Weight - Rear | 783.82 kg |
| Option Weight - Front | 12.7 kg | Option Weight - Rear | 27.67 kg |
| Reserve Axle Capacity - Front | 288.94 kg | Reserve Axle Capacity - Rear | 741.18 kg |
| As Spec'd Curb Weight | 2,008.99 kg | As Spec'd Payload | 712.61 kg |
| Maximum Payload Capacity | 940.77 kg | Gross Combined Wt Rating | 5,443.2 kg |
| Gross Axle Weight Rating | 3,039.12 kg | Curb Weight | 1,780.83 kg |
| Reserve Axle Capacity | 1,030.13 kg | Total Option Weight | 40.37 kg |
| Payload Weight Front | 0 kg | Payload Weight Rear | 0 kg |
| Gross Vehicle Weight Rating | 2,721.6 kg | | |
| Trailering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 2,268 kg | Dead Weight Hitch - Max Tongue Wt. | 226.8 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 3,175.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 317.52 kg |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| Chassis | | | |
|-------------------------------------|-------------|-----------------------------------|--|
| Trailering | | | |
| Fifth Wheel Hitch - Max Trailer Wt. | N/A | Maximum Trailering Capacity | 3,447.36 kg |
| Fifth Wheel Hitch - Max Tongue Wt. | N/A | | |
| Frame | | | |
| Frame Type | N/A | Sect Modulus Rails Only | N/A |
| Frame RBM | N/A | Frame Strength | N/A |
| Frame Thickness | N/A | | |
| Suspension | | | |
| Suspension Type - Front | Independent | Suspension Type - Rear | Semi-Elliptic, 2- Stage, Multi-Leaf |
| Spring Capacity - Front | 1,451.52 kg | Spring Capacity - Rear | 1,587.6 kg |
| Axle Type - Front | Independent | Axle Type - Rear | Semi-Floating |
| Axle Capacity - Front | 1,451.52 kg | Axle Capacity - Rear | 1,587.6 kg |
| Axle Ratio (:1) - Front | 3.42 | Axle Ratio (:1) - Rear | 3.42 |
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |
| Tires | | | |
| Front Tire Order Code | QIA | Rear Tire Order Code | QIA |
| Spare Tire Order Code | ZAO | Front Tire Size | 265/60R18 |
| Rear Tire Size | 265/60R18 | Spare Tire Size | 255/65R17 |
| Front Tire Capacity | 1,451.52 kg | Rear Tire Capacity | 1,587.6 kg |
| Spare Tire Capacity | N/A | Revolutions/Mile @ 45 mph - Front | N/A |
| Revolutions/Mile @ 45 mph - Rear | N/A | Revolutions/Mile @ 45 mph - Spare | N/A |
| Wheels | | | |
| Front Wheel Size | 18 x 8.5 in | Rear Wheel Size | 18 x 8.5 in |
| Spare Wheel Size | 17 x 8 in | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Steel |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| | 4 | | |
|---|--------------|-----|------|
| (| \checkmark | Com | əlar |

| nassis | | | |
|-----------------------------------|-------------|------------------------------------|-------------|
| teering | | | |
| Steering Type | Pwr | Steering Ratio (:1), On Centre | N/A |
| Steering Ratio (:1), At Lock | N/A | Turning Diameter - Curb to Curb | 12.59 m |
| Turning Diameter - Wall to Wall | N/A | | |
| Brakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | N/A |
| Rear Brake Rotor Diam x Thickness | N/A | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |
| uel Tank | | | |
| Fuel Tank Capacity, Approx | 79 L | Aux Fuel Tank Capacity, Approx | N/A |
| Fuel Tank Location | N/A | Aux Fuel Tank Location | N/A |
| mensions | | | |
| nterior Dimensions | | | |
| Passenger Capacity | 5 | Front Head Room | 1,051.56 mm |
| Front Leg Room | 1,143 mm | Front Shoulder Room | 1,460.5 mm |
| Front Hip Room | 1,397 mm | Second Head Room | 972.82 mm |
| Second Leg Room | 909.32 mm | Second Shoulder Room | 1,427.48 mm |
| Second Hip Room | 1,353.82 mm | | |
| xterior Dimensions | | | |
| Wheelbase | 3,258.82 mm | Length, Overall w/o rear bumper | N/A |
| Length, Overall | 5,402.58 mm | Width, Max w/o mirrors | 1,887.22 mm |
| Height, Overall | 1,793.24 mm | Overhang, Front | 937.26 mm |
| Overhang, Rear w/o bumper | N/A | Front Bumper to Back of Cab | N/A |
| Cab to Axle | 608.08 mm | Cab to End of Frame | N/A |
| Ground to Top of Load Floor | 876.3 mm | Ground to Top of Frame | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.



| (V Complete) |
|----------------|
|----------------|

| Dimensions | | | | | | | |
|-----------------|--|---|--|--|--|--|--|
| | | | | | | | |
| N/A | Ground Clearance, Front | 208.28 mm | | | | | |
| 208.28 mm | Body Length | 0 m | | | | | |
| Cab to Body N/A | | | | | | | |
| | | | | | | | |
| 1,567.18 mm | Cargo Box Width @ Top, Rear | N/A | | | | | |
| 1,468.12 mm | Cargo Box Width @ Wheelhousings | 1,127.76 mm | | | | | |
| N/A | Tailgate Width | N/A | | | | | |
| | Ext'd Cab Cargo Volume | | | | | | |
| | 208.28 mm N/A 1,567.18 mm 1,468.12 mm | 208.28 mm N/A Body Length 1,567.18 mm Cargo Box Width @ Top, Rear 1,468.12 mm Cargo Box Width @ Wheelhousings | | | | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19093. Data Updated: 5-Sep-2022 6:49:00 PDT PM.