



Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom

MSRP:\$57,403.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Dark Ash Metallic

Exterior 2:No colour has been selected.

Engine, 2.7L Turbo High-output

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10543	[Retail] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Custom	\$57,403.00
	OPTIONS	
1CX	Custom Preferred Equipment Group	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
B1J	Wheelhouse liners, rear	\$180.00
CGN	Chevytec spray-on bedliner, Black	\$660.00
G6M	Dark Ash Metallic	\$495.00
G80	Auto-locking rear differential	\$450.00
GU6	Rear axle, 3.42 ratio	\$0.00
H0U	Jet Black, Cloth seat trim	\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo	\$0.00
JL1	Trailer brake controller, integrated	\$350.00
L3B	Engine, 2.7L Turbo High-output	\$0.00
MQE	Transmission, 8-speed automatic, electronically controlled	\$0.00
NZP	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum	\$0.00
PDB	LPO, Dark Essentials Package	\$490.00
QAE	Tires, 275/60R20SL all-terrain, blackwall	\$250.00
R7C	Option/package discount	-\$700.00
R7N	Not Equipped with Steering Column Lock, see dealer for details	-\$50.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.



Vehicle: [Retail] 2	023 Chevrolet Silverado 1500 (CK10543) 4WD Cr	rew Cab 147" Custom (✔ Complete)
R70	Seat, Cloth Rear with Storage Package	\$260.00
RIK	LPO, Black nameplates	Inc.
RVS	LPO, Assist steps - 4" Black - round	\$950.00
SB7	LPO, Black tailgate lettering	Inc.
SFE	LPO, Wheel locks, set of 4	\$95.00
SFZ	LPO, Black Bowtie Emblem, front	Inc.
VQK	LPO, Moulded splash guards, Black	\$255.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$61,088.00
	Adjustments Total	\$0.00
	Vehicle Tax	\$100.00
	Destination Charge	\$2,095.00

\$63,283.00

FUEL ECONOMY

Est City:12.8 L/100 km

Est Highway:11.3 L/100 km

Est Highway Cruising Range:804.88 km

TOTAL PRICE



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.





Standard Equipment

= - 311 - 31 - 31 - 31 - 31 - 31 - 31 -	
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Custom Value Package includes (PCX) Custom Convenience Package and (Z82) Trailering Package
	Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate (Included and only available with (PDX) Custom Value Package.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio
	Automatic Stop/Start
	Push Button Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps
	Frame, fully-boxed, hydroformed front section
	Suspension Package, High Capacity
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.



Exterior	
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body-colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, with incandescent tail, stop and reverse lights
	Mirrors, outside heated power-adjustable
	Glass, deep-tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable (STD)
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.





Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Remote vehicle starter system
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, front auxiliary, 12-volt
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear. Vehicles built prior to 9-19-22 will include Cab mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab



specific vehicle.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.

and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets, will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a



е

Interior	
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, rear, dual, charge-only (Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.)
	Air conditioning, single-zone manual
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.





Safety-Interior	
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.



wertrain			
ransmission			
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
lileage			
EnerGuide Estimate - City	12.8 L/100 km	EnerGuide Estimate - Hwy	11.3 L/100 I
Cruising Range - City	710.55 km	Cruising Range - Hwy	804.88 km
Estimated Battery Range	N/A		
ngine			
Engine Order Code	L3B	Engine Type	Turbocharge Gas I4
Displacement	2.7L/166	Fuel System	Direct Inject
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
imissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	285
nassis			
Veight Information			
Standard Weight - Front	15.42 kg	Standard Weight - Rear	26.76 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.





Chassis **Weight Information** Option Weight - Front 27.67 kg Option Weight - Rear 48.08 kg Reserve Axle Capacity - Front N/A Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight 2,307.01 kg As Spec'd Payload 868.19 kg Maximum Payload Capacity 986.13 kg **Gross Combined Wt Rating** 6,577.2 kg Gross Axle Weight Rating N/A Curb Weight 2,189.07 kg Reserve Axle Capacity N/A **Total Option Weight** 75.75 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,175.2 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 4,082.4 kg Wt Distributing Hitch - Max Tongue Wt. 408.24 kg Fifth Wheel Hitch - Max Trailer Wt. Maximum Trailering Capacity 4,037.04 kg 4,082.4 kg Fifth Wheel Hitch - Max Tongue Wt. 1,009.26 kg **Frame** Frame Type Box Ladder Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Independent Suspension Type - Rear Solid Axle Spring Capacity - Front N/A Spring Capacity - Rear N/A Axle Type - Front Axle Type - Rear N/A N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Rear N/A Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A



Front Tire Order Code QAE Rear Tire Order Code QAE



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.





Chassis

_		
	ı	res

Spare Tire Order Code	QAQ	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

•				
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A	
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m	
Turning Diameter - Wall to Wall	N/A			

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.

Page 10 3-Oct-2022



Dimensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,744.72 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,889.75 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19321. Data Updated: 2-Oct-2022 6:49:00 PDT PM.