

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Window Sticker

SUMMARY

[Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck

MSRP:\$30,648.00

Interior:Jet Black/Dark Ash, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 3.6L DI DOHC V6 VVT

Transmission, 8-speed automatic

OPTIONS

CODE	MODEL	MSRP
12M43	[Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck	\$30,648.00
OPTIONS		
2WT	Work Truck Preferred Equipment Group	\$0.00
5GD	Tow/Haul Mode	Inc.
9B7	Mirror, spotter, located in corner of driver-side outside mirror	Inc.
A91	Tailgate, remote locking	Inc.
AAK	LPO, All-weather floor liner	\$320.00
AR7	Seats, front bucket	\$0.00
ATG	Remote Keyless Entry, extended range	Inc.
CGN	Bedliner, spray-on, Black	\$550.00
CHN	GVWR, 5800 lbs. (2631 kg)	Inc.
CTT	Hitch Guidance	Inc.
D75	Door handles, body-colour	Inc.
DL6	Mirrors, outside power-adjustable, body-colour, manual-folding	Inc.
G80	Differential, automatic locking rear	\$410.00
GAZ	Summit White	\$0.00
GU6	Rear axle, 3.42 ratio	Inc.
H2R	Jet Black/Dark Ash, Cloth seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 System	\$0.00
K34	Cruise control, electronic, automatic	Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

LGZ	Engine, 3.6L DI DOHC V6 VVT		\$1,650.00
M5T	Transmission, 8-speed automatic		\$0.00
PCN	WT Convenience Package		\$625.00
PPA	Tailgate, EZ-Lift and Lower	Inc.	
QIA	Tires, 265/60R18 all-season, blackwall	Inc.	
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Dark Argent Metallic cast aluminum	Inc.	
RM7	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel	Inc.	
RVS	(DISCONTINUED) LPO, Assist steps, Black, 5" rectangular		\$900.00
SFE	LPO, Wheel locks		\$80.00
SG1	LPO, Black Bowtie Emblem Package		\$205.00
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
VQK	LPO, Front and rear splash guards		\$245.00
VT5	Bumper, rear body-colour	Inc.	
WGV	Custom Special Edition		\$1,310.00
Z82	Trailer Package, heavy-duty		\$295.00
ZAO	Tire, spare 255/65R17 all-season, blackwall		\$0.00
—	Federal air conditioning excise tax		\$100.00
SUBTOTAL			\$37,238.00
Adjustments Total			\$0.00
Vehicle Tax			\$100.00
Destination Charge			\$2,095.00
TOTAL PRICE			\$39,433.00

FUEL ECONOMY

Est City:12.9 L/100 km

Est Highway:9.3 L/100 km

Est Highway Cruising Range:849 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Standard Equipment

Mechanical

Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N-m] @ 4400 rpm) (STD) (Not included on Crew Cab Long Box models.)

Transmission, 6-speed automatic, HMD, 6L50 (STD) (Included and only available with (LCV) 2.5L I4 engine)

Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab Long Box models.)

GVWR, 5500 lbs. (2495 kg) (STD) (Standard on Crew Cab Short Wheelbase models with (LCV) 2.5L I4 engine only.)

Rear wheel drive

Capless Fuel Fill

Frame, fully-boxed

Pickup box

Steering, Electric Power Steering (EPS) assist

Brakes, 4-wheel antilock, 4-wheel disc

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver Metallic steel (STD)

Tires, 255/65R17 all-season, blackwall (STD)

Tire, spare 255/65R17 all-season, blackwall (STD)

Wheel, spare, 17" x 8" (43.2 cm x 20.3 cm) gloss-Black aluminum (STD) (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab Long Box models.)

Bumper, rear chrome

CornerStep, rear bumper

Exterior, B-pillar applique (As of 9-12-22 (BW7) Exterior, B-pillar applique will not be included and the truck B-pillar will be body coloured.)

Mouldings, Black beltline

Headlamps, halogen with automatic exterior lamp control

Cargo box light, back of cab

Mirrors, outside manual-folding, Black

Door handles, Black

Tailgate, locking,

Tailgate handle, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Entertainment

Audio system, Chevrolet Infotainment 3 System 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system,

SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)

Interior

Seats, front bucket (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way power with manual recline

Seat adjuster, passenger 2-way manual fore/aft with manual recline

Seat, rear folding bench (Crew Cab models only.)

Console, floor, front compartment, custom

Floor covering, colour-keyed carpeting

Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Floor mats, carpeted rear (Requires (B30) colour-keyed carpeting floor covering. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO, (VAV) All-weather floor mats, LPO or (PDH) Interior Protection Package, LPO.)

Steering wheel, urethane

Steering column, tilt, manual

Speedometer, miles/kilometres

Display, driver instrument information enhanced, one colour

Windows, power with driver Express-Up and Down

Door locks, power

Theft-deterrent system, immobilization

USB data ports, 2 includes auxiliary input jack, located on the front console

Air conditioning, single-zone manual climate control



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Interior

Handles, door release, front and rear, Jet Black

Mirror, inside rearview manual day/night,

Visors, driver and front passenger with passenger vanity mirror

Lighting, interior, centre dome

Safety-Mechanical

StabiliTrak, stability control system

Traction control, electronic

Safety-Exterior

Daytime Running Lamps

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag

Rear Vision Camera

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System (does not apply to spare tire)

Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

WARRANTY

Basic Years: 3

Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	M5T
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	3.04	Third Gear Ratio (:1)	2.07
Fourth Gear Ratio (:1)	1.66	Fifth Gear Ratio (:1)	1.26
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.93
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.66		

Mileage

EnerGuide Estimate - City	12.9 L/100 km	EnerGuide Estimate - Hwy	9.3 L/100 km
Cruising Range - City	612.07 km	Cruising Range - Hwy	849 km
Estimated Battery Range	N/A		

Engine

Engine Order Code	LGZ	Engine Type	Gas V6
Displacement	3.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	308 @ 6800	SAE Net Torque @ RPM	275 @ 4000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	263
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	3.63 kg	Standard Weight - Rear	3.63 kg
Gross Axle Wt Rating - Front	1,451.52 kg	Gross Axle Wt Rating - Rear	1,587.6 kg
Curb Weight - Front	997.01 kg	Curb Weight - Rear	783.82 kg
Option Weight - Front	76.66 kg	Option Weight - Rear	40.82 kg
Reserve Axle Capacity - Front	374.22 kg	Reserve Axle Capacity - Rear	759.33 kg
As Spec'd Curb Weight	1,905.57 kg	As Spec'd Payload	725.31 kg
Maximum Payload Capacity	850.05 kg	Gross Combined Wt Rating	5,443.2 kg
Gross Axle Weight Rating	3,039.12 kg	Curb Weight	1,780.83 kg
Reserve Axle Capacity	1,133.55 kg	Total Option Weight	117.48 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,630.88 kg		

Trailer

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,175.2 kg	Wt Distributing Hitch - Max Tongue Wt.	317.52 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,175.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2-Stage, Multi-Leaf
Spring Capacity - Front	1,451.52 kg	Spring Capacity - Rear	1,587.6 kg



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Chassis

Suspension

Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	1,451.52 kg	Axle Capacity - Rear	1,587.6 kg
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QIA	Rear Tire Order Code	QIA
Spare Tire Order Code	ZAO	Front Tire Size	265/60R18
Rear Tire Size	265/60R18	Spare Tire Size	255/65R17
Front Tire Capacity	1,451.52 kg	Rear Tire Capacity	1,587.6 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.59 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.

Vehicle: [Retail] 2022 Chevrolet Colorado (12M43) 2WD Crew Cab 128" Work Truck ( Complete)

Chassis

Fuel Tank

Fuel Tank Capacity, Approx	79 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head Room	1,051.56 mm
Front Leg Room	1,143 mm	Front Shoulder Room	1,460.5 mm
Front Hip Room	1,397 mm	Second Head Room	972.82 mm
Second Leg Room	909.32 mm	Second Shoulder Room	1,427.48 mm
Second Hip Room	1,353.82 mm		

Exterior Dimensions

Wheelbase	3,258.82 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,402.58 mm	Width, Max w/o mirrors	1,887.22 mm
Height, Overall	1,795.78 mm	Overhang, Front	937.26 mm
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	608.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	876.3 mm	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	210.82 mm
Ground Clearance, Rear	210.82 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,468.12 mm	Cargo Box Width @ Wheelhousings	1,127.76 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,169.49 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 19529. Data Updated: 28-Oct-2022 6:50:00 PDT PM.