

Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 3500HD (CK30743) 4WD Crew Cab 159" LT

MSRP:W/A

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Transmission, Allison 10-speed automatic

OPTIONS

.0.10			
CODE	MODEL		MSRP
CK30743	[Retail] 2023 Chevrolet Silverado 3500HD (CK30743) 4WD Crew Cab 159" LT	W/A	
	OPTIONS		
1LT	LT Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power including lumbar	Inc.	
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket with centre console, for Crew Cab and Double Cab models		\$625.00
AVJ	Keyless Open and Start	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
ВНР	Winter Grille Cover	Inc.	
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner		\$625.00
CJ2	Air conditioning, dual-zone automatic climate control.	Inc.	
D07	Centre Console, floor-mounted	Inc.	
DD8	Mirror, inside rearview auto-dimming	Inc.	
DWC	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass		\$280.00
G4Y	GVWR, 12,100 lbs. (5488 kg) with single rear wheels	Inc.	
GAZ	Summit White		\$0.00
	1LT A2X A48 A50 AVJ B1J BHP BTV C49 CGN CJ2 D07 DD8 DWC G4Y	CK30743 [Retail] 2023 Chevrolet Silverado 3500HD (CK30743) 4WD Crew Cab 159" LT OPTIONS 1LT LT Preferred Equipment Group A2X Seat adjuster, driver 10-way power including lumbar A48 Window, power, rear sliding A50 Seats, front bucket with centre console, for Crew Cab and Double Cab models AVJ Keyless Open and Start B1J Wheelhouse liners, rear BHP Winter Grille Cover BTV Remote vehicle starter system C49 Defogger, rear-window electric CGN Chevytec spray-on bedliner CJ2 Air conditioning, dual-zone automatic climate control. D07 Centre Console, floor-mounted DD8 Mirror, inside rearview auto-dimming DWC Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass G4Y GVWR, 12,100 lbs. (5488 kg) with single rear wheels	CK30743 [Retail] 2023 Chevrolet Silverado 3500HD (CK30743) 4WD Crew Cab 153° LT OPTIONS 1LT LT Preferred Equipment Group A2X Seat adjuster, driver 10-way power including lumbar Inc. A48 Window, power, rear sliding Inc. A50 Seats, front bucket with centre console, for Crew Cab and Double Cab models AVJ Keyless Open and Start Inc. B1J Wheelhouse liners, rear Inc. BHP Winter Grille Cover Inc. BTV Remote vehicle starter system Inc. C49 Defogger, rear-window electric Inc. CGN Chevytec spray-on bedliner CJ2 Air conditioning, dual-zone automatic climate control. Inc. D07 Centre Console, floor-mounted Inc. DD8 Mirror, inside rearview auto-dimming Inc. DWC Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass G4Y GVWR, 12,100 lbs. (5488 kg) with single rear wheels Inc.



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



GU6	Rear axle, 3.42 ratio	Inc.	
H0U	Jet Black, Cloth seat trim		\$0.00
IOS	Audio system, Chevrolet Infotainment 3 Plus system, 8" diagonal HD colour touchscreen, AM/FM stereo	Inc.	
JHD	Hill Descent Control	Inc.	
K05	Engine block heater	Inc.	
K40	Exhaust brake	Inc.	
KA1	Seating, heated driver and front outboard passenger	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$0.00
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
L5P	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible		\$11,195.00
MGM	Transmission, Allison 10-speed automatic	Inc.	
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package		\$3,285.00
PCM	Convenience Package II	W/A	
PRF	3 years of Remote Access.		\$0.00
PYV	Wheels, 18" (45.7 cm) machined aluminum with Silver painted accents, 6-spoke		\$0.00
PZ8	Hitch Guidance with Hitch View	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$0.00
QK2	Tailgate, Multi-Flex		\$515.00
R70	Seat, Cloth Rear with Storage Package, 60/40 folding bench	Inc.	
T3U	Fog lamps, front, LED	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
U1D	Advanced Trailering System	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UF3	High idle switch		\$240.00
UG1	Universal Home Remote	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



USS	USB ports, dual, charge-only (2nd row)	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UVB	HD Rear Vision Camera	Inc.	
UY2	Trailering wiring provisions		\$40.00
VQK	LPO, Moulded splash guards, Black		\$260.00
VYU	Snow Plow Prep/Camper Package		\$535.00
Z71	Z71 Off-Road Package		\$245.00
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Suspension, Off-Road	Inc.	
	Capped Fuel Fill	Inc.	
	SiriusXM with 360L	Inc.	
	Wireless Phone Projection	Inc.	
	SUBTOTAL	W/A	
	Adjustments Total	W/A	
	Vehicle Tax		\$100.00
	Destination Charge	W/A	
	TOTAL PRICE	W/A	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Machanical	

	pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 11,350 lbs. (5148 kg) with single rear wheels (STD) (Included and only available with CK30743 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package
	Steering, Recirculating ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

Exterior

Single Rear Wheels



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Exterior	
	Wheels, 18" (45.7 cm) machined aluminum with Silver painted accents, 6-spoke (STD) (Requires single rear wheels.)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)
	Tire, spare LT275/70R18 all-terrain, blackwall (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires or (QF9) LT275/65R20 all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed, rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Chrome front grille bar with "CHEVROLET". Includes moulded in colour Black grille inserts with small Gold bowtie emblem.
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)
	Lamps, cargo area cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Deleted when (ZW9) pickup bed delete is ordered.)
	Hood Insulator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at thencurrent rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system, (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD) (Not available with (PCL) Convenience Package.)
	Seat trim, Cloth
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, rubberized-vinyl rear (Not available with Regular Cab models. Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)
	Steering wheel, wrapped
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Steering wheel audio controls
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass, located in instrument cluster
	Window, power front, drivers express up/down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Interior	
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel (Replaced with (MCR) USB ports with (PCM) Conv Pkg unless (A50) bucket seats are ordered.)
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Seat Belt Adjustable Guide Loops front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Safety-Interior

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.87	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.68
Tenth Gear Ratio (:1)	0.63		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



,	1	C	١
	\	Complete)

owertrain			
Mileage	NIA		N1/A
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L5P	Engine Type	Turbocharge Diesel V8
Displacement	6.6L/-TBD-	Fuel System	Direct Inject
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	170 & 220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
hassis			
Weight Information			
Standard Weight - Front	7.71 kg	Standard Weight - Rear	11.34 kg
Gross Axle Wt Rating - Front	2,721.6 kg	Gross Axle Wt Rating - Rear	3,288.6 kg
Curb Weight - Front	1,744.55 kg	Curb Weight - Rear	1,320.43 kg
Option Weight - Front	371.95 kg	Option Weight - Rear	92.08 kg
Reserve Axle Capacity - Front	597.39 kg	Reserve Axle Capacity - Rear	1,864.75 kg
As Spec'd Curb Weight	3,548.06 kg	As Spec'd Payload	1,940.5 kg
Maximum Payload Capacity	2,423.58 kg	Gross Combined Wt Rating	13,471.92 k



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.





Chassis Weight Information Curb Weight Gross Axle Weight Rating 6,010.2 kg 3,064.98 kg **Total Option Weight** 464.03 kg Reserve Axle Capacity 2,462.14 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 5,488.56 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 226.8 kg 2,268 kg Wt Distributing Hitch - Max Trailer Wt. 9,072 kg Wt Distributing Hitch - Max Tongue Wt. 907.2 kg Fifth Wheel Hitch - Max Trailer Wt. 9,661.68 kg Maximum Trailering Capacity 9,072 kg Fifth Wheel Hitch - Max Tongue Wt. 2,415.42 kg **Frame** Frame Type Sect Modulus Rails Only N/A Hydroformed Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Rear 3-Stage Multi-Leaf Suspension Type - Front Short/Long Arm w/Torsion Bars N/A Spring Capacity - Front N/A Spring Capacity - Rear Axle Type - Front Independent Axle Type - Rear N/A Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front 3.42 Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 35.05 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QF6 Rear Tire Order Code QF6 Spare Tire Order Code ZYG Front Tire Size LT275/70R18 Rear Tire Size LT275/70R18 Spare Tire Size LT275/70R18 N/A Front Tire Capacity N/A Rear Tire Capacity



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



	4		
(\	Complete)

ires			
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	18 x 8 in	Rear Wheel Size	18 x 8 in
Spare Wheel Size	18 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 m
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Dimensions Interior Dimensions Second Hip Room 1,530.1 mm **Exterior Dimensions** Wheelbase N/A 4,037.08 mm Length, Overall w/o rear bumper Length, Overall 2,078.99 mm 6,348.73 mm Width, Max w/o mirrors Height, Overall 2,054.1 mm N/A Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle 1,069.34 mm Cab to End of Frame N/A Ground to Top of Load Floor Ground to Top of Frame N/A 988.06 mm Frame Width, Rear N/A Ground Clearance, Front 283.97 mm Ground Clearance, Rear 283.97 mm Body Length 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor Cargo Box Width @ Top, Rear N/A 2,089.15 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,316.99 mm Cargo Box (Area) Height 533.4 mm Tailgate Width N/A Cargo Volume 1,968.02 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.