

Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT

MSRP:\$64,953.00

Interior:Jet Black, Leather-appointed front outboard seat trim

Exterior 1:Cherry Red Tintcoat

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

OPTIONS

U	10110			
	CODE	MODEL		MSRP
	CK20743	[Retail] 2023 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LT		\$64,953.00
		OPTIONS		
	1LT	LT Preferred Equipment Group		\$0.00
	A2X	Seat adjuster, driver 10-way power	Inc.	
	A48	Window, power, rear sliding	Inc.	
	A50	Seats, front bucket		\$625.00
	AVJ	Keyless Open and Start	Inc.	
	B1J	Wheelhouse liners, rear	Inc.	
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	CF5	Sunroof, power on Crew Cab models		\$1,325.00
	CGN	Chevytec spray-on bedliner	Inc.	
	CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
	CMT	Gooseneck/5th Wheel Package		\$1,255.00
	CXH	Leather Package		\$1,135.00
	D07	Centre Console, floor-mounted	Inc.	
	DD8	Mirror, inside rearview auto-dimming	Inc.	
	DWC	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass		\$280.00
	GSK	Cherry Red Tintcoat		\$595.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



GT4	Rear axle, 3.73 ratio		\$0.00
H0Y	Jet Black, Leather-appointed front outboard seat trim		\$0.00
IOS	Audio system, Chevrolet Infotainment 3 Plus system	Inc.	
JGF	GVWR, 10,650 lbs. (4831 kg)	Inc.	
JHD	Hill Descent Control	Inc.	
K05	Engine block heater		\$195.00
K4B	Battery, auxiliary, 730 cold-cranking amps/70 Amp-hr		\$160.00
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$440.00
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, instrument panel, 120-volt	Inc.	
KPA	Power outlet, rear auxiliary, 12-volt	Inc.	
L8T	Engine, 6.6L V8		\$0.00
MCR	USB Ports (Instrument Panel with bench seat), 2	Inc.	
MYD	Transmission, 6-speed automatic, heavy-duty		\$0.00
N06	Steering column, lock control, electrical	Inc.	
N37	Steering column, manual tilt and telescoping	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package		\$3,285.00
PCM	Convenience Package II		\$1,075.00
PRF	3 years of Remote Access.		\$0.00
PYT	Wheels, 18" (45.7 cm) painted steel		\$125.00
PZ8	Hitch Guidance with Hitch View	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$0.00
QK2	Tailgate, Multi-Flex		\$515.00
SNR	Seat, Up-level Rear with Storage Package	Inc.	
T3U	Fog lamps, front, LED	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
U1D	Advanced Trailering System	Inc.	
UF2	LED Cargo Area Lighting	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



	` '		
	High idle switch		\$240.0
	Universal Home Remote	Inc.	Ψ2 10.0
3	USB ports, dual, charge-only (2nd row)	Inc.	
•	Theft-deterrent system, unauthorized entry	Inc.	
3	HD Rear Vision Camera	Inc.	
, (LPO, Moulded splash guards, Black	ino.	\$260.0
` 	LPO, Assist steps, chromed tubular, 6" rectangular		\$945.0
•	Gooseneck/5th Wheel Prep Package	Inc.	φο 1010
	Z71 Off-Road Package		\$690.0
;	Tire, spare LT275/70R18 all-terrain, blackwall	Inc.	·
	Federal air conditioning excise tax		\$100.0
	Suspension, Off-Road	Inc.	
	SiriusXM with 360L	Inc.	
	Wireless Phone Projection	Inc.	
	SUBTOTAL		\$78,183.0
	Adjustments Total		\$0.0
	Vehicle Tax		\$100.0
	Destination Charge		\$2,095.0
	TOTAL PRICE		\$80,378.0

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,450 lbs. (4740 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 17" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)

Exterior

Wheels, 17" (43.2 cm) machined aluminum (STD)

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Suspension Package

Brake lining wear indicator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)



(V Complete

Exterior	
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Chrome front grille bar with "CHEVROLET". Includes moulded in colour Black grille inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Deleted when (ZW9) pickup bed delete is ordered.)
	Door handles, body-colour
	Hood Insulator
Entertainment	

Entertainment

Audio system, Chevrolet Infotainment 3 system 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command passthrough to phone, wired Apple CarPlay and Android Auto capable. (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Entertainment	
	SiriusXM enjoy a Platinum Plan trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at thencurrent rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Audio system feature, 6-speaker system, (Requires Crew Cab or Double Cab model.)
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD) (Not available with (PCL) Convenience Package.)
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered. Not available with (BKF) Floor liners.)
	Floor mats, rubberized-vinyl rear (Not available with Regular Cab models. Deleted when LPO floor liners are ordered. Not available with (BKE) Floor liners.)
	Steering wheel, wrapped (Standard on models built after September 26, 2022.)
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 4.2" diagonal colour display includes driver personalization
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



Interior	
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB ports, 2 (first row) located on instrument panel (Replaced with (MCR) USB ports with (PCM) Conv Pkg unless (A50) bucket seats are ordered.)
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models. Not available with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.





Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.





3,008.73 kg

0 kg

0 kg

Powertrain Mileage N/A **Estimated Battery Range Engine** Gas V8 **Engine Order Code** L8T **Engine Type** 6.6L/400 Fuel System **Direct Injection** Displacement SAE Net Horsepower @ RPM 401 @ 5200 SAE Net Torque @ RPM 464 @ 4000 Engine Oil Cooler Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 720 Cold Cranking Amps @ 0° F (2nd) 730 Maximum Alternator Capacity (amps) 220 & 170 Cold Cranking Amps @ 0° F (3rd) N/A **Cooling System Total Cooling System Capacity** N/A Vehicle **Emissions** Kg/yr of CO2 Emissions @ 20K km/year N/A G/km Of CO2 Emissions N/A Chassis **Weight Information** Standard Weight - Front 0 kg Standard Weight - Rear 0 kg Gross Axle Wt Rating - Front N/A Gross Axle Wt Rating - Rear N/A Curb Weight - Front 1,745.91 kg Curb Weight - Rear 1,262.82 kg Option Weight - Front 0 kg Option Weight - Rear 0 kg Reserve Axle Capacity - Front Reserve Axle Capacity - Rear N/A N/A As Spec'd Curb Weight 3,008.73 kg As Spec'd Payload 1,822.11 kg Maximum Payload Capacity 1,822.11 kg **Gross Combined Wt Rating** 10,886.4 kg



Gross Axle Weight Rating

Reserve Axle Capacity

Payload Weight Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.

Curb Weight

Total Option Weight

Payload Weight Rear

12-Nov-2022 Page 9

N/A

N/A

0 kg





Chassis

Weight Informa	ation
----------------	-------

Gross Vehicle Weight Rating 4,830.84 kg

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	8,391.6 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18E
Rear Tire Size	LT275/70R18E	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



(V	Complete)

Chassis			
Wheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	4,037.08 mm	Length, Overall w/o rear bumper	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.



ensions			
terior Dimensions			
Length, Overall	6,348.73 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,069.34 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	257.05 mm
Ground Clearance, Rear	257.05 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A
Cargo Volume	1,968.02 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19624. Data Updated: 11-Nov-2022 6:51:00 PST PM.