



Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" RST

MSRP:\$60,553.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

CODE	MODEL		MSRP
CK10753	[Retail] 2023 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" RST		\$60,553.00
	OPTIONS		
1SP	RST Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket		\$715.00
AAK	LPO, All-weather floor liners, 1st and 2nd rows	Inc.	
B1J	Wheelhouse liners, rear	Inc.	
C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black	Inc.	
D07	Centre Console, floor-mounted	Inc.	
EPH	Shifter, Electronic Transmission Range Selector	Inc.	
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio	Inc.	
H0U	Jet Black, Cloth seat trim		\$0.00
IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
JHD	Hill Descent Control	Inc.	
JL1	Trailer brake controller, integrated	Inc.	
K47	Air filter, heavy-duty	Inc.	
K4C	Wireless Charging	Inc.	
KC4	Cooling, external engine oil cooler	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



	Adjustments Total		\$0.00
	SUBTOTAL		\$68,573.00
	Federal air conditioning excise tax		\$100.00
Z71	Z71 Off-Road Package	Inc.	
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
XCK	Tires, 265/65R18SL all-terrain, blackwall	Inc.	
WPQ	Protection Package	Inc.	
VQK	LPO, Moulded splash guards, Black		\$255.00
UQA	Bose Sound System, premium 7-speaker system	Inc.	
UG1	Universal Home Remote	Inc.	
UET	Trailering App	Inc.	
UBC	USB Ports, 2, Charge/Data ports located inside centre console	Inc.	
SB7	LPO, Black tailgate lettering	Inc.	***************************************
RVS	LPO, Assist steps - 4" Black - round		\$895.00
RIK	LPO, Black nameplates	Inc.	
RCV	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum	Inc.	
R7N	Not Equipped with Steering Column Lock, see dealer for details		-\$50.00
PZ8	Hitch Guidance with hitch view	Inc.	
PRF	3 years of Remote Access.		\$0.00
PDZ	Z71 Off-Road and Protection Package		\$1,775.00
PDB	LPO, Dark Essentials Package		\$660.00
PCM	Convenience Package II		\$1,695.00
NZZ	Skid Plates	Inc.	
NQH	Transfer case, two-speed	Inc.	
N10	Range Selector Exhaust, dual with polished outlets	Inc.	
MHS	Transmission, 10-speed automatic with Electronic Transmission		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$2,075.00
KW7	Alternator, 170 amps		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.

\$100.00

22-Nov-2022 Page 2

Vehicle Tax



\$2,095.00

TOTAL PRICE \$70,768.00

FUEL ECONOMY

Est City:14.8 (Est) L/100 km

Est Highway:11.8 (Est) L/100 km

Est Highway Cruising Range:770.76 km

Destination Charge



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	True North Edition
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (N57) wrapped steering wheel, (KI3) heated steering wheel, (N37) manual tilt/telescoping steering column, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (UBI) 2 charge-only USB ports for second row, (C49) rear-window defogger, (AVJ) Keyless Open and Start, (BTV) Remote Start and (UTJ) content theft alarm (Upgradeable to (A50) bucket seats and includes (D07) centre console.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Base engine on C*10753 Double Cab models. Not available on Crew Cab models or with (Z71) Z71 Off-Road Package.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio (Included with (L3B) 2.7L Turbo engine. Included with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine and (NHT) Max Trailering Package.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Double Cab 4WD model and (L3B) 2.7L Turbo engine. Requires Double Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Push Button Start
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included and only available with (L3B) 2.7L Turbo engine, (LZ0) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



(🗸	Complete)
-----	----------	---

Mechanical	
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)
	Tires, 265/65R18SL all-season, blackwall (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body-colour.)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation
	IntelliBeam, automatic high beam on/off
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature, animation and incandescent reverse lights
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes (U12) Perimeter Lighting.)
	Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function manual with EZ Lift includes power lock and release



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan, you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



Indeed an	
Interior	
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Vehicles built prior to 9-19-22 will include Cab mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets, will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, 2, Charge/Data ports located on the instrument panel USB Ports, rear, dual, charge-only
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.)
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control Air vents, rear, heating/cooling
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control Air vents, rear, heating/cooling Defogger, rear-window electric
	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control Air vents, rear, heating/cooling Defogger, rear-window electric Mirror, inside rearview, manual tilt
Safety-Mechanical	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control Air vents, rear, heating/cooling Defogger, rear-window electric Mirror, inside rearview, manual tilt Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	USB Ports, rear, dual, charge-only Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Vehicles built prior to 9-19-22 will include Bed mounted power outlet. Certain vehicles built on or after 9-19-22 may be forced to include (08R) Not Equipped with functional Cab or Bed Power Outlets, which removes the Cab and Bed power outlet functionality. See dealer for details or the window label for the features on a specific vehicle. Vehicles equipped with (08R) Not Equipped with functional Cab or Bed Power Outlets will be eligible for later dealer retrofit to enable functionality. See dealer for details or the window label for the features on a specific vehicle.) Air conditioning, dual-zone automatic climate control Air vents, rear, heating/cooling Defogger, rear-window electric Mirror, inside rearview, manual tilt Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.

Page 7 22-Nov-2022



Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after





WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

_					
۱r	ar	ısr	nis	SI	ดท

Trans Type 10 Trans Description Cont. A W Trans Description Cont. Again N/A First Gear Ratio (:1) Second Gear Ratio (:1) Fourth Gear Ratio (:1) Sixth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) Clutch Size N/A Trans Power Take Off N/A Transfer Case Gear Ratio (:1), High Transfer Case Gear Ratio (:1), Low Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.00 Transfer Case Ratio (:1) 1.00				
Trans Description Cont. Again N/A First Gear Ratio (:1) 4. Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 2. Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1. Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	vetrain	Four Wheel Drive	Trans Order Code	MHS
Second Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 5 Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.28 Reverse Ratio (:1) Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Transfer Case Gear Ratio (:1), High Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 2.98 Third Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4.00 Transfer Case Model M/A Seventh Gear Ratio (:1), Low 2.00 1.00 Transfer Case Gear Ratio (:1), Low 2.00 Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	ns Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Fourth Gear Ratio (:1) 1.8 Fifth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N/A Transfer Case Model Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	ns Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Sixth Gear Ratio (:1) 1.28 Reverse Ratio (:1) 4. Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	cond Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Clutch Size N/A Trans Power Take Off N Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	urth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Final Drive Axle Ratio (:1) N/A Transfer Case Model M Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1)	th Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Transfer Case Gear Ratio (:1), High 1.00 Transfer Case Gear Ratio (:1), Low 2. Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	tch Size	N/A	Trans Power Take Off	N/A
Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 1.	al Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
	nsfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Eighth Gear Ratio (:1) 0.85 Ninth Gear Ratio (:1)	nsfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
	hth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1) 0.63	nth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	14.8 (Est) L/100 km	EnerGuide Estimate - Hwy	11.8 (Est) L/100 km
Cruising Range - City	614.53 km	Cruising Range - Hwy	770.76 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



(\checkmark	Complete	
(~	Complete	

132 kg

0 kg

· · ·	,	,	. ,
Powertrain			
Mileage			
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	325 (Est)
Chassis			
Weight Information			
Standard Weight - Front	10.43 kg	Standard Weight - Rear	21.77 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,305.46 kg	Curb Weight - Rear	879.53 kg
Option Weight - Front	85.28 kg	Option Weight - Rear	46.72 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	2,349.19 kg	As Spec'd Payload	826.01 kg
Maximum Payload Capacity	990.21 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	N/A	Curb Weight	2,184.99 kg



Reserve Axle Capacity

Payload Weight Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.

Total Option Weight

Payload Weight Rear

Page 10 22-Nov-2022

N/A

0 kg



(V	Complete
---	---	----------

Chassis

Weight Information

Gross Vehicle Weight Rating 3,175.2 kg

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,218.48 kg	Wt Distributing Hitch - Max Tongue Wt.	421.85 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,719.52 kg	Maximum Trailering Capacity	6,032.88 kg
Fifth Wheel Hitch - Max Tongue Wt.	929.88 kg		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A	
Frame RBM	N/A	Frame Strength	N/A	
Frame Thickness	N/A			

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	XCK	Rear Tire Order Code	XCK
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18SL
Rear Tire Size	265/65R18SL	Spare Tire Size	265/70R17SL
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.



	4		
(\	Complete	1

Chassis			
Wheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mn
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 mm
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,745.23 mm	Length, Overall w/o rear bumper	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.





Dimensions Exterior Dimensions Length, Overall Width, Max w/o mirrors 5,889.75 mm 2,063.5 mm Height, Overall Overhang, Front N/A 1,921 mm Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A 205.23 mm Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear 205.23 mm **Body Length** 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 2,017.78 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Ext'd Cab Cargo Volume N/A Cargo Volume 2,030.32 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 19707. Data Updated: 21-Nov-2022 6:52:00 PST PM.