

### **Window Sticker**

#### **SUMMARY**

[Retail] 2023 Chevrolet Malibu (1ZS69) 4dr Sdn RS

MSRP:\$27,853.00

\$100.00

Interior: Jet Black, Premium Cloth seat trim

Exterior 1: Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, 1.5L turbo DOHC 4-cylinder DI

Transmission, Continuously Variable (CVT)

0	P٦	$\Gamma$ I $C$	Z	12
$\mathbf{U}$			<i>-</i>	•

OPTIONS			
CODE	MODEL		MSRP
1ZS69	[Retail] 2023 Chevrolet Malibu (1ZS69) 4dr Sdn RS		\$27,853.00
	OPTIONS		
1SP	RS Preferred Equipment Group		\$0.00
A51	Seats, front bucket		\$0.00
GB8	Mosaic Black Metallic		\$495.00
H1T	Jet Black, Premium Cloth seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 8" diagon touchscreen, AM/FM stereo.	al colour	\$0.00
LFV	Engine, 1.5L turbo DOHC 4-cylinder DI		\$0.00
MRG	Transmission, Continuously Variable (CVT)		\$0.00
PCH	LPO, Floor Liner Package		\$295.00
PRF	3 years of Remote Access.		\$0.00
RIA	LPO, All-weather floor liners, front and rear	Inc.	
VLI	LPO, Cargo mat	Inc.	
VQK	LPO, Front and rear splash guards, custom moulded		\$250.00
W2D	LPO, Cargo net		\$85.00
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$28,978.00
	Adjustments Total		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.

3-Dec-2022 Page 1

Vehicle Tax



Destination Charge \$1,995.00

TOTAL PRICE \$31,073.00

#### **FUEL ECONOMY**

Est City:8.6 L/100 km

Est Highway:6.8 L/100 km

Est Highway Cruising Range:881.85 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



## **Standard Equipment**

•	•
Package	
	Chevrolet Safety Assist includes (UE4) Following Distance Indicator, (UEU) Forward Collision Alert, (UHX) Lane Keep Assist with Lane Departure Warning, (TQ5) IntelliBeam, (UHY) Automatic Emergency Braking and (UKJ) Front Pedestrian Braking
Mechanical	
	Engine, 1.5L turbo DOHC 4-cylinder DI with Variable Valve Timing (VVT) (160 hp [119.3 kW] @ 5700 rpm, 184 lb-ft torque [248.4 N-m] @ 2500-3000 rpm) (STD)
	Transmission, Continuously Variable (CVT) (STD)
	Engine control, stop-start system
	Axle, 5.10 final drive ratio
	Front wheel drive
	Suspension, front MacPherson strut
	Suspension, rear 4-link, independent
	Brakes, 4-wheel antilock, 4-wheel disc
	Brake rotors, Duralife
	Brake lining, high-performance, noise and dust performance
	Brake, parking, electronic
	Fuelling system, capless
	Fuel door, push open
	Exhaust, dual stainless-steel with polished tips
	Tool kit, road emergency
Exterior	
	Wheels, 18" (45.7 cm) aluminum
	Tires, 245/45R18 all-season, blackwall
	Wheel, spare, 16" (40.6 cm) steel
	Tire, compact spare, T125/80R16
	Spoiler, rear
	Grille, chrome surround with Black grille inserts
	Headlamp control, automatic on and off
	Headlamps, halogen
	IntelliBeam, automatic high beam on/off (Included with (WPS) Chevrolet Safety Assist.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



Exterior	
	Glass, acoustic, laminated, windshield
	Mirrors, outside power-adjustable, body-colour, manual-folding
	Bowties, Black, front and rear
	Badge, nameplate in Black
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 8" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system,
	Wireless Apple CarPlay/Wireless Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Antenna, body-colour
Interior	
	Seats, front bucket (STD)
	Seat trim, Premium Cloth
	Seat adjuster, 8-way power driver
	Seat adjuster, front passenger 6-way manual
	Seat adjuster, power driver lumbar control
	Seat, rear 60/40 split-folding
	Map pocket, front passenger seatback
	Floor mats, carpeted front (Deleted when the following LPOs are ordered: PCH, PDH, RIA, VAV.)
	Floor mats, carpeted rear (Deleted when the following LPOs are ordered: PCH, PDH, RIA, VAV.)
	Steering wheel, leather-wrapped 3-spoke
	Steering column, tilt and telescopic
	Steering wheel controls, mounted controls for audio, phone and cruise
	Warning indicator, front passenger seat belt
	Display, 8" diagonal LCD touch screen
	Driver Information Centre, monochromatic display
	Theft-deterrent system, content theft alarm
	Remote panic alarm
	Door locks, power programmable



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



Interior	
	Windows, power with Express-Down on all
	Keyless Open, front doors includes extended range Remote Keyless Entry
	Remote vehicle starter system
	Keyless Start
	Cruise control, electronic with set and resume speed
	Temperature display, outside
	Power outlet, auxiliary, 12-volt
	Air conditioning, single-zone manual
	Air filter, cabin
	Defogger, rear-window, electric,
	Mirror, inside rearview manual day/night,
	Visors, driver and front passenger vanity mirrors, covered
	Assist handle, front passenger
	Lighting, interior overhead courtesy lamp, dual reading lamps and illuminated trunk area
	Trunk cargo anchors
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with brake assist includes Traction Control
	Front Pedestrian Braking (Included with (WPS) Chevrolet Safety Assist.)
	Automatic Emergency Braking (Included with (WPS) Chevrolet Safety Assist.)
	Braking control, ECM grade
Safety-Exterior	
	Daytime Running Lamps, integral to headlamps
Safety-Interior	
	Airbags, 10 total, frontal and knee for driver and front passenger, side-impact seat-mounted and roof rail-mounted head-curtain for front and rear outboard seating positions includes Passenger Sensing System
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



Safety-Interior	
	Forward Collision Alert (Included with (WPS) Chevrolet Safety Assist.)
	Following Distance Indicator (Included with (WPS) Chevrolet Safety Assist.)
	Lane Keep Assist with Lane Departure Warning (Included with (WPS) Chevrolet Safety Assist.)
	HD Rear Vision Camera (Rear Vision Camera display is not HD with IOR audio system.)
	Rear Seat Reminder
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats
	Door locks, rear child security
	Trunk latch, safety, manual release
	Tire Pressure Monitor System
14/4 5 5 4 1 1 5 1	

#### **WARRANTY**

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**

## Transmission

**Powertrain** 

Drivetrain	Front Wheel Drive	Trans Order Code	MRG
Bilvetiani	Tront which blive	Trans Craci Code	IVII CO
Trans Type	1	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A	Clutch Size	N/A
Final Drive Axle Ratio (:1)	5.10		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



Powertrain			
Mileage			
EnerGuide Estimate - City	8.6 L/100 km	EnerGuide Estimate - Hwy	6.8 L/100 km
Cruising Range - City	697.26 km	Cruising Range - Hwy	881.85 km
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	LFV	Engine Type	Turbocharged Gas I4
Displacement	1.5L/91	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	160 @ 5700	SAE Net Torque @ RPM	184 @ 2500-3000
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	181
Vehicle			
EPA Classification	Midsize Cars		
Chassis			
Weight Information			
Base Curb Weight	1,422.04 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



assis			
uspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Four-Link
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	R0X	Rear Tire Order Code	R0X
Spare Tire Order Code	ZAM	Front Tire Size	245/45R18
Rear Tire Size	245/45R18	Spare Tire Size	T125/80R16
heels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	16 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	11.28 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	299.72 x -TBD- mm
Rear Brake Rotor Diam x Thickness	287.02 x -TBD- mm	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	60 L	Aux Fuel Tank Capacity, Approx	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.



Dimensions			
Interior Dimensions			
Passenger Capacity	5	Passenger Volume	2,913.81 L
Front Head Room	993.14 mm	Front Leg Room	1,054.1 mm
Front Shoulder Room	1,485.9 mm	Front Hip Room	1,374.14 mm
Second Head Room	952.5 mm	Second Leg Room	967.74 mm
Second Shoulder Room	1,450.34 mm	Second Hip Room	1,356.36 mm
Exterior Dimensions			
Wheelbase	2,829.56 mm	Length, Overall	4,932.68 mm
Width, Max w/o mirrors	1,854.2 mm	Height, Overall	1,455.42 mm
Track Width, Front	1,590.04 mm	Track Width, Rear	1,587.5 mm
Min Ground Clearance	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Trunk Volume	444.58 L		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 19801. Data Updated: 2-Dec-2022 7:23:00 PST PM.