ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔ Complete)

Window Sticker

SUMMARY

[Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck — MSRP:W/A

Interior:Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-speed automatic

OPTIONS

CODE	MODEL		MSRP
CK20903	[Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck	W/A	
	OPTIONS		
1WT	Work Truck Preferred Equipment Group		$0.00
AE7	Seats, front 40/20/40 split-bench		$0.00
AED	Window, power front, passenger express down	Inc.	
AKO	Glass, deep-tinted	Inc.	
AQQ	Remote Keyless Entry	Inc.	
AU3	Door locks, power	Inc.	
AXG	Window, power front, drivers express up/down	Inc.	
BHP	Winter Grille Cover	Inc.	
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner		$625.00
DD8	Mirror, inside rearview auto-dimming	Inc.	
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass	W/A	
E63	Durabed, pickup bed		$0.00
GAZ	Summit White		$0.00
GU6	Rear axle, 3.42 ratio	Inc.	
H1T	Jet Black, Cloth seat trim		$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		$0.00

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔ Complete)

JFM	GVWR, 10,900 lbs. (4944 kg)	Inc.	
JL1	Trailer brake controller, integrated		$350.00
K05	Engine block heater	Inc.	
K34	Cruise control, electronic	Inc.	
K40	Exhaust brake	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		$0.00
KI4	Power outlet, instrument panel, 120-volt		$275.00
L5P	Engine, Duramax 6.6L Turbo-Diesel V8		$11,195.00
MGM	Transmission, Allison 10-speed automatic	Inc.	
NZZ	Skid Plates	Inc.	
PCV	WT Convenience Package		$1,875.00
PQA	WT Safety Package		$1,325.00
PYQ	Wheels, 17" (43.2 cm) machined aluminum		$425.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.	
QXT	Tires, LT265/70R17E all-terrain, blackwall		$250.00
SFZ	LPO, Black Bowtie Emblem, front		$100.00
U01	Lamps, Smoked Amber roof marker, (LED)		$85.00
UD5	Front and Rear Park Assist, ultrasonic	Inc.	
UF2	LED Cargo Area Lighting		$150.00
UF3	High idle switch		$240.00
UFG	Rear Cross Traffic Alert	Inc.	
UKC	Lane Change Alert with Side Blind Zone Alert	Inc.	
UY2	Trailering wiring provisions		$40.00
V46	Bumper, front chrome	Inc.	
VJH	Bumper, rear chrome	Inc.	
VQK	LPO, Moulded splash guards, Black		$260.00
VYU	Snow Plow Prep/Camper Package		$535.00
ZXT	Tire, spare LT265/70R17E all-terrain, blackwall		$0.00
___	Federal air conditioning excise tax		$100.00
___	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔
Complete)

___	Capped Fuel Fill	Inc.	
	SUBTOTAL	**W/A**	
	Adjustments Total	W/A	
	Vehicle Tax		$100.00
	Destination Charge	W/A	
	TOTAL PRICE	**W/A**	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔ Complete)

Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 10,250 lbs. (4649 kg) (STD) (Included and only available with CC20753 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD)

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔
Complete)

Exterior	
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Front grille bar with "CHEVROLET" moulded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), moulded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (Complete)

Entertainment	
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Windows, manual (Requires Regular Cab model.)
	Door locks, manual (Requires Regular Cab model.)
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔ Complete)

Safety-Interior	
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.86	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Clutch Size	N/A	Trans Power Take Off	N/A

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔
Complete)

Powertrain

Transmission

Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP1625/6
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.68
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Estimated Battery Range	N/A		

Engine

Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/403	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	445 @ 2800	SAE Net Torque @ RPM	910 @ 1600
Engine Oil Cooler	Yes		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730
Maximum Alternator Capacity (amps)	220 & 170	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✓
Complete)

Chassis

Weight Information

Standard Weight - Front	1.81 kg	Standard Weight - Rear	0.91 kg
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	1,632.05 kg	Curb Weight - Rear	1,192.51 kg
Option Weight - Front	356.08 kg	Option Weight - Rear	74.39 kg
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	3,257.76 kg	As Spec'd Payload	1,686.48 kg
Maximum Payload Capacity	2,119.67 kg	Gross Combined Wt Rating	11,793.6 kg
Gross Axle Weight Rating	N/A	Curb Weight	2,824.57 kg
Reserve Axle Capacity	N/A	Total Option Weight	430.47 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	4,944.24 kg		

Trailering

Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	6,577.2 kg	Wt Distributing Hitch - Max Tongue Wt.	657.72 kg
Fifth Wheel Hitch - Max Trailer Wt.	8,250.98 kg	Maximum Trailering Capacity	6,577.2 kg
Fifth Wheel Hitch - Max Tongue Wt.	2,062.52 kg		

Frame

Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔
Complete)

Chassis

Suspension

Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT	Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E	Spare Tire Size	LT265/70R17E
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	106 L	Aux Fuel Tank Capacity, Approx	N/A

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.

ONTARIO MOTOR SALES
CHEVROLET CADILLAC

Vehicle: [Retail] 2023 Chevrolet Silverado 2500HD (CK20903) 4WD Reg Cab 142" Work Truck (✔
Complete)

Chassis

Fuel Tank

Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	1,094.99 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,677.92 mm
Front Hip Room	1,546.86 mm	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	3,595.37 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,981.7 mm	Width, Max w/o mirrors	2,076.45 mm
Height, Overall	2,030.48 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	1,402.08 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	258.83 mm
Ground Clearance, Rear	258.83 mm	Body Length	0 m
Cab to Body	N/A		

Cargo Area Dimensions

Cargo Box Length @ Floor	2,496.06 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,283.97 mm
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A
Cargo Volume	2,364.46 L	Ext'd Cab Cargo Volume	N/A

GM

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 21083. Data Updated: 8-May-2023 6:42:00 PDT PM.